OMB Control Number: 1660-0008 Expiration: 11/30/2018

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency
ELEVATION CERTIFICATE
IMPORTANT: FOLLOW THE INSTRUCTIONS ON PAGES 9-16

Copy all pages of this Elevation Certificate and all attachments for (1) community o	fficial, (2) insurar					
SECTION A - PROPERTY INFORMATION FORM INSURANCE COMPANY USE						
A1. Building Owner's Name Carolyn Bramante	Policy Number:					
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Company NAIC Number:						
3403 Atlantic Ave.						
City BOROUGH OF LONGPORT	State NJ		Zip Code 0	8403		
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal I Block 104 lot 1	Description, etc.))				
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.)	RESIDENTIAL					
A5. Latitude/Longitude: Lat. N 39.3175 Long.W 074.5176 Horizontal Datum: NAD 1927 • NAD 1983						
A6. Attach at least 2 photographs of the building if the Certificate is being used	to obtain flood i	insurance.				
A7. Building Diagram Number 8						
A8. For a building with a crawlspace or enclosure(s):	49. For a buildir	ng with an attache	ed garage:			
a) Square footage of crawlspace or enclosure(s) 2068 sq. ft. sq ft	a) Square footag	ge of attached ga	rage N/A	sq ft		
b) Number of permanent flood openings in the 16* b) Number of permanent flood openings crawlspace or enclosure(s) within 1.0 foot in the attached garage within 1.0 foot N/A above adjacent grade						
c) Total net area of flood openings in A8.b 3200* sq in	c) Total net area	of flood opening	s in A9.b N/A	sq in		
d) Engineered flood openings?	d) Engineered fl	ood openings?	C Yes	● No		
SECTION B - FLOOD INSURANCE RATE	MAP (FIRM) INF	ORMATION				
B1. NFIP Community Name & Community Number B2. County BOROUGH OF LONGPORT & 345302 B2. ATLANTIC				B3. State NJ		
B4. Map/Panel Number B5. Suffix B6. FIRM Index Date Revised Date No Index Printed 08/15/1983				od Elevation(s) , use base flood		
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9:						
← FIS Profile ← FIRM ← Community Determined ← Other/Source:						
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 \(\text{N} \)	VD 1988 € O	ther/Source:				
B12. Is the building located in a Coastal Barrier Resources System (CBRS) are)PA)? (`Y€	s (No		
Designation Date: CBRS COPA						
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)						
C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction						
C2. Elevations - Zones A1 - A30, AE, AH, A (with BFE), VE, V1 - V30, V (with BFE), AR, AR/A, AR/AE, AR/A1 - A30, AR/AH, AR/AO. Complete Items C2.a -h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.						
* A new Elevation Certificate will be required when construction of the building is complete.						
Benchmark Utilized: private Vertical Datum: NGVD29						
Indicate elevation datum used for the elevations in items a) through h) below.						
Other/Source:						
Datum used for building elevations must be the same as that used for the BFE. Check the measurement used.						
a) Top of bottom floor (including basement, crawlspace, or enclosure floor)	9.0 -		(e feet	C meters		
(b) Top of the next higher floor	13.3		(e feet	C meters		
c) Bottom of the lowest horizontal structural member (V Zones only)	N/A -		(feet	C meters		
d) Attached garage (top of slab)	N/A -		(feet	← meters		
e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)	11.3**** -		(feet	C meters		
f) Lowest adjacent (finished) grade next to building (LAG)	8.2 -	-	(feet	← meters		
g) Highest adjacent (finished) grade next to building (HAG)	9.3 -		♠ feet			
h) Lowest adjacent grade at lowest elevation of deck or stairs, including						
structural support	9.2 -	************	(feet	C meters		

ELEVATION CERTIFICATE

OMB Control Number: 1660-0008 Expiration: 11/30/2018

3403 Atlantic Ave.

BOROUGH OF LONGPORT

NJ


08403

SECTIO	N D - SURVEYOR, EN	GINEEF	R, OR AI	CHITECT CER	TIFICATIO	N	
his certification is to be signed and seal	ed by a land surveyor, e resents my best efforts	engineer, to interp	or orch	tect authorized	hy law to co	ertify elevation	statement may be
nishable by fine or imprisonment unde	Were latitude a	nd langi	tude in 9	Section A	1		1
Check here if attachments.	provided by a l	icensed	land sur	veyor?			
	(6, 165		se Num	har			1
ertifier's Name aul M. Koelling, PLS, CFM		NJ24	GS 043			P.J.	
itle censed Land Surveyor	Company Nam Paul Koelling&	Company Name Paul Koelling&AssocLLC-COA24GA28256300			riff. dEr		
ddress 161 Shore Road	City Linwood		State Zip Code NJ 08221				
ignature	Date 5/26/2016						
opy both sides of this Elevation Certific	ate for (1) community o	fficial. (2) insura	nce agent/comp	any, and (3) building own	er.
comments (including type of equipment A8b.) Smart Vents Model #1540-510 e *B8 & B9.) FEMA Pre-FIRM Zone "AE **C2a.) crawlspace enclosure ***C2e.) Ductwork elev. 11.3	and location, per C2(e), if appl	icable)"	area each			
	/						
	2/						
1800/	10					Date	5/26/2016
Signature				OUIDED) FOR	ZONE AO		
SECTION E - BUILDING ELEVAT for Zones AO and A (without BFE), cor	ION INFORMATION (S	be Certi	NOT RE	intended to supp	ort a LOM	A or LOMR-F	request, complete
Sections A, B,and C. For Items E1 -E4,	use natural grade, il av	allable.	Official ti				
E1. Provide elevation information for th highest adjacent grade (HAG) and t	ne lowest adjacent grad	ie appro de (LAG)).	ixes to show with	0.1101 1110		
 a) Top of bottom floor (including bat or enclosure) is 		-		_ C feet C	meters	above or	below the HAG.
 b) Top of bottom floor (including be or enclosure) is 				_ Cfeet C		above or	below the LAG.
E2. For Building Diagrams 6 -9 with pe higher floor (elevation C2.b in the diago	rmanent flood openings ams) of the building is	provide —	d in Sec	tion A Items 8 ai	meters	above or	
E3. Attached garage (top of slab) is				C feet C	meters	above or	below the HAG.
E4. Top of platform of machinery and / servicing the building is				(feet (below the HAG.
E. Zono AO only: If no flood depth flu	mber is available, is the	top of the	he botto official n	m floor elevated nust certify this in	in accorda nformation	nce with the co in Section G.	ommunity's floodplain
A FOR ION F	DRODERTY OWNER	(OR OV	VNER'S	REPRESENTA	TIVE) CER	TIFICATION	
The property owner or owner's authoricommunity-issued BFE) or Zone AO n	Contraction of the Contraction o		La- Cant	and A B and E	for /one A	(Without a re	MA-issued or ny knowledge.
Property Owner or Owner's Authorize	d Representative's Nam	ne:					
Address	City			State		ZIP	Code
Signature	Dat	е		Teleph	one		
Comments							
						CI	neck here if attachmen

Building Photographs

	See Instructions for Item A6.			
Building Street Address (include 3403 Atlantic Ave.	ding Apt., Unit, Suite, and/or Bldg.) No. o	r P.O. Route and Box No.	Policy Number	
City	State	ZIP Code	Company NAIC Number	
Longport	NJ	08403		

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page on the reverse.





Front View - Date of Photograph: (See Photo Stamp)

Rear View - Date of Photograph: (See Photo Stamp)





Right Side View – Date of Photograph: (See Photo Stamp)

Vent View - Date of Photograph: (See Photo Stamp)



ICC-ES Evaluation Report

E8R-2074

Reissued February 1, 2009

This report is subject to re-examination in two years.

www.icc-eg.org | (800) 423-6667 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 10-SPECIALTIES Section: 10230-Vents

REPORT HOLDER:

SMART VENTO, INC. 450 ANDBRO DRIVE, SUITE 25 PITMAN, NEW JERSEY 08071 (856) 307-1468 www.smartvent.com eval@smartvent.com

EVALUATION SUBJECT:

SMART VENT AUTOMATIC FOUNDATION FLOOD VENTS: FLOODVENT" MODEL #1640-620; **FLOODVENT™** STACKING MODEL #1640-521; SMARTVENT" MODEL #1640-610; SMARTVENT" STACKING MODEL #1640-611; WOOD WALL FLOOD MODEL \$1640-670; WOOD WALL OVERHEAD DOOR MODEL #1540-574: FLOOD FLOODVENT OVERHEAD DOOR MODEL #1640-634; SMARTVENT" OVERHEAD DOOR MODEL #1640-614

1.0 . EVALUATION SCOPE

Compliance with the following codes:

- 2006 International Building Code® (IBC)
- 2006 International Residential Code® (IRC)

Properties evaluated:

- Physical operation
- Water flow

2.0 USES

The Smart Vent units are automatic foundation flood vents (AFFVs) employed to equalize hydrostatic pressure on nonfire-resistance-rated foundation walls, rolling-type overhead doors and building walls subject to rising or falling flood waters. Certain models also allow natural ventilation in accordance with Section 1203 of the IBC or Section 408.1 of the IRC.

3.0 DESCRIPTION

3.1 General:

When subjected to pressure from rising water, the Smart Vent AFFVs disengage, then pivot open to allow flow in either direction to equalize water level and hydrostatic pressure from one side of the foundation to the other. The AFFV pivoting door is normally held in the closed position by a buoyant release device. When subjected to rising water, the buoyent release device causes the unit to

unlatch, allowing the plate to rotate out of the way and allow flow. The water level stabilizes, equalizing the lateral forces. Each unit is fabricated from stainless steel, and each opening provides 76 square inches (49 032 mm²) of net free area for flood mitigation in the open position. The Stacking Model #1540-511 Smart/ENT* FloodVENT™ Stacking Model #1540-521 units each contain two vertically arranged openings per unit, providing 152 square inches (96 064 mm²) of net free area for flood mitigation in the open position.

3.2 Engineered Opening:

The AFFVs comply with the design principle noted in Section 2.6.2.2 of ASCE/SEI 24 for a maximum rate of rise and fall of 5.0 feet per hour (0.423 mm/s). In order to comply with the engineered opening requirement of ASCE/SEI 24, Smart Vent AFFVs must be installed in accordance with Section 4.0.

3.3 Model Sizes:

The FloodVENT™ Model #1540-520, SmartVENT™ Model #1540-510, FloodVENT™ Overhead Door Model #1540-524, and SmartVENT™ Overhead Door Model #1540-514 units measure 153/4 inches wide by 73/4 inches high (400 by 196.9 mm). The Wood Wall Flood Model #1540-570 and Wood Wall Flood Overhead Door Model #1540-574 units measure 14 inches wide by 63/4 inches high (355.6 by 222.25 mm). The SmartVENT™ Stacking Model #1540-511 and FloodVENT™ Stacking Model #1540-521 units measure 16 inches wide by 16 inches high (406.4 by 406.4 mm).

3.4 Ventilation:

The SmartVENT® Model #1540-510 and SmartVENT® Overhead Door Model #1540-514 both have screen covers with 1/4-inch-by-1/4-inch (6.35 by 6.35 mm) openings, yielding 51 square inches (32 903 mm²) of net free area to supply natural ventilation. The SmartVENT™ Stacking Model #1540-511 consists of two Model #1540-510 units in one assembly, and provides 102 square inches (65 806 mm²) of net free area to supply natural ventilation. Other AFFVs recognized in this report do not offer natural ventilation.

4.0 INSTALLATION

SmartVENT and FloodVENT™ are designed to be installed into walls or overhead doors of existing or new construction from the exterior side. Installation of the vents must be in accordance with the manufacturer's instructions, the applicable code and this report. The mounting straps allow mounting in wood, masonry and concrete wells up to 12 inches (305 mm) thick. In order to