

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY

NATIONAL FLOOD INSURANCE PROGRAM ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

BUILDING OWNER'S NAME			ORMATION		FOR INSURANCE COMPANY US
SCOTT AND ETTA	MAXWELL			8	POLICY NUMBER
STREET ADDRESS (Including A 1503 BEACH TER) OTHER DESCRIPTION (Lot and		Number) OR P.O.	ROUTE AND BOX NUMBER	. '	COMPANY NAIC NUMBER
LOT 2.02, BLOC	K 10				
LONGPORT	SECTION D		NEW JERSEY	STATE	ZIP CODE 08403
ovide the following (SECTION B F	LOOD INSURA	ANCE RATE MAP (FIRM	INFORMATION	
ovide the following from the	he proper FIRM (See	Instructions):	•		
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	1 00000
345302	0001	В	8/15/83	A-8	6. BASE FLOOD ELEVATIO (in AO Zones, use depth) 10.00
Indicate the elevation datu For Zones A or V, where re the community's BFE:	no BFE is provided o	he FIRM for Ba n the FIRM, an GVD (or other	se Flood Elevations (BFE of the community has estable of the Community has estable of the Community has estable of the Community has been seen the community of	E): NGVD '29 ablished a BFE to B, Item 7)	Other (describe on barr this building site, indica
Using the Elevation Certific lescribes the subject build	SECTIO	NC BUILDIN	NG ELEVATION INFORM	ATION	
FIRM Zones V1-V30, VE	E, and V (with BFF)	The bottom of	of the reference level floor Section B, Item 7). The lowest horizontal stru		
the selected diagram, is FIRM Zone A (without Bibelow (check one) the FIRM Zone AO. The floor one) the highest grade aclevel) elevated in accordance.	at an elevation of FE). The floor used the highest grade adjusted as the refered diacent to the building ance with the communication.	The bottom of as the reference acent to the building life in flood displaying flood display	the lowest horizontal structed NGVD (or other FIRM the level from the selected liding. the selected diagram is lepth number is available	datum-see Sec diagram is feet abo	the reference level from tion B, Item 7). = feet above or ve or below (checlowest floor (reference
the selected diagram, is FIRM Zone A (without Bl below (check one) the FIRM Zone AO. The floo one) the highest grade ac level) elevated in accordaticate the elevation datum der Comments on Page 2 of FIRM [see Section B, It wation under Comments of Page 2).	at an elevation of	The bottom of as the reference acent to the building of the building of the building of the acent in the elevations.	the lowest horizontal structed NGVD (or other FIRM the level from the selected liding. The selected diagram is lepth number is available in management ordinance pove reference level elevited.	datum—see Sec diagram is feet abo is the building's Yes N Ations: X NGVD	the reference level from tion B, Item 7). = feet above or or below (checklowest floor (reference or Unknown Other (describe)
FIRM Zones V1-V30. VE the selected diagram, is FIRM Zone A (without BI below (check one) th FIRM Zone AO. The floc one) the highest grade ac level) elevated in accorda dicate the elevation datum der Comments on Page 2 FIRM [see Section B, In pation under Comments of vation reference mark use	at an elevation of	The bottom of as the reference acent to the building. If no flood dunity's floodplainermining the abovation datum to the elevations.	the lowest horizontal structed NGVD (or other FIRM the level from the selected liding. The selected diagram is lepth number is available in management ordinance love reference level elevities of the datum system use.	datum—see Sec diagram is feet abo is the building's ? Yes N ations: X NGVD evations is different d on the FIRM an	the reference level from tion B, Item 7). = feet above or or below (checklowest floor (reference or Unknown Cthecklowest)
the selected diagram, is FIRM Zone A (without BI below (check one) th FIRM Zone AO. The floo one) the highest grade ac level) elevated in accorda dicate the elevation datum der Comments on Page 2 FIRM [see Section B, In vation under Comments of vation reference mark use or reference level elevation or this certificate will only be or required once construction	at an elevation of	The bottom of as the reference acent to the building. If no flood durity's floodplainermining the abovation datum unthe elevations. Yes the classification of the building of during the construction of the building	the lowest horizontal struction by the lowest horizontal struction of the relevel from the selected liding. The selected diagram is the selected number is available in management ordinance to over reference level elevities of in measuring the elevition the datum system used to the datum system used to the datum system used to construction or construction drawing does not yet have the recourse of construction. A	feet about is the building's Yes NGVD evations is different d on the FIRM and Page 4)	the reference level from tion B. Item 7). = feet above or or below (check lowest floor (reference or Unknown 129 Other (describe at than that used on it show the conversion
the selected diagram, is FIRM Zone A (without Bit below (check one) th FIRM Zone AO. The floo one) the highest grade ac level) elevated in accordat dicate the elevation datum der Comments on Page 2 or FIRM [see Section B, It wation under Comments of vation reference mark using the reference level elevation of this certificate will only the	at an elevation of	The bottom of as the reference acent to the building. If no flood durity's floodplainermining the abovation datum unthe elevations. Yes the classification of the building of during the construction of the building	the lowest horizontal struction B, item 7). the lowest horizontal struction B, item 7). feet NGVD (or other FIRM is level from the selected Iding. the selected diagram is lepth number is available in management ordinance pove reference level elevinged in measuring the elected in measuring the elected to the datum system use. No (See Instructions on Item 1) is a construction drawing does not yet have the recourse of construction. A	feet about the building's leave the building leave the bui	the reference level from tion B, Item 7). = feet above or ve or below (checklowest floor (reference or Unknown) 129 Other (describe on than that used on and show the conversion)
the selected diagram, is FIRM Zone A (without BI below (check one) the FIRM Zone AO. The floo one) the highest grade activate the elevation datum der Comments on Page 2 FIRM [see Section B, It wation under Comments of vation reference mark uses reference level elevation of the lowest of the required once construction of the lowest of elevation of the lowest of the lowest of elevation of the lowest of elevation of the lowest of th	at an elevation of	The bottom of as the reference acent to the building of the above to the elevations of the elevation of the building of the bu	the lowest horizontal struction B, item 7). the lowest horizontal struction B, item 7). feet NGVD (or other FIRM is level from the selected Iding. the selected diagram is lepth number is available in management ordinance pove reference level elevinged in measuring the elected in measuring the elected to the datum system use. No (See Instructions on Item 1) is a construction drawing does not yet have the recourse of construction. A	feet about the building's leave the building leave the bui	the reference level from tion B, Item 7). = feet above or ve or below (checklowest floor (reference) Unknown '29 Other (describe on than that used on the conversion) or in place, in which Elevation Certificate

IEMA form 81-31, MAY 90

2. Date of the start of construction or substantial improvement

REPLACES ALL PREVIOUS EDITIONS.

feet NGVD (or other FIRM datum-see Section B. Item 7)

SEE REVERSE SIDE FOR CONTINUATION.

* TO BE DETERMINED BY OTHERS. SEE SURVEY ELEVATIONS ON REAR OF THIS FORM.

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME

LICENSE NUMBER (or Affix Seal)

ARTHUR W. PONZIO, JR

28314

LAND SURVEYOR

ARTHUR W. PONZIO CO. & ASSO., INC.

400

ATLANTIC

CITY

NEW JERSEY PHONE

08401

2/18/93


344-8194

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS:

GRADE ELEVATION = 8.45'

FIRST FLOOR, TOP OF BLOCK ELEVATION = 10.20'



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones

Elevations for all A Zones should be measured at the top of the reference level floor

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member