U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires March 31, 2012

Federal Emergency Management Agency
National Flood Insurance Program
Important: Read the instructions on pages 1-9.

SECTION A - PROPERTY INFORMATION	For Insurance Company Use:				
A1. Building Owner's Name Kirk W. Fullerton	Policy Number				
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 17 S. 35 th Ave.	Company NAIC Number				
City LONGPORT State NJ ZIP Code 08403					
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Block 108 lot 6.02					
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residential A5. Latitude/Longitude: Lat. N 39.3185 Long. W 074.5184 Horizontal Datu A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 8	_				
A8. For a building with a crawlspace or enclosure(s): a) Square footage of crawlspace or enclosure(s) b) No. of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade c) Total net area of flood openings? A9. For a building with an attached garage: a) Square footage of attached garage 200 sq ft b) No. of permanent flood openings in the attached garage within 1.0 foot above adjacent grade 2 c) Total net area of flood openings? A9. For a building with an attached garage: a) Square footage of attached garage 200 sq ft b) No. of permanent flood openings in the attached garage within 1.0 foot above adjacent grade 2 c) Total net area of flood openings in A9.b 450 sq in d) Engineered flood openings? Yes No					
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION	ON				
B1. NFIP Community Name & Community Number Borough of Longport 345302 B2. County Name Atlantic	B3. State NJ				
B4. Map/Panel Number B5. Suffix B6. FIRM Index B7. FIRM Panel B8. Flood Suffix B6. FIRM Index B7. FIRM Panel B8. Flood Suffix B6. FIRM Index B7. FIRM Panel B8. Flood Suffix B7. Firm Panel B8. Firm Panel	B9. Base Flood Elevation(s) (Zone AO, use base flood depth)				
☐ FIS Profile ☐ FIRM ☐ Community Determined ☐ Other (Describe) B11. Indicate elevation datum used for BFE in Item B9: ☐ NGVD 1929 ☐ NAVD 1988 ☐ Other (Describe) B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? ☐ Yes ☐ No Designation Date ☐ CBRS ☐ OPA					
	W-Y				
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQU	IRED)				
 Building elevations are based on:	☑ Finished Construction AH, AR/AO. Complete Items C2.a-h				
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/ below according to the building diagram specified in Item A7. Use the same datum as the BFE. Benchmark Utilized NGS PID 2419Vertical Datum NGVD88 Conversion/Comments Survey Datum + 1.283 = BFE Datum / by NGS VERTCON Check the measure	☑ Finished Construction AH, AR/AO. Complete Items C2.a-h rement used.				
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/ below according to the building diagram specified in Item A7. Use the same datum as the BFE. Benchmark Utilized NGS PID 2419Vertical Datum NGVD88 Conversion/Comments Survey Datum + 1.283 = BFE Datum / by NGS VERTCON Check the measure a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 8.0	☐ Finished Construction AH, AR/AO. Complete Items C2.a-h rement used. erto Rico only)				
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/ below according to the building diagram specified in Item A7. Use the same datum as the BFE. Benchmark Utilized NGS PID 2419Vertical Datum NGVD88 Conversion/Comments Survey Datum + 1.283 = BFE Datum / by NGS VERTCON Check the measure a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 8.0 b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) n/a. Select meters (Pu	☐ Finished Construction AH, AR/AO. Complete Items C2.a-h rement used. erto Rico only) erto Rico only) erto Rico only)				
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/ below according to the building diagram specified in Item A7. Use the same datum as the BFE. Benchmark Utilized NGS PID 2419 Vertical Datum NGVD88 Conversion/Comments Survey Datum + 1.283 = BFE Datum / by NGS VERTCON Check the measure a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 8.0 b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab)	☐ Finished Construction AH, AR/AO. Complete Items C2.a-h rement used. erto Rico only)				
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/below according to the building diagram specified in Item A7. Use the same datum as the BFE. Benchmark Utilized NGS PID 2419Vertical Datum NGVD88 Conversion/Comments Survey Datum + 1.283 = BFE Datum / by NGS VERTCON Check the measure a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 8.0 b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building **.** Building Under Construction* AR/AE, AR/A1-A30, AR/AB, AR/AE, AR/A1-A30, AR/AB, AR/AE, AR/A1-A30, AR/AB, AR/AE, AR/AE	☐ Finished Construction AH, AR/AO. Complete Items C2.a-h rement used. erto Rico only)				
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/below according to the building diagram specified in Item A7. Use the same datum as the BFE. Benchmark Utilized NGS PID 2419 Vertical Datum NGVD88 Conversion/Comments Survey Datum + 1.283 = BFE Datum / by NGS VERTCON Check the measure a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 8.0	Finished Construction AH, AR/AO. Complete Items C2.a-h rement used. erto Rico only)				
*A new Elevation Certificate will be required when construction of the building is complete. *Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/A below according to the building diagram specified in Item A7. Use the same datum as the BFE. *Benchmark Utilized NGS PID 2419Vertical Datum NGVD88 *Conversion/Comments Survey Datum + 1.283 = BFE Datum / by NGS VERTCON **Check the measure* *Top of bottom floor (including basement, crawlspace, or enclosure floor) 8.0	Finished Construction AH, AR/AO. Complete Items C2.a-h rement used. erto Rico only)				
C1. Building elevations are based on:	Finished Construction AH, AR/AO. Complete Items C2.a-h rement used. erto Rico only)				
C1. Building elevations are based on:	Finished Construction AH, AR/AO. Complete Items C2.a-h rement used. erto Rico only)				
C1. Building elevations are based on:	Finished Construction AH, AR/AO. Complete Items C2.a-h rement used. erto Rico only)				
C1. Building elevations are based on:	Finished Construction AH, AR/AO. Complete Items C2.a-h rement used. erto Rico only)				
C1. Building elevations are based on:	Finished Construction AH, AR/AO. Complete Items C2.a-h rement used. erto Rico only) erto Rico SEAL				
C1. Building elevations are based on:	Finished Construction AH, AR/AO. Complete Items C2.a-h rement used. erto Rico only) erto Rico SEAL				
C1. Building elevations are based on:	Finished Construction AH, AR/AO. Complete Items C2.a-h rement used. erto Rico only) erto Rico Hico only) EION ation A PLACE SEAL HERE				

IMPORTANT: In these spaces.	copy the corresponding information	from Section A.	For Insurance Company Use:
Building Street Address (including Ap	t., Unit, Suite, and/or Bldg. No.) or P.O. Rou		Policy Number
17 S. 35 th Ave. City Longport State NJ ZIP Code	08403		Company NAIC Number
SECTION	N D - SURVEYOR, ENGINEER, OR AF	CHITECT CERTIFICATION (CO	
	water with the water with the water with the water wat		
Experience of the control of the con	ificate for (1) community official, (2) insurands 12.0, duct work elevation is 10.2. Dwelling		
#FB-316	12.0, duct work elevation is 10.2. Dwelling	and garage have bort 1 lood 7 th vent	3. (9000 for 200 square menes) measi
		3	
Signature	11	Date 12/4/12012	Check here if attachments
SECTION E - BUILDING ELE	EVATION INFORMATION (SURVEY N	OT REQUIRED) FOR ZONE AO	
SECTION E - BOILDING ELE	VATION IN ORMATION (OCIVEL) IN	OT REGULED/TOR EGRE AG	AND LONE A (MINIOU. D. L.)
For Zones AO and A (without BFE), o	complete Items E1-E5. If the Certificate is in grade, if available. Check the measuremen	tended to support a LOMA or LOMR-	F request, complete Sections A, B,
	r the following and check the appropriate bo		
grade (HAG) and the lowest adj	acent grade (LAG).		
a) Top of bottom floor (including b) Top of bottom floor (including	basement, crawlspace, or enclosure) is basement, crawlspace, or enclosure) is] above or ∏ below the HAG.] above or ∏ below the LAG.
E2. For Building Diagrams 6-9 with	permanent flood openings provided in Section	on A Items 8 and/or 9 (see pages 8-9	of Instructions), the next higher floor
	of the building is feet	above or ☐ below the HAG.	ne HAG.
E3. Attached garage (top of slab) isE4. Top of platform of machinery an	d/or equipment servicing the building is		pove or below the HAG.
E5. Zone AO only: If no flood depth	number is available, is the top of the botton	n floor elevated in accordance with th	
ordinance? 🗌 Yes 🗌 No [Unknown. The local official must certify	this information in Section G.	
SECTION	N F - PROPERTY OWNER (OR OWNE	R'S REPRESENTATIVE) CERT	IFICATION
	ized representative who completes Sections		EMA-issued or community-issued BFE)
Property Owner's or Owner's Authoriz	ements in Sections A, B, and E are correct to ad Representative's Name	o the best of my knowledge.	
Froperty Owner's or Owner's Authoriz	eu Nepresentative s Name		
Address	City	y State	ZIP Code
Signature	Dat	te Teleph	one
Comments			
		FORMATION (ORTIONAL)	Check here if attachment
The level official who is gutherized by lo	SECTION G - COMMUNITY IN w or ordinance to administer the community		can complete Sections A. B. C. (or E)
and G of this Elevation Certificate. Com	nplete the applicable item(s) and sign below	. Check the measurement used in Ite	ems G8 and G9.
	was taken from other documentation that ha elevation information. (Indicate the source		
62. A community official complete	ed Section E for a building located in Zone A	(without a FEMA-issued or commun	ity-issued BFE) or Zone AO.
3. The following information (Iter	ms G4-G9) is provided for community floodp	plain management purposes.	
G4. Permit Number	G5. Date Permit Issued	G6. Date Certificate Of Con	npliance/Occupancy Issued
67. This permit has been issued for:	☐ New Construction ☐ Substant	tial Improvement	
2000 1000 1000 VV 1000	ncluding basement) of the building:		ım
9. BFE or (in Zone AO) depth of floor		feet _ meters (PR) Datu	
G10. Community's design flood elevation	n	feet meters (PR) Date	um
Land Officially Massa		Tilla	
Local Official's Name		Title	
Community Name		Telephone	
Signature		Date	
Comments		exercise 50 (2,500) (200)	
			Check here if attachment

Building Photographs

See Instructions for Item A6. Building Street Address (including Apt., Unit, Suite, and/or Bldg.) No. or P.O. Route and Box No. 17 S. 35 th Ave.			For Insurance Company Use: Policy Number
Longport	NJ	08403	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page on the reverse.





Front View - Date of Photograph: (See Photo Stamp)

Rear View - Date of Photograph: (See Photo Stamp)





Right Side View – Date of Photograph: (See Photo Stamp)

Left Side View - Date of Photograph: (See Photo Stamp)



February, 2009

We, at *USA Flood Air Vents*, would like to thank you for stopping by our booth during the 30th Annual *SurvCon Conference* to learn more about our flood venting products.

Our flood vents are state engineer certified and each vent covers 250 square foot of enclosed area. We are the only hydrostatic flood vent in the market that meets all of the FEMA, NFIP and ICC regulations while offering a low cost solution for the consumers and your clients.

We have certified specialists on staff to answer all of your questions and we look forward to discussing the use of our vents in your next project.

Again, thank you for taking the time to speak with us and we look forward to serving your flood venting needs in the future.

Sincerely,

Charlene D. Opatkiewicz

Principle Owner

Neal E. Opatkiewicz

Vice President

Engineered Flood Openings Certificate To satisfy requirements of the National Flood Insurance Program

This certification must be submitted to, and kept on file by, the local jurisdiction's permit authority. A copy should be retained by the owner to demonstrate compliance in order to receive the best flood insurance rating.

The Smart VENT® and Flood VENT™ Foundation Flood Vent is certified as meeting the flood opening requirements for engineered openings as set forth in the Federal Emergency Management Agency's National Flood Insurance Program regulations (44 CFR 60.3(c)(5)) and ASCE 24-98, provided it is installed according to the those references, as summarized below. Flood openings are required in enclosures below elevated buildings, attached and detached garages, and accessory structures that meet the required limitations. For a copy of the report documenting this certification dated June 21, 2002, and a copy of the National Evaluation Service report NER 624, contact Smart VENT, Inc., at 877/441-8368 or

www.smartvent.com

I do hereby certify that the Smart VENT® Louvered Foundation Flood Vent and the FloodVENTTM Insulated Foundation Flood Vent opening (s) is designed for installation in buildings, will allow for the automatic equalizing of hydrostatic flood forces on exterior walls by allowing for the automatic entry and exit of floodwater during floods up to and including the base (100-year) flood. One Smart VENT® or one FloodVENTTM for every 200 Sq.Ft. of enclosed area will provide sufficient hydrostatic pressure equalization during a flood provided the installation limitations and instructions are followed as listed below. To Calculate the required number of Smart VENTS® or FloodVENTSTM divide the Square Feet of enclosed area by 200.

Example: A 2000 Sq.Ft. enclosed area requires 10 vents. 2000 Sq.Ft / 200 = 10 Vents

Signature Title Professional Engineer Type of License Professional Engineering License Number NJ PE GE26637	N _e	NEW NEW CE 26 6 1 T
*Project Name *Project Address		THE THE PARTY OF T
Date Submitted Required Fields*		Professional Seal

Installation Limitations and Instructions

- The Smart VENT® or FloodVENT™ unit provides sufficient automatic equalization of hydrostatic pregsure on walls and foundations of buildings located in flood hazard areas where the rate of rise is expected to be less than or approximately 5 feet
- Enclosed areas below otherwise elevated buildings, non-elevated attached and detached garages, and certain non-elevated accessory structures located in flood hazard areas are to be used solely for parking of vehicles, building access, or storage.
- Each enclosed area shall have at least two flood openings, installed on different sides of the enclosed area. 3. The bottom of the flood openings shall be no more than one foot above the adjacent finished ground level.
- Installation must be in accordance with manufacturer's instructions.

"REFERENCE ONLY" From FEMA TB 1-93 **Guidance for Engineered Openings** Openings in Foundation Walls

National Flood Insurance Program (NFIP) Technical Bulletin TB 1-93

"In situations where it is not feasible or desirable to meet the openings criteria stated previously, a design professional (registered engineer or architect) may design and certify openings. This section provides guidance for such engineered designs. For openings not meeting all four requirements for non-engineered openings listed on page 2 and 3 of TB 1-93, certification by a registered professional engineer or architect is required. Such certification must be submitted to, and kept on file by, the community. These certifications must assure community officials that the openings are designed in accordance with accepted standards of practice. A certification may be affixed to the design drawings or submitted separately. It must include appropriate certification language, and the name, title, address, signature, type of license, license number, and professional seal of the certifier." (TB 1-93 is available through Smart VENT® or online at www.fema.gov)

Form: SMRT100 Rev.A July 2002

This form is the property of Smart VENT Inc. Modification or Duplication is Strictly Prohibited without authorization.