U.S. DEPARTMENT OF HOMELAND SECURITY

EEMA Form 81_31 Mar 09

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires March 31, 2012

Replaces all previous editions

Federal Emergency Management Agency National Flood Insurance Program

Important: Read the instructions on pages 1-9.

SECTION A - PROPERTY INFORMATION	For Insurance Company Use:		
Building Owner's Name The Lyon's	Policy Number		
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 2704 Oberon Ave.	Company NAIC Number		
City LONGPORT State NJ ZIP Code 08403			
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Block 32 lot 10			
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residential A5. Latitude/Longitude: Lat. N 39.3140 Long. W 074.5255 Horizontal Datum: A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 8 A8. For a building with a crawlspace or enclosure(s): A9. For a building with an attack	□ NAD 1927 ⊠ NAD 1983		
a) Square footage of crawlspace or enclosure(s) 955 sq ft b) No. of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade c) Total net area of flood openings in A8.b d) Engineered flood openings? Yes No Square footage of attact b) No. of permanent flood within 1.0 foot above adjacent grade c) Total net area of flood openings? A8.b d) Engineered flood openings?	ned garage <u>n/a</u> sq ft openings in the attached garage jacent grade <u>n/a</u> penings in A9.b <u>n/a</u> sq in ngs?		
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION			
Bi. It is constituting frame a constituting frame.	33. State NJ		
B4. Map/Panel Number 345302 / 0001 B5. Suffix B Date No Index Printed B7. FIRM Panel Effective/Revised Date 8/15/83 B8. Flood Zone(s) A8	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 10.0		
310. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9.			
☐ FIS Profile ☐ FIRM ☐ Community Determined ☐ Other (Describe) 311. Indicate elevation datum used for BFE in Item B9: ☐ NGVD 1929 ☐ NAVD 1988 ☐ Other (Describe)	(i) (
Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? CBRS			
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRE	ED)		
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete.			
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AF below according to the building diagram specified in Item A7. Use the same datum as the BFE.			
 C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AF below according to the building diagram specified in Item A7. Use the same datum as the BFE. Benchmark Utilized NGS PID 2419Vertical Datum NGVD88 			
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AF below according to the building diagram specified in Item A7. Use the same datum as the BFE. Benchmark Utilized NGS PID 2419 Vertical Datum NGVD88 Conversion/Comments NAVD88 + 1.283 = BFE Datum / by NGS VERTCON Check the measurem	☑ Finished Construction I, AR/AO. Complete Items C2.a-h nent used.		
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AF below according to the building diagram specified in Item A7. Use the same datum as the BFE. Benchmark Utilized NGS PID 2419 Vertical Datum NGVD88 Conversion/Comments NAVD88 + 1.283 = BFE Datum / by NGS VERTCON Check the measurem a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 7.4 Geet Meters (Puert	☑ Finished Construction I, AR/AO. Complete Items C2.a-h nent used. o Rico only)		
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AF below according to the building diagram specified in Item A7. Use the same datum as the BFE. Benchmark Utilized NGS PID 2419 Vertical Datum NGVD88 Conversion/Comments NAVD88 + 1.283 = BFE Datum / by NGS VERTCON Check the measurem a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 7.4 b) Top of the next higher floor 12.1 feet meters (Puert C) Bottom of the lowest horizontal structural member (V Zones only) Nda. Get meters (Puert C)	☐ Finished Construction I, AR/AO. Complete Items C2.a-h ment used. o Rico only) o Rico only) o Rico only) o Rico only)		
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AF below according to the building diagram specified in Item A7. Use the same datum as the BFE. Benchmark Utilized NGS PID 2419 Vertical Datum NGVD88 Conversion/Comments NAVD88 + 1.283 = BFE Datum / by NGS VERTCON Check the measurem a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 7.4 b) Top of the next higher floor 12.1 feet meters (Puert C) Bottom of the lowest horizontal structural member (V Zones only) Attached garage (top of slab)	Finished Construction I, AR/AO. Complete Items C2.a-h ment used. o Rico only)		
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AF below according to the building diagram specified in Item A7. Use the same datum as the BFE. Benchmark Utilized NGS PID 2419 Vertical Datum NGVD88 Conversion/Comments NAVD88 + 1.283 = BFE Datum / by NGS VERTCON Check the measurem a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 7.4 b) Top of the next higher floor 12.1 feet meters (Puert 12.1 c) Bottom of the lowest horizontal structural member (V Zones only) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building **.*** Building Under Construction* AR/AE, AR/A1-A30, AR/AF Br/AI-A30, AR/AF Check the measurem Check the m	Finished Construction I, AR/AO. Complete Items C2.a-h nent used. o Rico only)		
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AF below according to the building diagram specified in Item A7. Use the same datum as the BFE. Benchmark Utilized NGS PID 2419 Vertical Datum NGVD88 Conversion/Comments NAVD88 + 1.283 = BFE Datum / by NGS VERTCON Check the measurem a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 7.4 b) Top of the next higher floor Check the measurem c) Bottom of the lowest horizontal structural member (V Zones only) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) 7.3 Service Construction* Building Under Construction*	Finished Construction I, AR/AO. Complete Items C2.a-h ment used. o Rico only)		
C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AF below according to the building diagram specified in Item A7. Use the same datum as the BFE. Benchmark Utilized NGS PID 2419 Vertical Datum NGVD88 Conversion/Comments NAVD88 + 1.283 = BFE Datum / by NGS VERTCON Check the measurem a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 7.4 b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building h) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) 7.6 giarding Under Construction* Building Under Construction* Top of the building Under Construction of the building Under Co	Finished Construction I, AR/AO. Complete Items C2.a-h ment used. o Rico only)		
C1. Building elevations are based on:	Finished Construction I, AR/AO. Complete Items C2.a-h ment used. o Rico only)		
C1. Building elevations are based on:	Finished Construction I, AR/AO. Complete Items C2.a-h ment used. o Rico only)		
C1. Building elevations are based on:	Finished Construction I, AR/AO. Complete Items C2.a-h ment used. o Rico only)		
C1. Building elevations are based on:	Finished Construction I, AR/AO. Complete Items C2.a-h ment used. o Rico only)		
C1. Building elevations are based on:	Finished Construction I, AR/AO. Complete Items C2.a-h ment used. o Rico only)		
21. Building elevations are based on:	Finished Construction I, AR/AO. Complete Items C2.a-h ment used. o Rico only) o Rico SEAL		
C1. Building elevations are based on: "A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AF below according to the building diagram specified in Item A7. Use the same datum as the BFE. Benchmark Utilized NGS PID 2419Vertical Datum NGVD88 Conversion/Comments NAVD88 + 1.283 = BFE Datum / by NGS VERTCON Check the measuren a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 7.4	Finished Construction I, AR/AO. Complete Items C2.a-h ment used. o Rico only) o Rico SEAL		

See reverse side for continuation.

IMPORTANT: In these spaces, co	py the corresponding information from S	ection A.	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Policy Number Policy Number			
City Longport State NJ ZIP Code 08403			Company; NAIC Number
SECTION D	- SURVEYOR, ENGINEER, OR ARCHITE	CT CERTIFICATION (CON	ITINUED)
	ate for (1) community official, (2) insurance agent		
	.6, duct work elevation is 10.0. Dwelling has 5 sm		
Comments C2e- All unit elevation is 11	.o, duct work elevation to 10.0. Divoling has a cir.		
. 1/	Data 5/	06/44	
Signature	Date 5/2	20/11	☐ Check here if attachments
SECTION E - BUILDING ELEVA	ATION INFORMATION (SURVEY NOT REC	(UIRED) FOR ZONE AO A	AND ZONE A (WITHOUT BFE)
For Zones AO and A (without BFE), com and C. For Items E1-E4, use natural grates. E1. Provide elevation information for the grade (HAG) and the lowest adjace a) Top of bottom floor (including bab) Top of Building Diagrams 6-9 with per (elevation C2.b in the diagrams) of E3. Attached garage (top of slab) isE4. Top of platform of machinery and/E5. Zone AO only: If no flood depth no ordinance?Yes NoSECTION F	pplete Items E1-E5. If the Certificate is intended to ade, if available. Check the measurement used the following and check the appropriate boxes to sign the following and check the appropriate boxes to sign the following and check the appropriate boxes to sign the following and check the appropriate boxes to sign the following is assement, crawlspace, or enclosure) is a sement flood openings provided in Section A Item for the building is appropriate feet meters above to a feet meters above to a feet meters are allowed in Sections floor enclosure). The local official must certify this information of the feet meters are allowed in Sections A, B, and E are correct to the best of the feet meters.	o support a LOMA or LOMR-Fin Puerto Rico only, enter met now whether the elevation is a feet meters feet meters so and/or 9 (see pages 8-9 or below the rest feet meters above or below the rest feet meters above or see the feet meters above or feet meters above or feet meters above or feet feet feet feet feet feet feet fee	request, complete Sections A, B, ers. above or below the highest adjacent above or below the HAG. above or below the LAG. of Instructions), the next higher floor HAG. bove or below the HAG. community's floodplain management FICATION MA-issued or community-issued BFE)
Signature	Date		
Comments			
			Charle have if attachments
	SECTION G - COMMUNITY INFORM	ATION (OPTIONAL)	☐ Check here if attachments
The legal official who is authorized by law	or ordinance to administer the community's flood	plain management ordinance	can complete Sections A, B, C (or E),
and G of this Elevation Certificate. Comp	lete the applicable item(s) and sign below. Chec	the measurement used in ite	ms G8 and G9.
G1. The information in Section C was is authorized by law to certify e	as taken from other documentation that has been levation information. (Indicate the source and dat	signed and sealed by a licens e of the elevation data in the 0	ed surveyor, engineer, or architect who Comments area below.)
G2. A community official completed	Section E for a building located in Zone A (witho	ut a FEMA-issued or commun	ity-issued BFE) or Zone AO.
	s G4-G9) is provided for community floodplain ma		
G4. Permit Number	G5. Date Permit Issued	G6. Date Certificate Of Com	npliance/Occupancy Issued
G7. This permit has been issued for:	☐ New Construction ☐ Substantial Imp	rovement	
G8. Elevation of as-built lowest floor (inc	cluding basement) of the building:		ım
G9. BFE or (in Zone AO) depth of floodi		☐ feet ☐ meters (PR) Datu	um
G10. Community's design flood elevation		☐ feet ☐ meters (PR) Date	um
Local Official's Name	Title		
Community Name	Tele	ephone	
Signature	Date	e	
Comments			
			☐ Check here if attachments

Building Photographs

	See Instructions for It	em A6.	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg.) No. or P.O. Route and Box No. 2704 Oberon Ave.		Policy Number	
City Long	State NJ	ZIP Code 08403	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page on the reverse.





Front View - Date of Photograph: (See Photo Stamp)

Rear View - Date of Photograph: (See Photo Stamp)





Right Side View – Date of Photograph: (See Photo Stamp)

Left Side View - Date of Photograph: (See Photo Stamp)

	4
	(