

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

			Section 1	
SECTION A PROPERTY INFORMATION				FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME Karetny		64		POLICY NUMBER
STREET ADDRESS Including An Hall Suite and of Black	COMPANY NAIC NUMBER			
OTHER DESCRIPTION (Lot and Block Numbers, etc.) BLOCK 55 LOT 16				
LONGPORT			STATE NJ	2IP CODE 08403
SECTION B	FLOOD INSURA	ANCE RATE MAP (FIRM)	INFORMATION	
Provide the following from the proper FIRM (So	ee Instructions):			о био о 18 о 19 о 18 о 18 о 18 о 18 о 18 о 1
1. COMMUNITY NUMBER 2. PANEL NUMBER 0001	3. SUFFIX B	4. DATE OF FIRM INDEX 8-15-83	5 FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
Indicate the elevation datum system used or For Zones A or V, where no BFE is provided the community's BFE:	on the FIRM, an	d the community has esta	ablished a BFE fo	Other (describe on back) or this building site, indicate
SECT	TION C BUILDII	NG ELEVATION INFORM	IATION	
describes the subject building's reference le (a) FIRM Zones A1-A30, AE, AH, and A (with of 8.58 feet NGVD (or other Fi (b). FIRM Zones V1-V30, VE, and V (with BFE the selected diagram, is at an elevation of (c). FIRM Zone A (without BFE). The floor use below (check one) the highest grade a d). FIRM Zone AO. The floor used as the refe one) the highest grade adjacent to the build level) elevated in accordance with the com Indicate the elevation datum system used in a under Comments on Page 2). (NOTE: If the the FIRM [see Section B, Item 7], then conviced and and and and and and and and and an	BFE). The top of IRM datum—see Section of the bottom of the buttom of th	Section B, Item 7). If the lowest horizontal strated feet NGVD (or other FIRICE level from the selected aliding. If the selected diagram is depth number is available in management ordinance above reference level elevated in measuring the elected is to the datum system used.	uctural member of datum—see See didagram is 2. I feet above, is the building's ee? Yes I reations: X NGVI evations is different on the FIRM a	of the reference level from ction B, Item 7). If the reference level from ction B, Item 7). If the reference level from ction B, Item 7). If the reference level from ction B, Item 7). If the reference level from ction B, Item 7). If the reference level from ction B, Item 7). If the reference level from Ction B, Item 7). If the reference level from Ction B, Item 7). If the reference level from Ction B, Item 7). If the reference level from Ction B, Item 7). If the reference level from Ction B, Item 7). If the reference level from Ction B, Item 7). If the reference level from Ction B, Item 7). If the reference level from Ction B, Item 7). If the reference level from T, Item 7). If the reference level from
. Elevation reference mark used appears on FIRM: 🔲 Yes 🕱 No (See Instructions on Page 4)				
The reference level elevation is based on: X (NOTE: Use of construction drawings is only case this certificate will only be valid for the buy will be required once construction is complete.	valid if the buildii iilding during the	ng does not yet have the	reference level fl	oor in place, in which on Elevation Certificate
The elevation of the lowest grade immediately Section B, Item 7).	adjacent to the tory frame	building is: 6.6	feet NGVD (c	or other FIRM datum-see
Si	ECTION D CON	MUNITY INFORMATION	<u> </u>	
If the community official responsible for verifying some some some some some some some some	nunity's floodplair	n management ordinance iVD (or other FIRM datum	, the elevation of resee Section B.	the building's "lowest


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE).V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME Robert J. Catalano	LICENSE NUMBER (or Affix Seal) #18612	
Land Surveyor	COMPANY NAME Robert J. Catalano and A	Associates
Anaess Atlantic Atenue	CITY	STATE ZIP N.J. 08401
SIGNATURE	LS 18612 DATE	PHONE 609- 345-1887
Copies should be made of this Certif	icate for: 1) community official, 2) insurance agent/compar	ıy, and 3) building owner.
COMMENTS:		
	• • • •	•



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.