

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. NO. 3067-0077 Expires May 31, 1996

7/1

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

	SECTION A PR	OPERTY INFO	PRMATION		FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME					POLICY NUMBER
STREET ADDRESS (Including A)		Number) OR P.O. I	ROUTE AND BOX NUMBER		COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and	197.)				
Lot 1 Block			***************************************		
Longport				STATE New Jerse	ZIP CODE 7 08403
	SECTION B F	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	
Provide the following from t	he proper FIRM (See	Instructions):			
1 COMMUNITY NUMBER	2 PANEL NUMBER	3 SUFFIX	4 DATE OF FIRM INDEX	5. FIRM ZONE	6 BASE FLOOD ELEVATION
345302	0001	В	8-15-83	A 8	(in AO Zones, use depth.)
7. Indicate the elevation dat 8. For Zones Alor Viwhere the community's BFE:	no BFE is provided o	n the FIRM, ar	d the communit, has esta	en' shed a BFE fo	Other (describe on back) r this building site, indicate
	SECTIO	ON C BUILDI	NG ELEVATION INFORM	IATION	
(c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The flone) the highest grade level) elevated in accord. Indicate the elevation date under Comments on Page the FIRM [see Section Elequation under Comments.]	at NGVD (or other FIR VE, and V (with BFE). is at an elevation ofBFE). The floor used the highest grade addressed as the refer adjacent to the building and the with the commum system used in dee 2). (NOTE: If the ear, liern 7], then converts on Page 2.)	M datum—see to The bottom of N/A as the reference level from the business of the properties of the properties of the elevation datument the elevation.	Section B, Item 7). If the lowest horizontal straight feet NGVD (or other FIRITIES or level from the selected diagram is depth number is available in management ordinance above reference level elevated in measuring the elected to the datum system us	uctural member of M datum—see Sed diagram is _N/A_ feet above, is the building's e? _ Yes _NGVE evations: _X NGVE feed on the FIRM a	f the reference level from ction B, Item 7). A feet above or or or or or or or or below (check lowest floor (reference lo X Unknown 0 '29 Other (describe ant than that used on
4. Elevation reference mark			18 St. 185		
5. The reference level eleva (NOTE: Use of construct case this certificate will on will be required once cons	ion d rawings is only v ly be valid for the buil truction is complete.)	alid if the build ding during the	ng does not yet have the course of construction.	reference level flo A post-constructio	n Elevation Certificate
5. The elevation of the lowes Section B, Item 7).	st grade immediately	adjacent to the	building is: LLL 8.	ß .feet NGVD (o	r other FIRM datum-see
	SE	CTION D COI	MMUNITY INFORMATIO	N	
I. If the community official re is not the "lowest floor" as floor" as defined by the or 2. Date of the start of constru	defined in the comm dinance is: \(\ldot\N/\A\)	unity's floodpla L.L. feet NO	in management ordinance GVD (or other FIRM datur	e, the elevation of	the building's "lowest




SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LIC	ENSE NUMBER	R (or Affix Seal)		
Gary Lee Thomas L.S.	N.	J.L.S.	23921			
TITLE	COMPANY NAME					
Licensed Land Surveyor	THOMAS *	AMEY *	SHAW,	Inc.		
ADDRESS	CITY		-		STATE	ZIP
2900 Dune Drive, Suite 3	Avalon			New	Jersey	08202
SIGNATURE & Language	Tu	DATE 3./	991	PHONE 609-9	67-3999	
Copies should be made of this Certificate for: 1)	community official, 2)	insurance	agent'com	pany, and 3) building ov	ner.
Copies should be made of this Certificate for: 1) (community official, 2)	insurance	agent com	pany, and 3) building ow	rner.
	community official, 2)	insurance	agent com	pany, and 3) building ov	rner.
	community official, 2)	insurance	agent com	pany, and 3) building ow	ner.



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

