## U.S. DEPARTMENT OF HOMELAND SECURITY

## **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expires March 31, 2012

Federal Emergency Management Agency National Flood Insurance Program

Important: Read the instructions on pages 1-9.

SECTION A DE				
SECTION A - PR	OPERTY INFORMA	TION	Hearthauraineal aomhany Use an 1920	
A1. Building Owner's Name Jeffrey & Dana Berstein			Palis/kind it is the party of t	
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 22 S. Colgate Ave.			Comconvilvate intended at the	
City LONGPORT State NJ ZIP Code 08403			ven home	
A3. Propérty Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Block 92 lot 16				
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residential  A5. Latitude/Longitude: Lat. N 39.3179 Long. W 074.5194 Horizontal Datum: NAD 1927 NAD 1983  A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.  A7. Building Diagram Number &  A8. For a building with a crawlspace or enclosure(s):  A9. For a building with an attached garage:				
a) Square footage of crawlspace or enclosure(s) 1350 sq ft b) No. of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade 7 within 1.0 foot above adjacent grade n/a sq ft c) Total net area of flood openings in A8.b 1400 sq in d) Engineered flood openings? Yes No  Square footage of attached garage n/a sq ft b) No. of permanent flood openings in the attached garage within 1.0 foot above adjacent grade n/a sq in c) Total net area of flood openings in A9.b n/a sq in d) Engineered flood openings? Yes No				
SECTION B - FLOOD INSURANC	E RATE MAP (FIRM	INFORMATION		
B1. NFIP Community Name & Community Number Borough of Longport 345302  B2. County Name Atlantic	Name		33. State NJ	
	7. FIRM Panel tive/Revised Date 8/15/83	B8. Flood Zone(s) A8	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 10.0	
FIS Profile  FIRM    Community Determined    Other (Describe)  311. Indicate elevation datum used for BFE in Item B9:  NGVD 1929    NAVD 1988    Other (Describe)  312. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?    Yes    No  Designation Date				
SECTION C - BUILDING ELEVATION	SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)			
C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h below according to the building diagram specified in Item A7. Use the same datum as the BFE.  Benchmark Utilized NGS PID 2419 Vertical Datum NGVD88				
*A new Elevation Certificate will be required when construction of the build 2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BI below according to the building diagram specified in Item A7. Use the san	☐ Building Under (ing is complete. FE), AR, AR/A, AR/AE, ne datum as the BFE.	Construction*		
*A new Elevation Certificate will be required when construction of the build 2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BI below according to the building diagram specified in Item A7. Use the san Benchmark Utilized NGS PID 2419Vertical Datum NGVD88  Conversion/Comments Survey Datum + 1.2 83 = BFE Datum / by NGS VE	☐ Building Under or ing is complete. FE), AR, AR/A, AR/AE, ne datum as the BFE.  ERTCON	Construction*  AR/A1-A30, AR/AH  neck the measurem		
*A new Elevation Certificate will be required when construction of the build 22. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BI below according to the building diagram specified in Item A7. Use the san Benchmark Utilized NGS PID 2419Vertical Datum NGVD88  Conversion/Comments Survey Datum + 1.2 83 = BFE Datum / by NGS VE  a) Top of bottom floor (including basement, crawlspace, or enclosure flo	□ Building Under of ing is complete. FE), AR, AR/A, AR/AE, ne datum as the BFE.  ERTCON  Ci or) 7.3 ☑ feet	Construction*  AR/A1-A30, AR/AH  neck the measurem  meters (Puert		
*A new Elevation Certificate will be required when construction of the build 22. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BI below according to the building diagram specified in Item A7. Use the san Benchmark Utilized NGS PID 2419Vertical Datum NGVD88  Conversion/Comments Survey Datum + 1.2 83 = BFE Datum / by NGS VE  a) Top of bottom floor (including basement, crawlspace, or enclosure flob) Top of the next higher floor	□ Building Under of ing is complete. FE), AR, AR/A, AR/AE, ne datum as the BFE.  ERTCON  CI  or) 7.3 □ □ feet  12.0 □ feet	Construction*  AR/A1-A30, AR/AH  neck the measurem  meters (Puert	☐ Finished Construction  AR/AO. Complete Items C2.a-h  ent used.  Rico only)  Rico only)	
*A new Elevation Certificate will be required when construction of the build 22. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BI below according to the building diagram specified in Item A7. Use the san Benchmark Utilized NGS PID 2419Vertical Datum NGVD88  Conversion/Comments Survey Datum + 1.2 83 = BFE Datum / by NGS VE  a) Top of bottom floor (including basement, crawlspace, or enclosure flo	□ Building Under (ing is complete.  FE), AR, AR/A, AR/AE, ne datum as the BFE.  ERTCON  Ci or) 7.3	Construction*  AR/A1-A30, AR/AH  neck the measurem  meters (Puerto  meters (Puerto  meters (Puerto  meters (Puerto	Finished Construction  AR/AO. Complete Items C2.a-h  ent used.  Rico only) Rico only) Rico only)	
*A new Elevation Certificate will be required when construction of the build 22. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BI below according to the building diagram specified in Item A7. Use the san Benchmark Utilized NGS PID 2419Vertical Datum NGVD88  Conversion/Comments Survey Datum + 1.2 83 = BFE Datum / by NGS VE  a) Top of bottom floor (including basement, crawlspace, or enclosure flob) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only)	Building Under (ing is complete.  FE), AR, AR/A, AR/AE, ne datum as the BFE.  ERTCON  CI  or) 7.3	Construction*  AR/A1-A30, AR/AH  neck the measurem  meters (Puert	Elinished Construction  AR/AO. Complete Items C2.a-h  ent used.  Rico only)  Rico only)  Rico only)  Rico only)	
*A new Elevation Certificate will be required when construction of the build 22. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BI below according to the building diagram specified in Item A7. Use the san Benchmark Utilized NGS PID 2419Vertical Datum NGVD88  Conversion/Comments Survey Datum + 1.2 83 = BFE Datum / by NGS VE  a) Top of bottom floor (including basement, crawlspace, or enclosure flob) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building	□ Building Under (ing is complete. FE), AR, AR/A, AR/AE, ne datum as the BFE.  ERTCON  Ci or) 7.3 □ feet 12.0 □ feet n/a □ □ feet n/a □ □ feet 7.1 □ feet	Construction*  AR/A1-A30, AR/AH  neck the measurem  meters (Puertimeters	Elinished Construction  AR/AO. Complete Items C2.a-h  ent used.  Rico only)	
*A new Elevation Certificate will be required when construction of the build 22. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BI below according to the building diagram specified in Item A7. Use the san Benchmark Utilized NGS PID 2419Vertical Datum NGVD88  Conversion/Comments Survey Datum + 1.2 83 = BFE Datum / by NGS VE  a) Top of bottom floor (including basement, crawlspace, or enclosure flob) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent grade at lowest elevation of deck or stairs, including	Building Under or ing is complete.  FE), AR, AR/A, AR/AE, ne datum as the BFE.  ERTCON  CI  or) 7.3	Construction*  AR/A1-A30, AR/AH  neck the measurem  meters (Puerti	Elinished Construction  AR/AO. Complete Items C2.a-h  ent used.  Rico only)  Rico only)  Rico only)  Rico only)  Rico only)  Rico only)	
*A new Elevation Certificate will be required when construction of the build 22. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BI below according to the building diagram specified in Item A7. Use the san Benchmark Utilized NGS PID 2419Vertical Datum NGVD88  Conversion/Comments Survey Datum + 1.2 83 = BFE Datum / by NGS VE  a) Top of bottom floor (including basement, crawlspace, or enclosure flob) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent grade at lowest elevation of deck or stairs, including structural support	□ Building Under of ing is complete. FE), AR, AR/A, AR/AE, ne datum as the BFE.  FRTCON  CI  or) 7.3 □ feet  12.0 □ feet  n/a □ □ feet  7.1 □ feet  7.4 □ feet  n/a □ □ feet  7.4 □ feet  n/a □ □ feet  7.6 □ feet  7.7 □ feet  7.6 □ feet  7.7 □ feet  7.8 □ feet  7.9 □ feet  7.1 □ feet  7.9 □ feet  7.1 □ feet  7.1 □ feet  7.1 □ feet  7.2 □ feet	Construction*  AR/A1-A30, AR/AH  neck the measurem  meters (Puertimeters (Puertimeter)))	Expression of the contraction of	
*A new Elevation Certificate will be required when construction of the build  2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BI below according to the building diagram specified in Item A7. Use the san Benchmark Utilized NGS PID 2419Vertical Datum NGVD88  Conversion/Comments Survey Datum + 1.2 83 = BFE Datum / by NGS VE  a) Top of bottom floor (including basement, crawlspace, or enclosure flob) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (LAG)  g) Highest adjacent (finished) grade next to building (HAG)  h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support	□ Building Under on the property of the prope	Construction*  AR/A1-A30, AR/AH  neck the measurem  meters (Puertimeters	Elinished Construction  AR/AO. Complete Items C2.a-h  ent used.  Rico only)	
*A new Elevation Certificate will be required when construction of the build 22. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BI below according to the building diagram specified in Item A7. Use the san Benchmark Utilized NGS PID 2419Vertical Datum NGVD88  Conversion/Comments Survey Datum + 1.2 83 = BFE Datum / by NGS VE  a) Top of bottom floor (including basement, crawlspace, or enclosure flob) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent grade at lowest elevation of deck or stairs, including structural support	Building Under or ing is complete.  FE), AR, AR/A, AR/AE, and datum as the BFE.  FRTCON  CI  Or) 7.3	AR/A1-A30, AR/AH  meck the measurem  meters (Puertimeters	Elinished Construction  AR/AO. Complete Items C2.a-h  ent used.  Rico only)	
*A new Elevation Certificate will be required when construction of the build 22. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BI below according to the building diagram specified in Item A7. Use the san Benchmark Utilized NGS PID 2419Vertical Datum NGVD88  Conversion/Comments Survey Datum + 1.2 83 = BFE Datum / by NGS VE  a) Top of bottom floor (including basement, crawlspace, or enclosure flob) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support  SECTION D - SURVEYOR, ENGINE This certification is to be signed and sealed by a land surveyor, engineer, or a information. I certify that the information on this Certificate represents my bes I understand that any false statement may be punishable by fine or imprisonments.	Building Under or ing is complete.  FE), AR, AR/A, AR/AE, and datum as the BFE.  ERTCON  CI  Or) 7.3	Construction*  AR/A1-A30, AR/AH  neck the measurem  meters (Puerti  meters (Puerti)  meters (	Eliabed Construction  AR/AO. Complete Items C2.a-h  ent used. Rico only)	
*A new Elevation Certificate will be required when construction of the build 22. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BI below according to the building diagram specified in Item A7. Use the san Benchmark Utilized NGS PID 2419Vertical Datum NGVD88  Conversion/Comments Survey Datum + 1.2 83 = BFE Datum / by NGS VE  a) Top of bottom floor (including basement, crawlspace, or enclosure flob) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support  SECTION D - SURVEYOR, ENGINE This certification is to be signed and sealed by a land surveyor, engineer, or a information. I certify that the information on this Certificate represents my bes I understand that any false statement may be punishable by fine or imprisonm.  Check here if comments are provided on back of form.  Were latitude.	Building Under or ing is complete.  FE), AR, AR/A, AR/AE, and datum as the BFE.  ERTCON  CI  Or) 7.3	Construction*  AR/A1-A30, AR/AH  meck the measurem  meters (Puerto  meters (Pu	Elinished Construction  AR/AO. Complete Items C2.a-h  ent used. Rico only)	
*A new Elevation Certificate will be required when construction of the build:  Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BI below according to the building diagram specified in Item A7. Use the san Benchmark Utilized NGS PID 2419Vertical Datum NGVD88  Conversion/Comments Survey Datum + 1.2 83 = BFE Datum / by NGS VE  a) Top of bottom floor (including basement, crawlspace, or enclosure flob) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (LAG)  g) Highest adjacent (finished) grade next to building (HAG)  h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support  SECTION D - SURVEYOR, ENGINE  This certification is to be signed and sealed by a land surveyor, engineer, or a information. I certify that the information on this Certificate represents my best I understand that any false statement may be punishable by fine or imprisonm.  Check here if comments are provided on back of form.  Were latitud licensed land.	Building Under or ing is complete.  FE), AR, AR/A, AR/AE, and datum as the BFE.  FRTCON  CI  Or) 7.3	Construction*  AR/A1-A30, AR/AH  neck the measurem  meters (Puerti	Eliace only)  Rico only)	
*A new Elevation Certificate will be required when construction of the build:  Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BI below according to the building diagram specified in Item A7. Use the san Benchmark Utilized NGS PID 2419Vertical Datum NGVD88  Conversion/Comments Survey Datum + 1.2 83 = BFE Datum / by NGS VE  a) Top of bottom floor (including basement, crawlspace, or enclosure flob) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (LAG)  g) Highest adjacent (finished) grade next to building (HAG)  h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support  SECTION D - SURVEYOR, ENGINE  This certification is to be signed and sealed by a land surveyor, engineer, or a information. I certify that the information on this Certificate represents my best I understand that any false statement may be punishable by fine or imprisonm.  Check here if comments are provided on back of form.  Were latitud licensed land.	Building Under or ing is complete.  FE), AR, AR/A, AR/AE, ne datum as the BFE.  ERTCON  CI  Or) 7.3	Construction*  AR/A1-A30, AR/AH  meck the measurem  meters (Puerti	Eliace only)  Rico only)	

IMPORTANT: In these spaces, copy	the corresponding information fro	m Section A.	taorinati/aneaGompanyUage 🚜 🔻
Building Street Address (including Apt., Unit, 22 S. Colgate Ave.	, Suite, and/or Bldg. No.) or P.O. Route ar	nd Box No.	REGIGYINII III III III III III III III III II
City Longport State NJ ZIP Code 08403	3	A 11 TO 100 TO 1	Company MAIC Number 8, 1979 (4)
SECTION D - S	SURVEYOR, ENGINEER, OR ARCH	ITECT CERTIFICATION (CO	NTINUED)
Copy both sides of this Elevation Certificate	for (1) community official, (2) insurance ag	gent/company, and (3) building or	wner.
Comments C2e= Air unit elevation is 11.6,	duct work elevation 10.0, Dwelling has 7 s	smart vents	
4			
Signature 1	Date	6/29/12	
PLIFIE	ON INFORMATION (SURVEY NOT I	DECLUDED) FOR ZONE AO	Check here if attachments
For Zones AO and A (without BFE), comple and C. For Items E1-E4, use natural grade,	te Items E1-E5. If the Certificate is intend	led to support a LOMA or LOMR-	F request, complete Sections A, B, eters.
E1. Provide elevation information for the fo	ollowing and check the appropriate boxes		
grade (HAG) and the lowest adjacent	grade (LAG). ment, crawlspace, or enclosure) is		
b) Top of bottom floor (including baser	ment, crawlspace, or enclosure) is	🔲 feet 🔲 meters 🛭	above or Delow the LAG.
E2. For Building Diagrams 6-9 with perma	nent flood openings provided in Section A building is feet	Items 8 and/or 9 (see pages 8-9	of Instructions), the next higher floor
E3. Attached garage (top of slab) is	feet  meters abo	ve or Delow the HAG.	
E4. Top of platform of machinery and/or e	quipment servicing the building is	feet meters at	bove or Delow the HAG.
E5. Zone AO only: If no flood depth numb	per is available, is the top of the bottom flo known. The local official must certify this	or elevated in accordance with thin	ne community's floodplain management
	PROPERTY OWNER (OR OWNER'S		IFICATION
The property owner or owner's authorized re			
or Zone AO must sign here. The statement	s in Sections A, B, and E are correct to the	e best of my knowledge.	
Property Owner's or Owner's Authorized Re	presentative's Name	\$	
Address	City	State	ZIP Code
Signature	Date	Teleph	none
Comments			
	SECTION G - COMMUNITY INFO	PMATION (OPTIONAL)	Check here if attachments
The local official who is authorized by law or o	ordinance to administer the community's f	loodplain management ordinance	e can complete Sections A, B, C (or E),
and G of this Elevation Certificate. Complete	the applicable item(s) and sign below. C	heck the measurement used in It	ems G8 and G9.
G1. The information in Section C was to	aken from other documentation that has bation information. (Indicate the source and	een signed and sealed by a licent I date of the elevation data in the	sed surveyor, engineer, or architect who Comments area below.)
	ction E for a building located in Zone A (w		
	4-G9) is provided for community floodplair		
	5. Date Permit Issued		mpliance/Occupancy Issued
O7. This parely has been been deeper from the first factor of the first factor of the first factor of the factor o	New Construction Substantial	Improvement	
			um
G9. BFE or (in Zone AO) depth of flooding a		☐ feet ☐ meters (PR) Date	
G10. Community's design flood elevation		☐ feet ☐ meters (PR) Date	
Local Official's Name	nestru,	Title Const	007
Community Name	Concord	Telephone	
Signature	+ ···	Date 8-13-0	2
Comments			
()			
V			
4:			Check here if attachments

=

## Building Photographs See Instructions for Item A6.


See Instructions for Item A6.


Building Street Address (including Apt., Unit, Suite, and/or Bldg.) No. or P.O. Route and Box No.

22 S. Coolidge Ave.

City
State
Longport
NJ
State
NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page on the reverse.





Front View - Date of Photograph: (See Photo Stamp)

Rear View - Date of Photograph: (See Photo Stamp)





Right Side View - Date of Photograph: (See Photo Stamp)

Left Side View - Date of Photograph: (See Photo Stamp)