



LOCAL NOTICE TO MARINERS

District: 5

Week: 45/24

COASTAL WATERS FROM SHREWSBURY RIVER, NEW JERSEY TO LITTLE RIVER, SOUTH CAROLINA
The Local Notice to Mariners contains all information relevant to the waterways within the Fifth Coast Guard District and is updated each Tuesday on

the U.S. Coast Guard Navigation Center website at <https://www.navcen.uscg.gov/>.

If you have questions about the Fifth Coast Guard District Local Notice to Mariners (LNM), please contact:

COMMANDER

FIFTH COAST GUARD DISTRICT (dpw)

431 Crawford Street

Portsmouth, Virginia 23704

or for correspondence and article requests:

gregory.c.goetz2@uscg.mil, (571) 613-1472 and CGD5Waterways@uscg.mil

All bearings are in degrees TRUE - All times are in Local Time unless otherwise noted.

AIDS TO NAVIGATION DISCREPANCY REPORTING

To report any Aids to Navigation discrepancies (missing, damaged, extinguished lights, off station), shoaling or hazards to navigation, discrepancies to bridge lighting, please contact the following 24 hour numbers:

1. For PA, NJ, DE waters, coastal and tributaries contact COGARD SECTOR DELAWARE BAY at (215) 271-4940.
2. For MD, DE in the Upper Chesapeake Bay and tributaries contact COGARD SECTOR MARYLAND - NATIONAL CAPITAL REGION at (410) 576-2525.
3. For VA in Lower Chesapeake Bay below Smith Point Light and tributaries and VA, MD Eastern Shore Bay and coastal contact COGARD SECTOR VIRGINIA at (757) 483-8567.
4. For NC waters, coastal and tributaries contact COGARD SECTOR NORTH CAROLINA at (910) 343-3882.

REFERENCES

Light List: ATLANTIC COAST, VOLUME II, COMDTPUB P16502.2, 2023 Edition.

U.S. Coast Pilot 3, Atlantic Coast: Sandy Hook, NJ to Cape Henry, VA, 2024 (57th) Edition.

U.S. Coast Pilot 4, Atlantic Coast: Cape Henry, VA to Key West, FL, 2024 (56th) Edition.

NAVIGATION INTERNET SITES

2024 Light List/ Weekly Updates.

<https://www.navcen.uscg.gov/weekly-light-lists>

Bridges Public Notice Website.

<https://www.navcen.uscg.gov/bridge-notice>

NOAA Chart Corrections and Chart Viewer

<http://www.nauticalcharts.noaa.gov>

Coast Pilots, along with corrections are available at

<https://nauticalcharts.noaa.gov/publications/coast-pilot/index.html>

D5 LNM Archived Back Issues

<https://www.navcen.uscg.gov/archives>

Chesapeake Bay NOAA Weather Buoys

www.buoybay.noaa.gov

Tides, Currents, PORTS

<http://www.tidesandcurrents.noaa.gov>

Weather

<http://www.weather.gov>

Abbreviations

ADRIFT - Buoy Adrift	ICW - Intracoastal Waterway	R - Red
AICW - Atlantic Intracoastal Waterway	IMCH - Improper Characteristic	RACON - Radar Transponder Beacon
AI - Alternating	INL - Inlet	Ra ref - Radar reflector
B - Buoy	INOP - Not Operating	RBN - Radio Beacon
BKW - Breakwater	INT - Intensity	REBUILT - Aid Rebuilt
bl - Blast	ISL - Islet	RECOVERED - Aid Recovered
BNM - Broadcast Notice to Mariner	Iso - Isophase	RED - Red Buoy
bu - Blue	kHz - Kilohertz	REFL - Reflective
C - Canadian	LAT - Latitude	RRL - Range Rear Light
CHAN - Channel	LB - Lighted Buoy	RELIGHTED - Aid Relit
CGD - Coast Guard District	LBB - Lighted Bell Buoy	RELOC - Relocated
C/O - Cut Off	LHB - Lighted Horn Buoy	RESET ON STATION - Aid Reset on Station
CONT - Contour	LGB - Lighted Gong Buoy	RFL - Range Front Light
CRK - Creek	LONG - Longitude	RIV - River
CONST - Construction	LNM - Local Notice to Mariners	RRASS - Remote Radio Activated Sound Signal
DAYMK/Daymk - Daymark	LT - Light	s - seconds
DBN/Dbn - Daybeacon	LT CONT - Light Continuous	SEC - Section
DBD/DAYBD - Dayboard	LTR - Letter	SHL - Shoaling
DEFAC - Defaced	LWB - Lighted Whistle Buoy	si - silent
DEST - Destroyed	LWP - Left Watching Properly	SIG - Signal
DISCON - Discontinued	MHz - Megahertz	SND - Sound
DMGD/DAMGD - Damaged	MISS/MSNG - Missing	SPM - Single Point Mooring Buoy
ec - eclipse	Mo - Morse Code	SS - Sound Signal
EST - Established Aid	MRASS - Marine Radio Activated Sound Signal	STA - Station
ev - every	MSLD - Misleading	STRUCT - Structure
EVAL - Evaluation	N/C - Not Charted	St M - Statute Mile
EXT - Extinguished	NGA - National Geospatial Intelligence Agency	TEMP - Temporary Aid Change
F - Fixed	NO/NUM - Number	TMK - Topmark
fl - flash	NOS - National Ocean Service	TRLB - Temporarily Replaced by Lighted Buoy
FI - Flashing	NW - Notice Writer	TRLT - Temporarily Replaced by Light
G - Green	OBSCU - Obscured	TRUB - Temporarily Replaced by Unlighted Buoy
GIWW - Gulf Intracoastal Waterway	OBST - Obstruction	USACE - Army Corps of Engineers
HAZ - Hazard to Navigation	OBSTRR - Obstruction	
HBR - Harbor	PRIV - Private Aid	
I - Interrupted	Q - Quick	

Absecon Inlet

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Little Egg Inlet To Hereford Inlet - Absecon Inlet/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-08-27	2025-04-30	General/Marine Construction (Excluding Bridges)/Dredging Dredge staging area: Great Lakes Dredge and Dock Co. LLC is working on a beach nourishment project. Hopper dredge "Liberty Island" will include dredging operations on the coast of Long Beach Island, New Jersey. Dredged material will be transported through a 30" diameter pipe from the dredge to five (5) different beach fill areas. Material from one borrow area: D1 BA located about 2-3 miles offshore of Long Beach Island, approximate center point 39-40-06.913N, 074-05-25.360W. See proposed subline locations for Holgate, Beach Haven, North Beach Haven, Harvey Cedars & Lovelady's Beaches on Long Beach Island. GLDD continues to maintain the northwest waterside staging areas on the northeast side of Absecon Inlet in Atlantic City where rafted pipeline and equipment will be stored until towed to the Barnegat Inlet Staging Area. The survey vessel and crew transfer vessel Saginaw River will traverse between the work areas and the Inlets throughout duration of the project. Other equipment on scene can include Booster Jack, Anchor Barges 111 & 116, Derrick 66, Crew Boat Saginaw River, Crew Boat St. Johns River, Tug Cavalier State, Tug Sherena B Cheramie, Tug Caspian Dawn. Operations will begin September 1, 2024 to	POLYGON [Latitude: 39.37786, Longitude: -74.41069] [Latitude: 39.37375, Longitude: -74.4079] [Latitude: 39.37309, Longitude: -74.40892] [Latitude: 39.37732, Longitude: -74.41198] [Latitude: 39.37786, Longitude: -74.41069]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>April 30, 2025 and will be conducted 24 hours per day, 7 days per week. All vessels can be contract on VHF-FM 13 and 16. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. From: 2024-08-27 To: 2025-04-30 Location: 39.37786° N / 74.41069° W 39.37375° N / 74.4079° W 39.37309° N / 74.40892° W 39.37732° N / 74.41198° W 39.37786° N / 74.41069° W</p>	
Little Egg Inlet To Hereford Inlet - Absecon Inlet/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-08-27	2025-04-30	<p>General/Marine Construction (Excluding Bridges)/Dredging Dredge staging area for: Great Lakes Dredge and Dock Co. LLC is working on a beach nourishment project. Hopper dredge "Liberty Island" will include dredging operations on the coast of Long Beach Island, New Jersey. Dredged material will be transported through a 30" diameter pipe from the dredge to five (5) different beach fill areas. Material from one borrow area: D1 BA located about 2-3 miles offshore of Long Beach Island, approximate center point 39-40-06.913N, 074-05-25.360W. See proposed subline locations for Holgate, Beach Haven, North Beach Haven, Harvey Cedars & Lovelady's Beaches on Long Beach Island. GLDD continues to maintain the northwest waterside staging areas on the northeast side of Absecon Inlet in Atlantic City where rafted pipeline and equipment will be stored until towed to the Barnegat Inlet Staging Area. The survey vessel and</p>	<p>POLYGON [Latitude: 39.38414, Longitude: -74.4178] [Latitude: 39.38298, Longitude: -74.41643] [Latitude: 39.38257, Longitude: -74.41705] [Latitude: 39.38379, Longitude: -74.41863] [Latitude: 39.38414, Longitude: -74.4178]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>crew transfer vessel Saginaw River will traverse between the work areas and the Inlets throughout duration of the project. Other equipment on scene can include Booster Jack, Anchor Barges 111 & 116, Derrick 66, Crew Boat Saginaw River, Crew Boat St. Johns River, Tug Cavalier State, Tug Sherena B Cheramie, Tug Caspian Dawn. Operations will begin September 1, 2024 to April 30, 2025 and will be conducted 24 hours per day, 7 days per week. All vessels can be contract on VHF-FM 13 and 16. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. From: 2024-08-27 To: 2025- 04-30 Location: 39.38414° N / 74.4178° W 39.38298° N / 74.41643° W 39.38257° N / 74.41705° W 39.38379° N / 74.41863° W 39.38414° N / 74.4178° W</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector Delaware Bay, Submerged Land Act (SLA) - Absecon Inlet/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-15	2024-12-06	<p>Mariners are advised that H&L Contracting will be conducting dredging operations in St. George's Thoroughfare (Approximate 39°23'05"N 74°24'57"W) from 10/20/2024 to 11/30/2024 . Work hours are 24 hours a day, 7 days a week. Dredging will be performed hydraulically. The dredge pipe will run from the channel to the beach immediately south-east of St. George's Thoroughfare (Approximate 39°22'51"N 74°24'48"W). The dredge pipe will be submerged at a channel crossing near the entrance and will be marked and lighted. Channel will remain open during dredging but channel width will be reduced. Informational signs will be posted locally to inform mariners of channel closings. All mariners are advised to reduce speed to minimum for making way while in the vicinity of dredging operations. All marine equipment operators will be monitoring VHF-FM Channel 65 and Channels 16 and 13. Dredge and work vessels will monitor Channel 13 and 16. Mariners are advised to proceed with caution when transiting the area.</p>	<p>POLYGON [Latitude: 39.39399, Longitude: -74.39896] [Latitude: 39.39255, Longitude: -74.3979] [Latitude: 39.39111, Longitude: -74.40579] [Latitude: 39.38713, Longitude: -74.40774] [Latitude: 39.38295, Longitude: -74.41618] [Latitude: 39.38388, Longitude: -74.4173] [Latitude: 39.3864, Longitude: -74.41163] [Latitude: 39.39191, Longitude: -74.40783] [Latitude: 39.39399, Longitude: -74.39896]</p>

Adams Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Adams Creek Light 16	38370	STRUCT DEST/TRLB	FD

Albemarle Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Durant Island Daybeacon 1D	31360	STRUCT DMGD	FD
Durant Island Daybeacon 3D	31375	STRUCT DEST	FD
Albemarle Sound Light 1AS	31485	STRUCT DEST/TRLB	FD
Kendrick Creek Channel Daybeacon 2	31665	STRUCT DEST/TRUB	FD

Alligator River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Alligator River Light 26	37895	STRUCT DEST/HAZ NAV/TRLB	FD
Alligator River Daybeacon 35	37920	STRUCT DEST/TRUB	FD
Alligator River Daybeacon 45	37975	STRUCT DEST/TRUB	FD

Alligator River Pungo River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Alligator River - Pungo River Light 55	38005	STRUCT DEST/TRLB	FD

Anacostia River

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
-------	----------	-----------------	---------------	-------------	-------------	----------

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Alexandria Channel - Anacostia River/General/Bridges/Maintenance	General	Bridges	2024-08-14	2024-11-30	<p>General/Bridges/Maintenance</p> <p>Mariners are advised that an engineering firm, on behalf of Washington Area Metro Transit Authority (WMATA), will be performing maintenance on the WAMATA Railroad Bridge, over Anacostia River, mile 4.7, at Washington, DC. The maintenance will be conducted from 6:30 a.m. to 3:30 p.m. Monday-Friday and from 10 p.m. to 6 a.m. from 10 p.m. on Saturday to 6 a.m. on Sunday; from May 13, 2024, through November 20, 2024. Several work barges and work boats will be located in and around the vicinity of the bridge. During the duration of the maintenance period one work barge will be located in the navigational channel of the bridge reducing the horizontal clearance of the bridge to approximately 94 feet. Vessels that can safely transit through the bridge during periods with a reduced vertical clearance may do so at any time. Maintenance personnel, equipment and vessels will not be able relocate from the navigable channel, upon request. Work vessels may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at 202-365-8932. Mariners should use extreme caution while navigating through the area. From: 2024-08-14 To: 2024-11-30 Location: 38.8976° N / 76.96275° W 38.89737° N / 76.96079° W 38.897° N / 76.96087° W 38.89712° N / 76.96278° W 38.8976° N / 76.96275° W</p>	<p>POLYGON</p> <p>[Latitude: 38.8976, Longitude: -76.96275]</p> <p>[Latitude: 38.89737, Longitude: -76.96079]</p> <p>[Latitude: 38.897, Longitude: -76.96087]</p> <p>[Latitude: 38.89712, Longitude: -76.96278]</p> <p>[Latitude: 38.8976, Longitude: -76.96275]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Alexandria Channel - Anacostia River/General/Bridges/Construction	General	Bridges	2024-08-14	2025-02-10	<p>General/Bridges/Construction</p> <p>Construction of the new Frederick Douglass Memorial (South Capitol Street) Bridge and demolition of the old bridge across the Anacostia River in Washington, DC continues to December 31, 2024. The federal navigation channel east of the original center pier, approximately 150 feet wide, remains available for navigation. Exclusion buoys labelled "DANGER" mark the ongoing bridge demolition in the Federal Channel. In addition, lit temporary piles are positioned around the old, submerged pier. Mariners are urged to use extreme caution when transiting the area, and to operate at minimum speed necessary to maintain safe course through the work site. From: 2024-08-14 To: 2025-02-10 Location: 38.868819° N / 77.005528° W Bridge Name: South Capitol St Bridge</p>	POINT [Latitude: 38.868819, Longitude: -77.005528]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Alexandria Channel - Anacostia River/General/Bridges/Maintenance	General	Bridges	2024- 09-09	2024- 11-20	<p>General/Bridges/Maintenance From: 2024-09-09 To: 2024-11-20 Location: 38.89713° N / 76.96176° W Mariners are advised that an engineering firm, on behalf of Washington Area Metro Transit Authority (WMATA), will be performing maintenance on the WAMATA Railroad Bridge, over Anacostia River, mile 4.7, at Washington, DC. The maintenance will be conducted from 6:30 a.m. to 3:30 p.m. Monday-Friday and from 10 p.m. to 6 a.m. from 10 p.m. on Saturday to 6 a.m. on Sunday; from May 13, 2024, through November 20, 2024. Several work barges and work boats will be located in and around the vicinity of the bridge. During the duration of the maintenance period one work barge will be located in the navigational channel of the bridge reducing the horizontal clearance of the bridge to approximately 94 feet. Vessels that can safely transit through the bridge during periods with a reduced vertical clearance may do so at any time. Maintenance personnel, equipment and vessels will not be able relocate from the navigable channel, upon request. Work vessels may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at 202-365-8932. Mariners should use extreme caution while navigating through the area.</p>	POINT [Latitude: 38.89713, Longitude: -76.96176]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Patuxent River/General/Bridges/Removal	General	Bridges	2024-09-09	2024-12-11	<p>General/Bridges/Removal From: 2024-09-09 To: 2024-12-11 Location: 38.868819° N / 77.005528° W Bridge Name: South Capital Street Bridge Demolition of the original center pier of the old Frederick Douglass Memorial Bridge across the Anacostia River in Washington, DC will begin on or about April 1, 2024 and run through December 11, 2024. The federal navigation channel east of the original center pier, approximately 150 feet wide, remains available for navigation. Marine barges with navigational lights will be positioned around the old, submerged center pier. Mariners are urged to use extreme caution when transiting the area, and to operate at minimum speed necessary to maintain safe course through the work site.</p>	POINT [Latitude: 38.868819, Longitude: -77.005528]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Alexandria Channel - Anacostia River/General/Bridges/Maintenance	General	Bridges	2024- 10-17	2024- 11-07	Mariners are advised that an engineering firm, on behalf of the District of Columbia Department of Transportation, will be performing bridge maintenance on the fixed bridge - Pennsylvania Avenue Bridge across the Anacostia River, 38°52'37.1"N 76°58'40.4"W, at Washington, D.C. To facilitate bridge work from 8 a.m. to 4 p.m. from November 4, 2024, through November 7, 2024, a pontoon workboat with a manlift will be utilized in and around the bridge pilings to conduct bridge maintenance and inspection work. The bridge maintenance team and workboat will be transiting in and out of the main navigation channel. The main navigation channel will remain open throughout the project. The maintenance personnel may be reached on VHF - FM Channel 13. Mariners are urged to use caution when operating in this area.	POINT [Latitude: 38.876851, Longitude: -76.977972]

Annapolis Harbor Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Horn Point Light HP	19745	DAYMK MISSING	FD
Triton Light	19780	LT EXT	FD

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Annapolis Harbor Channel Lighted Buoy 2	CHANGE	Starting immediately the Coast Guard will begin removing the existing ice conditions "Replace lighted buoy with an unlighted buoy when endangered by ice" and replace; the aid, with a new year-round (ice) buoy for the below listed aids to navigation. The new buoys daytime visibility will be 1.4nm and have a radar range of 1.0nm. The flash characteristic and nominal range will remain unchanged. Additionally, relocate to approximate position:38 56 30.519N-76 25 33.997W.
Annapolis Harbor Channel Lighted Buoy 5	CHANGE	Starting immediately the Coast Guard will begin removing the existing ice conditions "Replace lighted buoy with an unlighted buoy when endangered by ice" and replace; the aid, with a new year-round (ice) buoy for the below listed aids to navigation. The new buoys daytime visibility will be 1.4nm and have a radar range of 1.0nm. The flash characteristic and nominal range will remain unchanged. Additionally, remove the word "CHANNEL" from the aids name.
Annapolis Harbor Channel Lighted Buoy 6	CHANGE	Starting immediately the Coast Guard will begin removing the existing ice conditions "Replace lighted buoy with an unlighted buoy when endangered by ice" and replace; the aid, with a new year-round (ice) buoy for the below listed aids to navigation. The new buoys daytime visibility will be 1.4nm and have a radar range of 1.0nm. The flash characteristic and nominal range will remain unchanged. Additionally, remove the word "CHANNEL" from the aids name.
Annapolis Harbor Channel Lighted Buoy 9	CHANGE	Starting immediately the Coast Guard will begin removing the existing ice conditions "Replace lighted buoy with an unlighted buoy when endangered by ice" and replace; the aid, with a new year-round (ice) buoy for the below listed aids to navigation. The new buoys daytime visibility will be 1.4nm and have a radar range of 1.0nm. The flash characteristic and nominal range will remain unchanged. Additionally, remove the word "CHANNEL" from the aids name.

Apm Terminal Channel

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Elizabeth River - Apm Terminal Channel/General Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-07	2025-07-16	The Clamshell Dredge 54, along with support equipment will perform dredging operations 24 hours a day / 7days / week starting October 28, 2024. The dredge area is located west of the Norfolk Harbor Reach of the Norfolk Harbor Channel (Elizabeth River) at the Virginia International Gateway (VIG) in Portsmouth, Virginia. Dredging will only be performed at the berths (VIG) and access channel. The Dredge 54 crew will coordinate directly with commercial traffic and plan accordingly to move as needed to allow traffic to transit the work area(s). All dredged material will be loaded into the split hull scows and will be towed by the tugs Larry Hebert and Smith Predator and placed in the Norfolk Ocean Disposal Area (NODA). All vessels will monitor marine VHF channels 87A and 13/16. Dredge GL 54 can be also reached at 630-881-6795. Project is expected to be completed July 16, 2025.	POLYGON [Latitude: 36.88264, Longitude: -76.33576] [Latitude: 36.87758, Longitude: -76.33485] [Latitude: 36.87813, Longitude: -76.33702] [Latitude: 36.87629, Longitude: -76.34298] [Latitude: 36.87275, Longitude: -76.34678] [Latitude: 36.87058, Longitude: -76.34611] [Latitude: 36.86998, Longitude: -76.3466] [Latitude: 36.8697, Longitude: -76.34821] [Latitude: 36.88032, Longitude: -76.35094] [Latitude: 36.88058, Longitude: -76.34949] [Latitude: 36.88028, Longitude: -76.34882] [Latitude: 36.87903, Longitude: -76.34847] [Latitude: 36.87807, Longitude: -76.34692] [Latitude: 36.87783, Longitude: -76.34381] [Latitude: 36.87964, Longitude: -76.3378] [Latitude: 36.88264, Longitude: -76.33576]

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
APM Terminal Channel Lighted Buoy 1	RELOCATE	Great Lakes Dredging will be starting a dredging and widening project for the APM Terminal Channel. On or about November 4, 2024 the Coast Guard will temporarily relocate Lighted Buoy 1 (LLNR 9699) to approximate position: 36 52 37.709N--76 20 13.455W. The light characteristic and nominal range will remain unchanged.
APM Terminal Channel Lighted Buoy 3	RELOCATE	Great Lakes Dredging will be starting a dredging and widening project for the APM Terminal Channel. On or about November 4, 2024 the Coast Guard will temporarily relocate Lighted Buoy 3 (LLNR 9700) to approximate position: 36 52 31.632N--76 20 32.329W. The light characteristic and nominal range will remain unchanged.
APM Terminal Channel Lighted Buoy 4	RELOCATE	Great Lakes Dredging will be starting a dredging and widening project for the APM Terminal Channel. On or about November 4, 2024 the Coast Guard will temporarily relocate Lighted Buoy 4 (LLNR 9701) to approximate position: 36 52 43.880N--76 20 37.826W and mark with temporary lighted buoy (TRLB) with reduced intensity.
APM Terminal Channel Lighted Buoy 4	RELOCATE	On or about November 4, 2024 the Coast Guard will temporarily relocate Lighted Buoy 4 (LLNR 9701) to approximate position: 36 52 43.880N--76 20 37.826W and mark with temporary lighted buoy (TRLB) with a reduced intensity.
APM Terminal Channel Lighted Buoy 5	RELOCATE	Great Lakes Dredging will be starting a dredging and widening project for the APM Terminal Channel. On or about November 4, 2024 the Coast Guard will temporarily relocate Lighted Buoy 5 (LLNR 9702) to approximate position: 36 52 18.841N--76 20 45.414W and mark with temporary lighted buoy (TRLB) with reduced intensity.
APM Terminal Channel Lighted Buoy 6	RELOCATE	Great Lakes Dredging will be starting a dredging and widening project for the APM Terminal Channel. On or about November 4, 2024 the Coast Guard will temporarily relocate Lighted Buoy 6 (LLNR 9703) to approximate position: 36 52 44.535N--76 20 47.363 W and mark with temporary lighted buoy (TRLB) with reduced intensity.
APM Terminal Channel Lighted Buoy 7	RELOCATE	Great Lakes Dredging will be starting a dredging and widening project for the APM Terminal Channel. On or about November 4, 2024 the Coast Guard will temporarily relocate Lighted Buoy 7 (LLNR 9704) to approximate position: 36 52 12.270N-- 76 20 43.873W. The light characteristic and nominal range will remain unchanged.
APM Terminal Channel Lighted Buoy 8	RELOCATE	On or about November 4, 2024 the Coast Guard will temporarily relocate Lighted Buoy 8 (LLNR 9705) to approximate position: 36 52 46.850N--76 20 52.974W and mark with temporary lighted buoy (TRLB) with a reduced intensity.
APM Terminal Channel Junction Lighted Buoy A	RELOCATE	Great Lakes Dredging will be starting a dredging and widening project for the APM Terminal Channel. On or about November 4, 2024 the Coast Guard will temporarily relocate Lighted Junction Buoy A (LLNR 9706) to approximate position: 36 52 50.498N--76 20 53.582W. The light characteristic and nominal range will remain unchanged.

Appomattox River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Appomattox River Channel Daybeacon 17	12595	STRUCT DEST/TRLB	FD

Aquia Creek

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Aquia Creek Daybeacon 13	18012	DAYMK DMGD/STRUCT DMGD	PA
Aquia Creek Daybeacon 16	18012.3	DAYMK MISSING	PA
Aquia Creek Daybeacon 18A	18012.6	STRUCT DEST/TRUB	PA

Banks Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Banks Channel Daybeacon 5	30070	STRUCT DEST/TRUB	FD

Banks Slough Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Banks Slough Channel Buoy 2BS	30048	MISSING	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Banks Slough Channel Buoy 3BS	30048.02	DISCONTINUED	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Banks Channel - Banks Slough Channel/ATON/Temporary Changes	ATON	Temporary Changes	2024-10-25	2025-04-23	ATON/Temporary Changes From: 2024-10-25 To: 2025-04-23 Location: 34.34609° N / 77.6646° W Aid Name: Banks Slough Channel Buoy 3BS LLNR: 30048.02 Temporary Aid Change Information: Status: DISCONTINUED	POINT [Latitude: 34.34609, Longitude: -77.6646]
Banks Channel - Banks Slough Channel/ATON/Federal Discrepancies Corrected	ATON	Federal Discrepancies Corrected	2024-10-25	2024-11-08	ATON/Federal Discrepancies Corrected From: 2024-10-25 To: 2024-11-08 Location: 34.34609° N / 77.6646° W Aid Name: Banks Slough Channel Buoy 3BS LLNR: 30048.02 Discrepancy Information: Initial Report DTG: 221703Z SEP 2024 Summary: OFF STA Correction DTG: 251051Z OCT 2024 Cause: ENVIRONMENT Cause Comments: SHOALING Correction Status: DISCONTINUED	POINT [Latitude: 34.34609, Longitude: -77.6646]

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Banks Slough Channel Buoy 3BS	30048.02	DISCONTINUED	FD	2024-10-25

Barden Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Barden Inlet Buoy 8	29180	MISSING	FD

Barnegat Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Barnegat Inlet Lighted Buoy 4	925	OFF STA	FD
Barnegat Inlet North Breakwater Light 6	942	DAYMK DMGD	FD
Barnegat Inlet Lighted Buoy 9	950	MISSING	FD
Barnegat Inlet Lighted Buoy 11	955	OFF STA	FD
Barnegat Inlet Buoy 21	1000	OFF STA	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Barnegat Inlet/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-08-27	2025-04-30	General/Marine Construction (Excluding Bridges)/Dredging Dredge staging area: Great Lakes Dredge and Dock Co. LLC is working on a beach nourishment project. Hopper dredge "Liberty Island" will include dredging operations on the coast of Long Beach Island, New Jersey. Dredged material will be transported through a 30" diameter pipe from the dredge to five (5) different beach fill areas. Material from one borrow area: D1 BA located about 2-3 miles offshore of Long Beach Island, approximate center point 39-40-06.913N, 074-05-25.360W. See proposed subline locations for Holgate, Beach Haven, North Beach Haven, Harvey Cedars & Lovelady's Beaches on Long Beach Island. GLDD continues to maintain the northwest waterside staging areas on the northeast side of Absecon Inlet in Atlantic City where rafted pipeline and equipment will be stored until towed to the Barnegat Inlet Staging Area. The survey vessel and crew transfer vessel Saginaw River will traverse between the work areas and the Inlets throughout duration of the project. Other equipment on scene can include Booster Jack, Anchor Barges 111 & 116, Derrick 66, Crew Boat Saginaw River, Crew Boat St. Johns River, Tug Cavalier State, Tug Sherena B Cheramie, Tug Caspian Dawn. Operations will begin September 1, 2024 to April 30, 2025 and will be conducted 24 hours per day, 7 days per week. All vessels	POLYGON [Latitude: 39.77013, Longitude: -74.11877] [Latitude: 39.76644, Longitude: -74.1185] [Latitude: 39.76365, Longitude: -74.11762] [Latitude: 39.76336, Longitude: -74.11896] [Latitude: 39.76612, Longitude: -74.11959] [Latitude: 39.77009, Longitude: -74.11972] [Latitude: 39.77013, Longitude: -74.11877]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					can be contract on VHF-FM 13 and 16. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. From: 2024-08-27 To: 2025-04-30 Location: 39.77013° N / 74.11877° W 39.76644° N / 74.1185° W 39.76365° N / 74.11762° W 39.76336° N / 74.11896° W 39.76612° N / 74.11959° W 39.77009° N / 74.11972° W 39.77013° N / 74.11877° W	
Barnegat Inlet/General/Marine Construction (Excluding Bridges)/Survey Operations	General	Marine Construction (Excluding Bridges)	2024-09-13	2024-11-16	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2024-09-29 To: 2024-11-16 Location: 40.11667° N / 74.01686° W 40.06916° N / 73.96722° W Research vessel Time and Tide will conduct survey operations in a corridor off Manasquan Inlet, NJ. Overview of Work Area (LAT/LONG): Between 40° 07.033' N / 74° 01.705' W and 40° 04.996' N / 73° 58.292' W. Surveying will be conducted from September 29, 2024 to November 16, 2024 during daylight hours. R/V Time and Tide will monitor VHF 16 or can be reached at Bridge Mobile PHONE: +1 339-499-8784 or +1 508-736-5019. All vessels and fishing activity requested to maintain a 0.5 nautical mile (0.5 nm) closest point of approach (CPA).	LINE [Latitude: 40.11667, Longitude: -74.01686] [Latitude: 40.06916, Longitude: -73.96722]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector Delaware Bay, Submerged Land Act (SLA) - Barnegat Inlet/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-07-29	2025-09-15	General/Hazards To Navigation/Shoaling Reported Sector Delaware Bay is notifying mariners that there is shoaling reported at the entrance of Barnegat Bay Inlet. The shoaling is reported in the main navigation channel between Barnegat Inlet Lighted Buoys 9 (LLNR 950) and Barnegat Inlet Lighted Buoy 11 (LLNR 995). Mariners are advised to use extreme caution when transiting Barnegat Bay Inlet as some depths at mean low water could be hazardous to navigation, especially during extreme weather events. From: 2024-07-29 To: 2025-09-15 Location: 39.76688° N / 74.10056° W 39.76038° N / 74.09253° W 39.75903° N / 74.09434° W 39.76516° N / 74.10288° W 39.76688° N / 74.10056° W	POLYGON [Latitude: 39.76688, Longitude: -74.10056] [Latitude: 39.76038, Longitude: -74.09253] [Latitude: 39.75903, Longitude: -74.09434] [Latitude: 39.76516, Longitude: -74.10288] [Latitude: 39.76688, Longitude: -74.10056]
Sector Delaware Bay, Submerged Land Act (SLA) - Barnegat Inlet/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-07-29	2025-11-18	General/Hazards To Navigation/Shoaling Reported U.S. Coast Guard Sector Delaware Bay is notifying mariners of extreme shoaling at the entrance to Barnegat Inlet. Due to this shoaling Barnegat Inlet Buoy 3 (LLNR 915) and Barnegat Inlet Lighted Buoy 4 (LLNR 925) are unreliable at marking the navigational channel. Mariners are advised to use extreme caution when transiting Barnegat Inlet. See SEC DB BNM 235-22. From: 2024-07-29 To: 2025-11-18 Location: 39.75749° N / 74.08232° W 39.7534° N / 74.07601° W 39.74872° N / 74.08168° W 39.75288° N / 74.08846° W 39.75749° N / 74.08232° W	POLYGON [Latitude: 39.75749, Longitude: -74.08232] [Latitude: 39.7534, Longitude: -74.07601] [Latitude: 39.74872, Longitude: -74.08168] [Latitude: 39.75288, Longitude: -74.08846] [Latitude: 39.75749, Longitude: -74.08232]

Barney Slough Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Barney Slough Channel Buoy 12	28723	OFF STATION/MSLD SIG	FD

ATON Changes

NAME	ACTION TYPE	DESCRIPTION
Barney Slough Channel Lighted Buoy 6A	RELOCATE	ATON/ATON Changes From: 2024-10-24 To: 2024-11-07 Location: 35.23245° N / 75.78678° W 35-13-56.811N / 075-47-12.406W. Aid Name: Barney Slough Channel Lighted Buoy 6A LLNR: 28722.3 Action: RELOCATE

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Hatteras Inlet - Barney Slough Channel/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-11-04	2025-05-03	ATON/Federal Discrepancies From: 2024-11-04 To: 2025-05-03 Location: 35.2253° N / 75.74881° W Aid Name: Barney Slough Channel Buoy 12 LLNR: 28723 Discrepancy Information: Initial Report DTG: 041241Z NOV 2024 Summary: OFF STATION/MSLD SIG	POINT [Latitude: 35.2253, Longitude: -75.74881]

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Barney Slough Channel Lighted Buoy 6A	28722.3	RELOCATED	FD	2024-10-24
Barney Slough Channel Lighted Buoy 6A	28722.3	RELOCATED	FD	2024-10-24

Bay River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bay River Daybeacon 6	33420	STRUCT DEST/TRUB	FD
Bay River Daybeacon 20	33470	STRUCT DEST/TRUB	FD

Bay Shore Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cape May Aquaculture Zone Lighted Buoy A	1687	MISSING	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Delaware Bay Main Channel - Bay Shore Channel/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024- 10-24	2025- 10-24	ATON/PATON Discrepancies From: 2024-10-24 To: 2025- 10-24 Location: 39.07283° N / 74.91967° W Aid Name: Cape May Aquaculture Zone Lighted Buoy A LLNR: 1687 Discrepancy Information: Initial Report DTG: 241655Z OCT 2024 Summary: MISSING	POINT [Latitude: 39.07283, Longitude: -74.91967]

Bear Creek

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sparrows Point Country Club Pier Light	20700	LT EXT	PA

Beaufort Harbor Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Beaufort Harbor Channel Warning Daybeacon B	34812	DAYMK MISSING	FD
Beaufort Harbor Channel Daybeacon 8	34830	MISSING/TRUB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Beaufort Inlet - Beaufort Harbor Channel/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-11	2025-04-09	ATON/Federal Discrepancies From: 2024-10-11 To: 2025-04-09 Location: 34.70491° N / 76.67811° W Aid Name: Beaufort Harbor Channel Lighted Buoy 1 LLNR: 34804 Discrepancy Information: Initial Report DTG: 111806Z OCT 2024 Summary: MISSING - Aid washed ashore.	POINT [Latitude: 34.70491, Longitude: -76.67811]
Beaufort Inlet - Beaufort Harbor Channel/ATON/Federal Discrepancies Corrected	ATON	Federal Discrepancies Corrected	2024-10-23	2024-11-06	ATON/Federal Discrepancies Corrected From: 2024-10-23 To: 2024-11-06 Location: 34.70491° N / 76.67811° W Aid Name: Beaufort Harbor Channel Lighted Buoy 1 LLNR: 34804 Discrepancy Information: Initial Report DTG: 111806Z OCT 2024 Summary: MISSING Correction DTG: 231258Z OCT 2024 Cause: ENVIRONMENT Cause Comments: ROTARY CURRENT Correction Status: RESET ON STATION	POINT [Latitude: 34.70491, Longitude: -76.67811]
Beaufort Inlet - Beaufort Harbor Channel/ATON/Federal Discrepancies Corrected	ATON	Federal Discrepancies Corrected	2024-10-23	2024-11-06	ATON/Federal Discrepancies Corrected From: 2024-10-23 To: 2024-11-06 Location: 34.70491° N / 76.67811° W Aid Name: Beaufort Harbor Channel Lighted Buoy 1 LLNR: 34804 Discrepancy Information: Initial Report DTG: 142135Z OCT 2024 Summary: MISSING/TRLB Temporary Response DTG: 142136Z OCT 2024 Temporary Response: TLB Correction DTG: 231300Z OCT 2024 Cause: ENVIRONMENT Cause Comments: ROTARY CURRENT Correction Status: RESET ON STATION	POINT [Latitude: 34.70491, Longitude: -76.67811]

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Beaufort Harbor Channel Lighted Buoy 1	34804	RESET ON STATION	FD	2024-10-23
Beaufort Harbor Channel Lighted Buoy 1	34804	RESET ON STATION	FD	2024-10-23
Beaufort Harbor Channel Lighted Buoy 1	34804	RESET ON STATION	FD	2024-10-23

Beaufort Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Morehead City Channel Range Rear Light	29303	REDUCED INT	FD
Beaufort Inlet Channel Lighted Buoy 14	29310	LT IMCH	FD

Bennett Creek Poquoson River

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Poquoson River - Bennett Creek Poquoson River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-15	2025-06-11	General/Hazards To Navigation/Shoaling Reported Shoaling was reported on the east side of channel in between Bennett Creek - Poquoson River Light 4 (LLNR 13270) and Bennett Creek - Poquoson River Light 6 (LLNR 13275). Depth of 3 feet at MLW. From: 2024-08-15 To: 2025-06-11 Location: 37.15767° N / 76.3739° W 37.15417° N / 76.37245° W 37.15391° N / 76.37401° W 37.15742° N / 76.37548° W 37.15767° N / 76.3739° W	POLYGON [Latitude: 37.15767, Longitude: -76.3739] [Latitude: 37.15417, Longitude: -76.37245] [Latitude: 37.15391, Longitude: -76.37401] [Latitude: 37.15742, Longitude: -76.37548] [Latitude: 37.15767, Longitude: -76.3739]
Poquoson River - Bennett Creek Poquoson River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-04	2025-04-02	ATON/Federal Discrepancies From: 2024-10-04 To: 2025-04-02 Location: 37.14374° N / 76.37586° W Aid Name: White House Cove Daybeacon 2 LLNR: 13300 Discrepancy Information: Initial Report DTG: 041229Z OCT 2024 Summary: DBD DMGD	POINT [Latitude: 37.14374, Longitude: -76.37586]
Poquoson River - Bennett Creek Poquoson River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-04	2025-04-02	ATON/Federal Discrepancies From: 2024-10-04 To: 2025-04-02 Location: 37.14374° N / 76.37586° W Aid Name: White House Cove Daybeacon 2 LLNR: 13300 Discrepancy Information: Initial Report DTG: 041229Z OCT 2024 Summary: DBD DMGD	POINT [Latitude: 37.14374, Longitude: -76.37586]

Big Foot Slough Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Big Foot Slough Channel Light 3	29030	STRUCT DEST/TRLB	FD
Big Foot Slough Channel Light 9	29055	STRUCT DEST/TRLB	FD
Big Foot Slough Channel Light 9A	29056	STRUCT DEST/TRUB	FD
Big Foot Slough Channel Daybeacon 12	29077	STRUCT DEST/TRUB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Big Foot Slough Channel/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-31	2025-04-29	ATON/Federal Discrepancies From: 2024-10-31 To: 2025-04-29 Location: 35.14822° N / 76.00977° W Aid Name: Big Foot Slough Channel Buoy 9C LLNR: 29061 Discrepancy Information: Initial Report DTG: 311552Z OCT 2024 Summary: MISSING	POINT [Latitude: 35.14822, Longitude: -76.00977]
Big Foot Slough Channel/ATON/Federal Discrepancies Corrected	ATON	Federal Discrepancies Corrected	2024-10-31	2024-11-14	ATON/Federal Discrepancies Corrected AND relocated From: 2024-10-31 To: 2024-11-14 Location: 35.15097° N / 76.01165° W Aid Name: Big Foot Slough Channel Lighted Buoy 11 LLNR: 29070.3 Discrepancy Information: Initial Report DTG: 271232Z OCT 2024 Summary: MISSING Correction DTG: 311557Z OCT 2024 Cause: WEATHER Cause Comments: WIND Correction Status: RELOCATED TO APPROX POSIT 35-09-08.101N, 076-00-42.636W	POINT [Latitude: 35.15097, Longitude: -76.01165]

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Big Foot Slough Channel Buoy 9C	29061	RESET ON STATION	FD	2024-10-31
Big Foot Slough Channel Lighted Buoy 11	29070.3	RELOCATED	FD	2024-10-31

Bivalve Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bivalve Channel Daybeacon 3	24055	STRUCT DEST/TRLB	FD

Bogue Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bogue Inlet Lighted Buoy 1	29495	MISSING	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Bogue Inlet Buoy 6	29540	DISCONTINUED	FD
Bogue Inlet Lighted Buoy 7	29550	DISCONTINUED	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector North Carolina, Submerged Lands Act (SLA) - Bogue Inlet/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 10-23	2025- 04-21	Based on ACOE Survey, shoaling of depths of 3 to 4 foot MLW has been identified between Bogue Inlet Buoy 4 (LLNR 29520) and Bogue Inlet Buoy 6 (LLNR 29540).	POLYGON [Latitude: 34.64093, Longitude: -77.10075] [Latitude: 34.64015, Longitude: -77.1002] [Latitude: 34.63967, Longitude: -77.10634] [Latitude: 34.64044, Longitude: -77.10591] [Latitude: 34.64093, Longitude: -77.10075]

Bogue Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bogue Sound Light 4	38770	STRUCT DEST/TRLB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Bogue Sound/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-09-25	2025-03-24	Shoaling has been reported IAW the most recent ACOE survey dated 26 OCT 2020 IVO Causeway Channel Buoy 5A (LLNR 38731) and Causeway Channel Buoy 6A (LLNR 38736). Reported depths of 4 feet MLW encroaching from east side of channel.	POLYGON [Latitude: 34.71466, Longitude: -76.73362] [Latitude: 34.71384, Longitude: -76.73236] [Latitude: 34.71267, Longitude: -76.73375] [Latitude: 34.71363, Longitude: -76.73494] [Latitude: 34.71466, Longitude: -76.73362]
Bogue Sound/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-09-25	2025-07-22	Shoaling has been reported between Bogue Sound Daybeacon 10 (LLNR 38875) and Bogue Sound Daybeacon 14 (LLNR 38895). Survey indicates depths as low as 5FT MLW encountered in channel center and depths as low as 4FT have been reported. Depths close to channel markers may be less. Conditions may change rapidly and mariners are advised to transit the area with caution. The most recent ACOE survey can be found here: https://www.saw.usace.army.mil/missions/navigation/hydrog-surveys/aiww	POLYGON [Latitude: 34.72398, Longitude: -76.83349] [Latitude: 34.7238, Longitude: -76.8292] [Latitude: 34.72319, Longitude: -76.82917] [Latitude: 34.72339, Longitude: -76.83354] [Latitude: 34.72398, Longitude: -76.83349]

Bogue Sound New River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bogue Sound - New River Daybeacon 76	39310	STRUCT DEST/TRUB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Bogue Sound - Bogue Sound New River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 09-25	2025- 05-08	Shoaling has been observed between Bogue Sound - New River Buoy 66B (LLNR 39243) and Bogue Sound - New River Light 66 (LLNR 39245), south of buoy 66B. Shoaling is reported of less than 4FT MLW and extends into the channel.	POLYGON [Latitude: 34.54816, Longitude: -77.32693] [Latitude: 34.54598, Longitude: -77.3183] [Latitude: 34.54646, Longitude: -77.31618] [Latitude: 34.54585, Longitude: -77.31589] [Latitude: 34.54524, Longitude: -77.31833] [Latitude: 34.5476, Longitude: -77.32728] [Latitude: 34.54816, Longitude: -77.32693]
Bogue Sound - Bogue Sound New River/General/Bridges/Construction	General	Bridges	2024- 10-01	2025- 02-28	Mariners are advised that a construction firm, on behalf of U. S. Marine Corps. Base Camp Lejeune, will continue to construct a new bridge to replace the Onslow Beach Swing Bridge across the Atlantic Intracoastal Waterway, mile 240.7, at Camp Lejeune, NC. Construction activities which began in October 2022, are expected to finish in February 2025. During the construction period, outside of the extended closure periods listed below, to facilitate construction and installation of the new bridge superstructure, the new bridge will be maintained in the closed-to-navigation position from 8 a.m. to noon and from 1 p.m. to 5 p.m., and the existing Onslow Beach Swing Bridge, will open on demand, from noon to 1 p.m.; Monday through Friday; excluding Federal holidays, from October 7, 2024, through December 20, 2024. Vessels unable to safely transit the new bridge with the reduced clearances during the non-extended closure periods above from 8 a.m. to noon and from 1 p.m. to 5 p.m., should: (1) adjust their voyage plan, if able, to transit through the new bridge and the existing bridge	POINT [Latitude: 34.57275, Longitude: -77.27176]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>outside of the closure period or from noon to 1 p.m. during the closure period, or (2) if not able to adjust their voyage plan, may transit through the bridges upon arrival, if at least a 24-hour prior notice is given to the onsite project foreman. To facilitate construction of the bascule span (structural steel), the new bridge will remain in the closed-to-navigation position and will not be able to open at any time during the extended bridge closure periods, as reflected below: Primary Closure Timeframe: from 7 a.m. on Monday, November 4, 2024, through 9 p.m. on Thursday, November 7, 2024 from 7 a.m. on Monday, November 18, 2024, through 9 p.m. on Thursday, November 21, 2024 Alternative Closure Timeframe: from 7 a.m. on Tuesday, November 12, 2024, through 9 p.m. on Friday, November 15, 2024 from 7 a.m. on Monday, December 2, 2024, through 9 p.m. on Thursday, December 5, 2024 During all closure periods above, the new bridge will have a vertical clearance of approximately 15 feet above mean high water in the closed position and a horizontal clearance of approximately 20 feet. Vessels that can safely transit through the new bridge with the reduced clearances may do so at any time. At all other times, the existing Onslow Beach Swing Bridge will operate in accordance with Title 33 Code of Federal Regulations (CFR) 117.821(a)(1), and the new bridge will remain open to navigation. To facilitate construction of the new bridge fender system, a work barge will be placed in the navigation</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>channel of the new bridge from 8 a.m. to noon, and 1 p.m. to 5 p.m.; Monday through Friday, excluding Federal holidays from October 7, 2024, through 5 p.m. on December 20, 2024. The work barge will be located in the navigation channel of the new bridge which will reduce the horizontal clearance of the new bridge to approximately 20 feet. Two barges, a support vessel, and crew boat will be operating or stationed in the vicinity of the existing and new bridges. Temporary work platforms will be in place for the duration of construction of the new bridge and demolition of the existing bridge. The work barges, work vessels and bridge tender may be reached on VHF-FM channels 13 and 16, and the onsite project foreman may be contacted at 910-520-1319, when work is in progress or vessels are operating the area. Mariners should navigate the waterway with extreme caution and due regard for prevailing conditions on the waterway.</p>	

Brewerton Channel

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Brewerton Lighted Buoy 2B	CHANGE	On or about December 1 the Coast Guard will not replace this lighted buoy with a lighted ice buoy; LIB, of reduced intensity unless when endangered by ice.

Brewerton Channel Eastern Extension

--

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Brewerton Eastern Extension Lighted Buoy 3	CHANGE	On or about December 1 the Coast Guard will not replace this lighted buoy with a lighted ice buoy; LIB, of reduced intensity unless when endangered by ice.
Brewerton Eastern Extension Lighted Buoy 4	CHANGE	On or about December 1 the Coast Guard will not replace this lighted buoy with a lighted ice buoy; LIB, of reduced intensity unless when endangered by ice.
Brewerton Eastern Extension Lighted Buoy 5	CHANGE	On or about December 1 the Coast Guard will not replace this lighted buoy with a lighted ice buoy; LIB, of reduced intensity unless when endangered by ice.
Brewerton Eastern Extension Lighted Buoy 6	CHANGE	On or about December 1 the Coast Guard will not replace this lighted buoy with a lighted ice buoy; LIB, of reduced intensity unless when endangered by ice.
Brewerton Eastern Extension Lighted Buoy 8	CHANGE	On or about December 1 the Coast Guard will not replace this lighted buoy with a lighted ice buoy; LIB, of reduced intensity unless when endangered by ice.
Brewerton Eastern Extension Lighted Buoy 9	CHANGE	On or about December 1 the Coast Guard will not replace this lighted buoy with a lighted ice buoy; LIB, of reduced intensity unless when endangered by ice.
Brewerton Eastern Extension Lighted Buoy 10	CHANGE	On or about December 1 the Coast Guard will not replace this lighted buoy with a lighted ice buoy; LIB, of reduced intensity unless when endangered by ice.

Broad Bay

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
-------	----------	-----------------	---------------	-------------	-------------	----------

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Long Creek - Broad Bay/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024-09-09	2025-03-01	<p>General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-09-09 To: 2025-03-01 Location: 36.90444° N / 76.04084° W 36.90439° N / 76.0387° W 36.90411° N / 76.03849° W 36.9037° N / 76.03827° W 36.90327° N / 76.03759° W 36.90288° N / 76.0376° W 36.9027° N / 76.03875° W 36.90283° N / 76.04439° W 36.90395° N / 76.04467° W 36.9041° N / 76.042° W 36.90444° N / 76.04084° W Coastal Design & Construction, Inc. will begin oyster reef construction project, starting September 23, 2024. This project will take place in Lynnhaven River, VA Beach, VA. Push Boats & barges will be transiting from the loading location alongside Lesner Wharf near (36°54'20.32"N 76°5'38.49"W) to the project site in Broad Bay via the marked federal navigation channel. Tug: "Capt. Dale" and Push Boat "Linda M" along with various deck barges will be spudded down in the project site in Broad Bay or tied to the bulkhead alongside Lesner Wharf. Reef corners will be marked with 10" Orange Poly Buoys, as required by Virginia Marine Resources Commission for Pre-Con inspection. Tug Linda M will be monitoring VHF Channel 13 & 16. Project is expected to be completed by May 1, 2025. For more information, contact, Eppa Dale Wroten - Superintendent (Marine), Cell: 804-366-0447.</p>	<p>POLYGON [Latitude: 36.90444, Longitude: -76.04084] [Latitude: 36.90439, Longitude: -76.0387] [Latitude: 36.90411, Longitude: -76.03849] [Latitude: 36.9037, Longitude: -76.03827] [Latitude: 36.90327, Longitude: -76.03759] [Latitude: 36.90288, Longitude: -76.0376] [Latitude: 36.9027, Longitude: -76.03875] [Latitude: 36.90283, Longitude: -76.04439] [Latitude: 36.90395, Longitude: -76.04467] [Latitude: 36.9041, Longitude: -76.042] [Latitude: 36.90444, Longitude: -76.04084]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Long Creek - Broad Bay/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-10	2025-01-01	Cottrell Contracting Corporation of Chesapeake, Virginia advises that the Dredge Rockbridge will conduct dredging operations for the Lynnhaven Inlet Federal Navigation Channel, consisting of the Entrance Channel, Mooring and Turning Basin, Side Channel, Broad Bay Channel, and the Narrows Channel. The dredge and attendant equipment will be operating between October 16, 2024 and December 16, 2024. Before approach, the Dredge can be reached via VHF Radio Channels #13 and #16. For emergency, the dredge operator can be contacted at phone number 757-635-2576.	POLYGON [Latitude: 36.90487, Longitude: -76.0848]
						[Latitude: 36.90436, Longitude: -76.08253]
						[Latitude: 36.90468, Longitude: -76.07918]
						[Latitude: 36.90344, Longitude: -76.07211]
						[Latitude: 36.90226, Longitude: -76.06054]
						[Latitude: 36.90211, Longitude: -76.05308]
						[Latitude: 36.90162, Longitude: -76.05307]
						[Latitude: 36.90181, Longitude: -76.06051]
						[Latitude: 36.90301, Longitude: -76.07223]
						[Latitude: 36.90423, Longitude: -76.07917]
						[Latitude: 36.90388, Longitude: -76.08261]
						[Latitude: 36.90435, Longitude: -76.08489]
						[Latitude: 36.90398, Longitude: -76.08676]
						[Latitude: 36.90402, Longitude: -76.08811]
[Latitude: 36.90458, Longitude: -76.08804]						
[Latitude: 36.90443, Longitude: -76.08687]						
[Latitude: 36.90487, Longitude: -76.0848]						
Long Creek - Broad Bay/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-10	2025-01-01	Cottrell Contracting Corporation of Chesapeake, Virginia advises that the Dredge Rockbridge will conduct dredging operations for the Lynnhaven Inlet Federal Navigation Channel, consisting of the Entrance Channel, Mooring and Turning Basin, Side Channel, Broad Bay Channel, and the Narrows Channel. The dredge and attendant equipment will be operating between October 16, 2024 and December 16, 2024. Before approach, the Dredge can be reached via VHF Radio Channels #13 and #16. For emergency, the dredge operator can be contacted at phone number 757-635-2576.	POLYGON [Latitude: 36.89389, Longitude: -76.02378]
						[Latitude: 36.8915, Longitude: -76.01928]
						[Latitude: 36.88838, Longitude: -76.01591]
						[Latitude: 36.88808, Longitude: -76.0163]
						[Latitude: 36.89119, Longitude: -76.01967]
						[Latitude: 36.8936, Longitude: -76.02406]
						[Latitude: 36.89389, Longitude: -76.02378]

Broad Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Broad Creek Channel Daybeacon 4	14975	STRUCT DEST/TRUB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Rappahannock River - Broad Creek/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-19	2025-09-24	Norfolk District Army Corp of Engineers survey of Broad Creek Channel indicates shoaling with least depth of 4-5' at MLLW on the northwest (red) side of channel in vicinity of Broad Creek Channel Daybeacon 2 (LLNR 14970), and on the southeast (green) side of the channel with a least depth of 4' at MLLW in the vicinity of Broad Creek Channel Wreck Light WR3 (LLNR 14973). Mariners are requested use extreme caution when operating in the vicinity.	POLYGON [Latitude: 37.56883, Longitude: -76.31037] [Latitude: 37.56865, Longitude: -76.30986] [Latitude: 37.56503, Longitude: -76.31246] [Latitude: 37.5652, Longitude: -76.31298] [Latitude: 37.56883, Longitude: -76.31037]

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Broad Creek Shoal Buoy 2	CHANGE	On or about December 16 the Coast Guard will change Broad Creek Buoy 2 (LLNR 25535) to Broad Creek Daybeacon 2 and relocate to approximate position: 38 42 38.357N—76 15 31.623W with TR dayboards on pile.

Bush River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bush River Light 9	27363	LT IMCH	PA
Bush River Light A	27367	LT EXT	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Aberdeen Restricted Area - Bush River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-10-07	2025-10-07	ATON/PATON Discrepancies From: 2024-10-07 To: 2025-10-07 Location: 39.435° N / 76.24267° W Aid Name: Bush River Light 9 LLNR: 27363 Discrepancy Information: Initial Report DTG: 071411Z OCT 2024 Summary: LT IMCH	POINT [Latitude: 39.435, Longitude: -76.24267]
Aberdeen Restricted Area - Bush River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-10-07	2025-10-07	ATON/PATON Discrepancies From: 2024-10-07 To: 2025-10-07 Location: 39.43383° N / 76.24681° W Aid Name: Bush River Light A LLNR: 27367 Discrepancy Information: Initial Report DTG: 071402Z OCT 2024 Summary: LT EXT	POINT [Latitude: 39.43383, Longitude: -76.24681]

Buxton Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Buxton Harbor Daybeacon 14	32235	STRUCT DEST/TRUB	FD

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Buxton Harbor Daybeacon 14	CHANGE	The Coast Guard will convert Buxton Harbor Daybeacon 14 (LLNR 32235) to Buxton Harbor Buoy 14 (LLNR 32235) during the month of January 2025.

Cambridge Channel

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Cambridge Channel Lighted Buoy 1	CHANGE	Starting immediately the Coast Guard will begin removing the existing ice conditions "Replace lighted buoy with an unlighted buoy when endangered by ice" and replace; the aid, with a new year-round (ice) buoy for the below listed aids to navigation. The new buoys daytime visibility will be 1.4nm and have a radar range of 1.0nm. The flash characteristic and nominal range will remain unchanged.

Cape Charles City

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cape Charles City Light 1CC	21450	STRUCT DEST/HAZ NAV/TRLB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape Charles To Wolf Trap - Cape Charles City/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024- 10-05	2025- 04-05		POINT [Latitude: 37.25648, Longitude: -76.03245]

Cape Fear River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cape Fear River Entrance Channel Lighted Buoy 5	30325	SINKING	FD
Southport Light 1	30455	STRUCT DEST/HAZ NAV/TRLB	FD
Lower Midnight Channel North Range Front Light	30640	STRUCT DEST/REDUCED INT/TRLT	FD
Cape Fear River Turning Basin Light B	30950	STRUCT DEST/TRLB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector North Carolina, Submerged Lands Act (SLA) - Cape Fear River/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-09-24	2025-03-01	Norfolk Dredging company will begin maintenance dredging on the Cape Fear River in areas between Cape Fear River Channel Lighted Buoy 59 (LLNR 30855) and the Wilmington Turning Basin. Bucket dredge BALTIMORE will begin September 27, 2024 with project expected to be completed March 1, 2025. Dredge will be loading Mud Scows, and a Tug will tow them to the Ocean Dredging Material Disposal Site (ODMDS) located offshore at approximate position Lat 33-43-11.516N, 078-02-40.953W. The Dredge BALTIMORE operator will standby on channels #13 and #16 VHF-FM. Traffic should call 60 minutes prior to the expected time of passage. All mariners are requested to stay clear of the dredge, barges, cranes, and tugs. Operators of vessels of all types should be aware that the barges are held in place by cables, attached to anchors some distance away from the equipment. Project will be conducted twenty - four (24) hours per day seven (7) days a week. For further information contact Norfolk Dredging Company at (757) 547-9391.	POLYGON [Latitude: 34.22569, Longitude: -77.95386] [Latitude: 34.22478, Longitude: -77.95135] [Latitude: 34.20461, Longitude: -77.95598] [Latitude: 34.19641, Longitude: -77.95489] [Latitude: 34.17205, Longitude: -77.95745] [Latitude: 34.17202, Longitude: -77.96004] [Latitude: 34.19465, Longitude: -77.9581] [Latitude: 34.2111, Longitude: -77.95978] [Latitude: 34.22569, Longitude: -77.95386]
Sector North Carolina, Submerged Lands Act (SLA) - Cape Fear River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-08	2025-04-06		POINT [Latitude: 33.96242, Longitude: -77.94367]
Sector North Carolina, Submerged Lands Act (SLA) - Cape Fear River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-10	2025-10-10		POINT [Latitude: 33.8115, Longitude: -78.03943]

Cape Fear River Little River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cape Fear River - Little River Daybeacon 5	40055	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Light 7	40060	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Daybeacon 8	40065	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Daybeacon 28	40110	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Daybeacon 36	40130	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Daybeacon 39	40195	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Daybeacon 46	40220	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Light 51	40250	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Daybeacon 57	40270	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Daybeacon 71	40305	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Daybeacon 73	40315	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Light 77	40325	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Light 78	40330	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Daybeacon 80	40335	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Light 83	40350	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Light 85	40360	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Light 93	40385	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Daybeacon 97	40395	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Daybeacon 99	40405	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Light 101	40410	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Daybeacon 109	40430	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Light 111	40435	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Daybeacon 113	40440	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Daybeacon 115	40445	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Light 117	40455	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Light 119	40460	STRUCT DEST/TRLB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape Fear River - Cape Fear River Little River/General/Hazards To Navigation/General	General	Hazards To Navigation	2024-09-24	2025-07-21	Shoaling has been reported in the ICW in the vicinity of the Swains Cut Bridge, Cape Fear River - Little River Buoy 16A (LLNR 40093) was established to mark shoaling.	POLYGON [Latitude: 33.92539, Longitude: -78.1294] [Latitude: 33.92502, Longitude: -78.12679] [Latitude: 33.92433, Longitude: -78.12685] [Latitude: 33.92475, Longitude: -78.12959] [Latitude: 33.92539, Longitude: -78.1294]
Cape Fear River - Cape Fear River Little River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-23	2025-04-21	ATON/Federal Discrepancies From: 2024-10-23 To: 2025-04-21 Location: 33.9233° N / 78.2159° W Aid Name: Cape Fear River - Little River Daybeacon 36 LLNR: 40130 Discrepancy Information: Initial Report DTG: 231840Z OCT 2024 Summary: MISSING/TRUB Temporary Response DTG: 241530Z OCT 2024 Temporary Response: TUB	POINT [Latitude: 33.9233, Longitude: -78.2159]
Cape Fear River - Cape Fear River Little River/General/Hazards To Navigation/General	General	Hazards To Navigation	2024-10-29	2025-04-27	Shoaling has been reported between Cape Fear River - Little River Lighted Daybeacon 36 (LLNR 40130) and Cape Fear River - Little River Daybeacon 39 (LLNR 40195) in the vicinity of Lockwoods Folly River. Depths of 2-4ft MLLW have been reported.	POLYGON [Latitude: 33.9241, Longitude: -78.21693] [Latitude: 33.92333, Longitude: -78.21552] [Latitude: 33.92305, Longitude: -78.21575] [Latitude: 33.92379, Longitude: -78.21721] [Latitude: 33.9241, Longitude: -78.21693]
Cape Fear River - Cape Fear River Little River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-23	2025-04-21	ATON/Federal Discrepancies From: 2024-10-23 To: 2025-04-21 Location: 33.9233° N / 78.2159° W Aid Name: Cape Fear River - Little River Daybeacon 36 LLNR: 40130 Discrepancy Information: Initial Report DTG: 231840Z OCT 2024 Summary: MISSING/TRUB Temporary Response DTG: 241530Z OCT 2024 Temporary Response: TUB	POINT [Latitude: 33.9233, Longitude: -78.2159]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape Fear River - Cape Fear River Little River/General/Hazard To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 09-23	2025- 03-22	The Coast Guard has temporarily discontinued Lockwoods Folly Inlet Buoy 1 (LLNR 31010) through Lockwoods Folly Inlet Buoy 7 (LLNR 31035) to due shoaling and creating a misleading signal. Lockwoods Folly Inlet Buoy 8 (LLNR 31040) is listed as discrepant, creating a misleading signal. Inlet will be reviewed when dredge operations is completed, ACOE survey is conducted, and safe navigable water depths are identified. See Sector North Carolina MSIB 015-24.	POLYGON [Latitude: 33.92048, Longitude: -78.23549] [Latitude: 33.91482, Longitude: -78.23627] [Latitude: 33.91017, Longitude: -78.22931] [Latitude: 33.90798, Longitude: -78.23311] [Latitude: 33.91269, Longitude: -78.23891] [Latitude: 33.92027, Longitude: -78.23768] [Latitude: 33.92048, Longitude: -78.23549]
Cape Fear River - Cape Fear River Little River/General/Hazard To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 09-24	2025- 07-21	Shoaling has been reported in the ICW in the vicinity of the Swains Cut Bridge, West of Cape Fear River - Little River Light 18 (LLNR 40095).	POLYGON [Latitude: 33.92917, Longitude: -78.17122] [Latitude: 33.92888, Longitude: -78.17117] [Latitude: 33.92881, Longitude: -78.1725] [Latitude: 33.92899, Longitude: -78.17256] [Latitude: 33.92917, Longitude: -78.17122]

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Cape Fear River - Little River Daybeacon 36	40130	WATCHING PROPERLY	FD	2024-10-30
Cape Fear River - Little River Daybeacon 36	40130	WATCHING PROPERLY	FD	2024-10-30

--

Carolina Beach Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Carolina Beach Inlet Buoy 4	30280	OFF STA/MSLD SIG	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape Hatteras To Little River Inlet - Carolina Beach Inlet/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-09-25	2025-07-12	Significant shoaling has been reported in Carolina Beach Inlet between Carolina Beach Inlet Buoy 1 (LLNR 30265) and Carolina Beach Inlet Buoy 8 (LLNR 30300). Depths of 1'-5' MLW have been reported in most recent ACOE Survey.	POLYGON [Latitude: 34.08343, Longitude: -77.87291] [Latitude: 34.08297, Longitude: -77.86982] [Latitude: 34.07968, Longitude: -77.86227] [Latitude: 34.07877, Longitude: -77.863] [Latitude: 34.08227, Longitude: -77.87133] [Latitude: 34.08227, Longitude: -77.87512] [Latitude: 34.08323, Longitude: -77.87648] [Latitude: 34.08343, Longitude: -77.87291]

Chesapeake Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Horseshoe West Channel Daybeacon 2	12830	DAYMK DMGD	FD
Horseshoe West Channel Daybeacon 2	12830	DBD DMGD	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Chesapeake Bay/General/Miscellaneous	General	Miscellaneous	2024-09-26	2024-12-13	<p>Unmanned Surface Vehicle Testing will take place North of Thimble Shoal Channel, West of the Chesapeake Bay Bridge Tunnel and South of the York River Entrance Channel. Area bound by: N36.986032, W076.123049, N37.016606, W076.233481, N37.142086, W076.194826, N37.094524, W076.120850, N37.052687, W076.089700.</p> <p>Duration of Operations will be during the following dates: 26 AUG - 6 SEP 2024, 3-16 OCT 2024, 2-13 DEC 2024. Vessels involved will be: USV Navy Test Craft, 11 Meter Navy Test Craft, 7 Meter Navy Test Craft and will have at least one escort vessel at all times. Escort vessel will monitor VHF-FM Radio Frequencies Monitored: VHF-FM Ch-16, VHF-FM Ch-82A. Point of Contact: Jayson Bautista 757-492-4946.</p>	<p>POLYGON</p> <p>[Latitude: 37.14208, Longitude: -76.19482]</p> <p>[Latitude: 37.09452, Longitude: -76.12085]</p> <p>[Latitude: 37.05268, Longitude: -76.0897]</p> <p>[Latitude: 36.98603, Longitude: -76.12304]</p> <p>[Latitude: 37.0166, Longitude: -76.23348]</p> <p>[Latitude: 37.14208, Longitude: -76.19482]</p>
Chesapeake Channel - Chesapeake Bay/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-29	2025-04-26	<p>ATON/Federal Discrepancies From: 2024-10-29 To: 2025-04-26 Location: 37.03299° N / 76.26249° W Aid Name: Horseshoe West Channel Daybeacon 2 LLNR: 12830 Discrepancy Information: Initial Report DTG: 291704Z OCT 2024 Summary: DBD DMGD</p>	<p>POINT</p> <p>[Latitude: 37.03299, Longitude: -76.26249]</p>

Chesapeake Bay Entrance

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Ramshorn Channel Warning Daybeacon A	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Ramshorn Channel Warning Daybeacon A	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.

Chesapeake Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Chesapeake Channel Buoy 63A	7445	MISSING	FD
Chesapeake Channel Mid-Channel Lighted Buoy HS	7575	MISSING	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Prices Creek Light 5	7762	STRUCT MISSING	PA
Bay Bridge Marina Light 1	7840	LT IMCH	PA
Bay Bridge Marina Light 2	7845	DAYMK DMGD	PA
Bay Bridge Marina Light 3	7850	LT IMCH	PA
Bay Bridge Marina Light 4	7855	LT EXT	PA
Bay Bridge Marina Light 6	7865	LT IMCH	PA
Queen Ann County Obstruction Buoy A	7980	MISSING	PA
Salt Ponds Light 6	12870	LT EXT	PA

ATON Changes

NAME	ACTION TYPE	DESCRIPTION
Chesapeake Channel Mid-Channel Lighted Buoy CP	RENAME	ATON/ATON Changes From: 2024-10-30 To: 2024-11-13 Location: 38.46974° N / 76.37626° W Aid Name: Chesapeake Channel Mid-Channel Lighted Whistle Buoy CP LLNR: 7665 Sound Signal Removed. Action: RENAME Chesapeake Channel Mid-Channel Lighted Whistle Buoy CP to Chesapeake Channel Mid-Channel Lighted Buoy CP
Fishing Creek - Oyster Creek Light 5	RELOCATE	ATON/ATON Changes From: 2024-11-04 To: 2024-11-18 Location: 38.92711° N / 76.46285° W Aid Name: Fishing Creek - Oyster Creek Light 5 LLNR: 19687.4 Action: RELOCATE/CHANGE Change: From Q G to FL G 4s Relocate: To 38-55-37.581N, 076-27-46.249W
Fishing Creek - Oyster Creek Light 6	RELOCATE	ATON/ATON Changes From: 2024-11-04 To: 2024-11-18 Location: 38.92738° N / 76.46324° W Aid Name: Fishing Creek - Oyster Creek Light 6 LLNR: 19687.5 Action: RELOCATE/CHANGE Change: From Q R to FL R 4s Relocate: To 38-55-38.582N, 076-27-47.677W

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-05	2025-06-26	General/Hazards To Navigation/Shoaling Reported Shoaling has been reported in the Entrance Channel to Flag Harbor Yacht Haven in Calvert County, MD. The shoaling is located just outside Flag Harbor Light 1 (LLNR 7671) and Flag Harbor Entrance Light 2 (LLNR 7672). Depth of water is less than 5 Ft at MHW. From: 2024-08-05 To: 2025-06-26 Location: 38.46786° N / 76.46793° W 38.46684° N / 76.46679° W 38.46487° N / 76.46911° W 38.46592° N / 76.4704° W 38.46786° N / 76.46793° W	POLYGON [Latitude: 38.46786, Longitude: -76.46793] [Latitude: 38.46684, Longitude: -76.46679] [Latitude: 38.46487, Longitude: -76.46911] [Latitude: 38.46592, Longitude: -76.4704] [Latitude: 38.46786, Longitude: -76.46793]
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-19	2025-11-12	General/Hazards To Navigation/Shoaling Reported A recent NOAA survey identified shoaling to a depth of 8 ft at MLW in Back River between Back River Channel Daybeacon 6 (LLNR 12930) and Back River Channel Light 5 (LLNR 12925). From: 2024-08-19 To: 2025-11-12 Location: 37.10929° N / 76.27912° W 37.10917° N / 76.27617° W 37.10681° N / 76.27059° W 37.10581° N / 76.27156° W 37.10769° N / 76.27633° W 37.10833° N / 76.2792° W 37.10929° N / 76.27912° W	POLYGON [Latitude: 37.10929, Longitude: -76.27912] [Latitude: 37.10917, Longitude: -76.27617] [Latitude: 37.10681, Longitude: -76.27059] [Latitude: 37.10581, Longitude: -76.27156] [Latitude: 37.10769, Longitude: -76.27633] [Latitude: 37.10833, Longitude: -76.2792] [Latitude: 37.10929, Longitude: -76.27912]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May To Cape Hatteras - Chesapeake Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024- 08-14	2025- 01-01	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes The Maryland Department of Natural Resources Artificial Reef Program will be placing concrete bridge sections at the Hackett Point artificial reef site, approximately 1 mile east of Hackett Point, Anne Arundel County. On deployment days there will be a crane and material barge spudded down at or around 38° 59.403' N, 76° 24.032' W. The Maryland DNR Artificial Reef Coordinator will be on site to monitor the deployment and can be reached at Michael.Malpezzi@maryland.gov. Deployment will be continue until the end of the year. From: 2024-08-14 To: 2025- 01-01 Location: 38.99342° N / 76.40282° W 38.99083° N / 76.39697° W 38.98504° N / 76.40196° W 38.98796° N / 76.40797° W 38.99342° N / 76.40282° W	POLYGON [Latitude: 38.99342, Longitude: -76.40282] [Latitude: 38.99083, Longitude: -76.39697] [Latitude: 38.98504, Longitude: -76.40196] [Latitude: 38.98796, Longitude: -76.40797] [Latitude: 38.99342, Longitude: -76.40282]
Cape May To Cape Hatteras - Chesapeake Channel/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 08-19	2025- 02-15	General/Hazards To Navigation/Shoaling Reported Shoaling has been reported to 1-2 feet extending 50 yards channel ward from Horn Harbor Lighted Buoy 8 (LLNR 14487). From: 2024- 08-19 To: 2025-02-15 Location: 37.34894° N / 76.26677° W 37.348° N / 76.26618° W 37.3478° N / 76.26671° W 37.34875° N / 76.26722° W 37.34894° N / 76.26677° W	POLYGON [Latitude: 37.34894, Longitude: -76.26677] [Latitude: 37.348, Longitude: -76.26618] [Latitude: 37.3478, Longitude: -76.26671] [Latitude: 37.34875, Longitude: -76.26722] [Latitude: 37.34894, Longitude: -76.26677]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May To Cape Hatteras - Chesapeake Channel/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 08-15	2025- 10-14	General/Hazards To Navigation/Shoaling Reported Shoaling has been Reported to a depth of 2-3ft at mean low water in the channel of Mattawoman Creek between Mattawoman Creek Light 1MC (LLNR 21580) and Mattawoman Creek Light 2 (LLNR 21585). Mariners are advised to transit the area with caution. From: 2024-08-15 To: 2025- 10-14 Location: 37.39454° N / 75.99135° W 37.39343° N / 75.98867° W 37.38823° N / 75.9928° W 37.38955° N / 75.99549° W 37.39454° N / 75.99135° W	POLYGON [Latitude: 37.39454, Longitude: -75.99135] [Latitude: 37.39343, Longitude: -75.98867] [Latitude: 37.38823, Longitude: -75.9928] [Latitude: 37.38955, Longitude: -75.99549] [Latitude: 37.39454, Longitude: -75.99135]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May To Cape Hatteras - Chesapeake Channel/General/Bridges/Construction	General	Bridges	2024-09-09	2025-03-08	<p>General/Bridges/Construction From: 2024-09-09 To: 2025-03-08 Location: 36.96868° N / 76.11449° W 36.96809° N / 76.11013° W 36.96204° N / 76.11202° W 36.96304° N / 76.11689° W 36.96868° N / 76.11449° W</p> <p>Chesapeake Tunnel Joint Venture will continue Tug, Crane, and Barge operations near the existing tunnel protection berms for Islands 1 and 2. Work will not impede the navigational channel. A crane barge may be held in place by way of spuds, a six-point anchoring system or made fast to several steel mooring piles. Buoys will be attached to the anchors so that they may be moved as the crane barge advances. Buoys will be illuminated at night by one second flashing white lights and the barges will be illuminated by steady white lights on all corners. The steel piles will be illuminated at night by white lights. The steel piles and trestle will be positioned west of Island #1 approximately 125 feet and extending north of the fishing pier approximately 1000 feet. The ROBERT T and ANGELINA AUTUMN will be on VHF-FM 13 and 16.</p>	<p>POLYGON [Latitude: 36.96868, Longitude: -76.11449] [Latitude: 36.96809, Longitude: -76.11013] [Latitude: 36.96204, Longitude: -76.11202] [Latitude: 36.96304, Longitude: -76.11689] [Latitude: 36.96868, Longitude: -76.11449]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May To Cape Hatteras - Chesapeake Channel/General/Bridges/Construction	General	Bridges	2024- 09-09	2025- 03-08	<p>General/Bridges/Construction From: 2024-09-09 To: 2025-03-08 Location: 36.96868° N / 76.11449° W 36.96809° N / 76.11013° W 36.96204° N / 76.11202° W 36.96304° N / 76.11689° W 36.96868° N / 76.11449° W</p> <p>Chesapeake Tunnel Joint Venture will continue Tug, Crane, and Barge operations near the existing tunnel protection berms for Islands 1 and 2. Work will not impede the navigational channel. A crane barge may be held in place by way of spuds, a six-point anchoring system or made fast to several steel mooring piles. Buoys will be attached to the anchors so that they may be moved as the crane barge advances. Buoys will be illuminated at night by one second flashing white lights and the barges will be illuminated by steady white lights on all corners. The steel piles will be illuminated at night by white lights. The steel piles and trestle will be positioned west of Island #1 approximately 125 feet and extending north of the fishing pier approximately 1000 feet. The ROBERT T and ANGELINA AUTUMN will be on VHF-FM 13 and 16.</p>	<p>POLYGON [Latitude: 36.98527, Longitude: -76.10702] [Latitude: 36.98468, Longitude: -76.10266] [Latitude: 36.97863, Longitude: -76.10455] [Latitude: 36.97963, Longitude: -76.10942] [Latitude: 36.98527, Longitude: -76.10702]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May To Cape Hatteras - Chesapeake Channel/General Events/Regatta (Race)	General	Marine Events	2024-09-10	2024-11-27	<p>General/Marine Events/Regatta (Race) From: 2024-09-10 To: 2024-11-27 Location: 36.96274° N / 76.17952° W 36.94705° N / 76.18151° W 36.94694° N / 76.19737° W 36.96274° N / 76.17952° W The Broad Bay Sailing Association is sponsoring the Little Creek Races Wednesday Night Series on April 3, 2024 running until November 27, 2024 in Southern Chesapeake Bay, off the shores of Norfolk and Virginia Beach, VA. The sailboats will begin transiting to the racing area at 4:30 p.m. Mariners are requested to use caution when transiting the area.</p>	<p>POLYGON [Latitude: 36.96274, Longitude: -76.17952] [Latitude: 36.94705, Longitude: -76.18151] [Latitude: 36.94694, Longitude: -76.19737] [Latitude: 36.96274, Longitude: -76.17952]</p>
Cape May To Cape Hatteras - Chesapeake Channel/General Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-09-10	2025-12-31	<p>General/Hazards To Navigation/Shoaling Reported From: 2024-09-10 To: 2025-12-31 Location: 37.39818° N / 75.98102° W 37.39739° N / 75.98043° W 37.39458° N / 75.98874° W 37.39355° N / 75.99011° W 37.39213° N / 75.99042° W 37.38809° N / 75.99231° W 37.38948° N / 75.9942° W 37.39527° N / 75.99035° W 37.39818° N / 75.98102° W Shoaling has been located in Mattawoman Creek VA. Lowest depth found 3' at high tide from Mattawoman Creek Light 1MC (LLNR 21580) to west of Mattawoman Creek Light 3 (LLNR 21590). VA BNM 006-20. Chart 12225</p>	<p>POLYGON [Latitude: 37.39818, Longitude: -75.98102] [Latitude: 37.39739, Longitude: -75.98043] [Latitude: 37.39458, Longitude: -75.98874] [Latitude: 37.39355, Longitude: -75.99011] [Latitude: 37.39213, Longitude: -75.99042] [Latitude: 37.38809, Longitude: -75.99231] [Latitude: 37.38948, Longitude: -75.9942] [Latitude: 37.39527, Longitude: -75.99035] [Latitude: 37.39818, Longitude: -75.98102]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May To Cape Hatteras - Chesapeake Channel/General/Bridges/Inspection	General	Bridges	2024- 09-24	2025- 05-31	<p>Mariners are advised that an engineering firm, on behalf of Maryland Transportation Authority, will be performing inspections on the US50/US 301 (William P. Lane Memorial) West Bound Bridge across Chesapeake Bay, mile 138.0, and the US50/US 301 (William P. Lane Memorial) East Bound Bridge across Chesapeake Bay, mile 138.1, between Skidmore, MD, and Stevensville, MD. The inspections will be conducted from 7 a.m. to 5 p.m.; Monday-Friday; and from 8 p.m. to 4 a.m.; Sunday-Thursday; from August 31, 2024, through May 31, 2025. Under bridge inspection units, work barges and work vessels will be located in and around the vicinity of the bridges. Work vessels may be reached on VHF-FM channels 13 and 16. During the work hours 7 a.m. to 5 p.m.; Monday-Friday; the project foreman can be reached at 443-564-5958. During the work hours from 8 p.m. to 4 a.m.; Sunday-Thursday; the project foreman can be reached at (410) 375-4233. Mariners should use extreme caution navigating through the area. Information concerning bridge navigational channel clearance reductions will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins.</p>	POINT [Latitude: 38.99202, Longitude: -76.37713]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May To Cape Hatteras - Chesapeake Channel/General/Bridges/Inspection	General	Bridges	2024- 09-24	2025- 05-31	<p>Mariners are advised that an engineering firm, on behalf of Maryland Transportation Authority, will be performing inspections on the US50/US 301 (William P. Lane Memorial) West Bound Bridge across Chesapeake Bay, mile 138.0, and the US50/US 301 (William P. Lane Memorial) East Bound Bridge across Chesapeake Bay, mile 138.1, between Skidmore, MD, and Stevensville, MD. The inspections will be conducted from 7 a.m. to 5 p.m.; Monday-Friday; and from 8 p.m. to 4 a.m.; Sunday-Thursday; from August 31, 2024, through May 31, 2025. Under bridge inspection units, work barges and work vessels will be located in and around the vicinity of the bridges. Work vessels may be reached on VHF-FM channels 13 and 16. During the work hours 7 a.m. to 5 p.m.; Monday-Friday; the project foreman can be reached at 443-564-5958. During the work hours from 8 p.m. to 4 a.m.; Sunday-Thursday; the project foreman can be reached at (410) 375-4233. Mariners should use extreme caution navigating through the area. Information concerning bridge navigational channel clearance reductions will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins.</p>	POINT [Latitude: 38.99165, Longitude: -76.36977]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May To Cape Hatteras - Chesapeake Channel/General/Bridges/Maintenance	General	Bridges	2024-09-26	2025-01-02	US 50/US 301 (William P. Lane Jr. Memorial) East Bound Bridge - Bridge maintenance will be conducted from 6:30 a.m. to 5:30 p.m.; 7 days a week; from March 1, 2023, through December 2024. During work hours, work vessels will be located in and around the vicinity of the bridge. Work vessels may be reached on VHF-FM channel 13. Mariners should use caution navigating through the area. (MT) through the bridge. Mariners should use caution navigating through the area. (MT)	POINT [Latitude: 38.99202, Longitude: -76.37713]
Cape May To Cape Hatteras - Chesapeake Channel/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-09-30	2024-12-15	Kokosing Industrial will begin mechanical dredging operations on behalf of Queen Anne's County Department of Parks. Work will commence on or about October 15th, 2024 at Price Creek in Stevensville, Maryland on the Chesapeake Bay. Scows will be loaded in Price Creek and then pushed out to the Chesapeake Bay where they will be transloaded into a different scow and pushed up into Prospect Bay to be unloaded near the Chesapeake Environmental center in between Prospect Bay and Marshy Creek. A barge with an excavator will perform the dredging with the assistance of small push boats, tender tugs, towing tugs, and scows. Vessels and crew will monitor VHF channel 13 during the project execution. Dredging and unloading operations will continue until the estimated completion date of December 15th, 2024.	POLYGON [Latitude: 38.90767, Longitude: -76.36521] [Latitude: 38.90753, Longitude: -76.35551] [Latitude: 38.89461, Longitude: -76.35589] [Latitude: 38.89464, Longitude: -76.36551] [Latitude: 38.90767, Longitude: -76.36521]
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Bridges/Construction	General	Bridges	2024-10-07	2026-08-01	Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be constructing new	POINT [Latitude: 36.9758, Longitude: -76.30092]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>approach bridges to replace the I-64/US 60 (Hampton Roads Beltway) North and South Approach Bridges, across Hampton Roads, at mile 0.0, between Norfolk, VA and Hampton, VA, commonly referred to as the Hampton Roads Bridge-Tunnel (HRBT). Construction activities will begin March 15, 2021, and are expected to continue through November, 2025. Marine construction activity will take place 24-hours per day, seven days a week. The replacement north approach bridge will be a fixed bridge with a horizontal clearance of 80 feet and a vertical clearance of 16 feet above mean high water at position 37° 00' 24.12" N, 76° 19' 18.84" W for the west span and at position 37° 00' 24.48" N, 76° 19' 15.60" W for the east span. The replacement south approach bridge will be a fixed bridge with a horizontal clearance of 100 feet and a vertical clearance of 16 feet above mean high water at position 36° 58' 15.24" N, 76° 18' 03.96" W.</p> <p>Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new approach bridge spans or located within specific Mooring Areas or Safe Harbor locations.</p> <p>Bridge Structures/Work Trestles & Islands - Mariners are advised to maintain a safe</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>distance of 300 feet from all HRBT bridge structures/work trestles, HRBT North Island, and HRBT South Island. Construction managers may establish safe transit corridors through bridge structures/work trestles as construction activity permits. Work trestles will be constructed extending out from the North and South shorelines next to the existing trestles for the duration of the bridge construction to facilitate construction activity. Each pile will be lit by a flashing white light. Hampton Flats Mooring Area - As charted. Changes pending. This area will contain six mooring buoys, lighted with flashing white lights, for the exclusive use of vessels involved in the HRBT Expansion project. The corners of the mooring area are marked with yellow buoys with flashing yellow lights. Mariners should use caution when transiting the area. Phoebus Safe Harbor Area - As charted. Changes pending. This area will only be used by HRBT Expansion project vessels in advance of a severe weather event that requires the vessels to be securely anchored or spudded down in that location. The corners of the safe harbor area are marked with yellow buoys with flashing yellow lights. When utilized, mariners should keep clear of the area. Willoughby Bay Mooring and Safe Harbor Area - As charted. This area contains a straight row of mooring pilings for the exclusive use of vessels involved in the HRBT Expansion project. The two end pilings are marked with a solid red light and each interior piling is marked with</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>a solid yellow light. The perimeter of the mooring and safe harbor area is marked with yellow buoys with flashing yellow lights. Mariners are advised to keep clear of the mooring/safe harbor area.</p> <p>Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the project area. To reach an on-scene manager, contact Shannon Gresham 757-685-3392 or Kareem Myers 757-256-9715. You may also contact Hampton Roads Connector Partners at 757-373- 4799 and/or email MarineOps@hrcpjv.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtexpansion.org.</p>	
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Bridges/Construction	General	Bridges	2024-10-07	2026-08-01	<p>Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be constructing new approach bridges to replace the I-64/US 60 (Hampton Roads Beltway) North and South Approach Bridges, across Hampton Roads, at mile 0.0, between Norfolk, VA and Hampton, VA, commonly referred to as the Hampton Roads Bridge-Tunnel (HRBT). Construction activities will begin March 15, 2021, and are expected to continue through November, 2025. Marine construction activity will take place 24-hours per day, seven days a week. The replacement north approach bridge will be a fixed bridge with a horizontal clearance of 80 feet and a vertical clearance of 16 feet above mean</p>	<p>POINT [Latitude: 36.97639, Longitude: -76.30009]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>high water at position 37° 00' 24.12" N, 76° 19' 18.84" W for the west span and at position 37° 00' 24.48" N, 76° 19' 15.60" W for the east span. The replacement south approach bridge will be a fixed bridge with a horizontal clearance of 100 feet and a vertical clearance of 16 feet above mean high water at position 36° 58' 15.24" N, 76° 18' 03.96" W. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new approach bridge spans or located within specific Mooring Areas or Safe Harbor locations.</p> <p>Bridge Structures/Work Trestles & Islands - Mariners are advised to maintain a safe distance of 300 feet from all HRBT bridge structures/work trestles, HRBT North Island, and HRBT South Island. Construction managers may establish safe transit corridors through bridge structures/work trestles as construction activity permits. Work trestles will be constructed extending out from the North and South shorelines next to the existing trestles for the duration of the bridge construction to facilitate construction activity. Each pile will be lit by a flashing white light. Hampton Flats Mooring Area - As charted. Changes pending. This area will contain six mooring</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>buoys, lighted with flashing white lights, for the exclusive use of vessels involved in the HRBT Expansion project. The corners of the mooring area are marked with yellow buoys with flashing yellow lights. Mariners should use caution when transiting the area. Phoebus Safe Harbor Area - As charted. Changes pending. This area will only be used by HRBT Expansion project vessels in advance of a severe weather event that requires the vessels to be securely anchored or spudded down in that location. The corners of the safe harbor area are marked with yellow buoys with flashing yellow lights. When utilized, mariners should keep clear of the area.</p> <p>Willoughby Bay Mooring and Safe Harbor Area - As charted. This area contains a straight row of mooring pilings for the exclusive use of vessels involved in the HRBT Expansion project. The two end pilings are marked with a solid red light and each interior piling is marked with a solid yellow light. The perimeter of the mooring and safe harbor area is marked with yellow buoys with flashing yellow lights. Mariners are advised to keep clear of the mooring/safe harbor area.</p> <p>Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the project area. To reach an on-scene manager, contact Shannon Gresham 757-685-3392 or Kareem Myers 757-256-9715. You may also contact Hampton Roads Connector Partners at 757-373- 4799 and/or email</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					MarineOps@hrcpjv.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtexpansion.org .	
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024- 09-09	2024- 12-15	Seaward Marine Corp will begin beach renourishment for Chesapeake Beach. Dredge material will be taking from Chesapeake Beach Shoal, approximate position - 36°55'39.47"N, 76°07'04.80"W, Operations will begin on June 15, 2024 and continue until December 15, 2024. Tender Tug, Matty T and SMC Dredge 1, will monitor VHF FM Channel 16, 13, 03. All equipment will be lighted in accordance with regulations. For more information, contact Scott White, Project Manager, 757- 641-2132.	LINE [Latitude: 36.91876, Longitude: -76.12878] [Latitude: 36.90843, Longitude: -76.09441]
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Bridges/Inspection	General	Bridges	2024- 10-29	2024- 12-19	Mariners are advised that an engineering firm, on behalf of Maryland Transportation Authority, will be performing a bridge inspection on the main navigational span of the highway fixed bridge - US 50/US 301 (William P. Lane Memorial) West Bound Bridge across Chesapeake Bay, mile 138.1, near Annapolis, MD. The inspection will be conducted from 9 a.m. to 3 p.m.; Monday-Thursday; from November 4, 2024, through November 7, 2024, from November 18, 2024, through November 21, 2024, and from December 2, 2024, through December 5, 2024, with alternative work dates from December 16, 2024, through December 19, 2024. Multiple under-bridge inspection vehicles (snooper) will be located in and around the vicinity of the bridge. During the	POINT [Latitude: 38.99165, Longitude: -76.36977]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					work hours, the under-bridge inspection vehicles (snooper) will be located underneath the bridge, within the main navigation channel of the bridge which will reduce the vertical clearance of the main navigational channel of the bridge to approximately 177 feet above mean high water. Vessels that can safely transit through the bridge during periods with a reduced vertical clearance may do so at any time. Vessels that are unable to safely transit through the bridge during periods with a reduced vertical clearance may transit through the bridge, if at least a 20-minute prior notice is given to the project foreman. Inspection personnel, equipment and vessels will relocate from the navigable channel, upon request. Work vessels may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (717) 443-5961 or (717) 395-1399. Mariners should use extreme caution navigating through the area.	
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-07	2025-09-11	General/Hazards To Navigation/Shoaling Reported Shoaling has been reported in St. Jerome Creek to a depth of 3 feet at MLW between St Jerome Creek DBN 3 (18805) and St. Jerome Creek Light 3A (LLNR 18810) and extending to St. Jerome Creek Buoy 4 (LLNR 18812) and St. Jerome Creek Buoy 6 (LLNR 18815). The channel width in the area of Deep Point is reduced to approximately 20 feet wide.	POLYGON [Latitude: 38.1209, Longitude: -76.34153] [Latitude: 38.1177, Longitude: -76.33845] [Latitude: 38.11738, Longitude: -76.33909] [Latitude: 38.12027, Longitude: -76.34154] [Latitude: 38.11908, Longitude: -76.34343] [Latitude: 38.11973, Longitude: -76.34395] [Latitude: 38.1209, Longitude: -76.34153]
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Bridges/Inspection	General	Bridges	2024-11-04	2024-12-23	Mariners are advised that an engineering firm, on behalf of Maryland Transportation Authority, will be performing a bridge inspection on the	POINT [Latitude: 38.99165, Longitude: -76.36977]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>Eastern Channel navigational span of the highway fixed bridge - US 50/US 301 (William P. Lane Memorial) West Bound Bridge across Chesapeake Bay, mile 138.1, near Annapolis, MD. The inspection will be conducted from 9 a.m. to 2:30 p.m.; Monday-Friday; from November 18, 2024, through November 22, 2024, and from December 2, 2024, through December 6, 2024, with alternative work dates from December 9, 2024, through December 19, 2024, and on December 23, 2024. An under-bridge inspection vehicle (snooper) will be located in and around the vicinity of the bridge. During the work hours, the under-bridge inspection vehicle (snooper) will be located underneath the bridge, within the Eastern Channel navigation span of the bridge which will reduce the vertical clearance of the Eastern Channel navigational channel of the bridge to approximately 55 feet above mean high water. Vessels that can safely transit through the bridge during periods with a reduced vertical clearance may do so at any time. Vessels that are unable to safely transit through the bridge during periods with a reduced vertical clearance may transit through the bridge, if at least a 20-minute prior notice is given to the project foreman. Inspection personnel, equipment and vessels will relocate from the navigable channel, upon request. Work vehicles may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (856) 220-1659. Mariners should</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Bridges/Inspection	General	Bridges	2024-11-04	2025-01-17	<p>use extreme caution navigating through the area.</p> <p>Mariners are advised that an engineering firm, on behalf of Maryland Transportation Authority, will be performing a bridge inspection of the main navigational span of the highway fixed bridge - US 50/US 301 (William P. Lane Memorial) East Bound Bridge across Chesapeake Bay, mile 138.0, near Annapolis, MD. The inspection will be conducted from 8 a.m. to 3 p.m.; Monday-Friday; from November 11, 2024, through November 15, 2024, from November 25, 2024, through November 27, 2024, and from December 9, 2024, through December 20, 2024, with alternative work dates from January 6, 2025, through January 17, 2025. A work platform and safety vessel will be located in and around the vicinity of the bridge. During the work hours, the work platform will be located underneath the bridge, within the main navigation channel of the bridge which will reduce the vertical clearance of the main navigational channel of the bridge to approximately 177 feet above mean high water. Vessels that can safely transit through the bridge during periods with a reduced vertical clearance may do so at any time. Vessels that are unable to safely transit through the bridge during periods with a reduced vertical clearance may transit through the bridge, if at least a 30-minute prior notice is given to the project foreman. Inspection personnel, equipment and vessels will relocate from the navigable channel, upon request. Work vessels</p>	POINT [Latitude: 38.99202, Longitude: -76.37713]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (717) 554-2073 or (443) 742-5006. Mariners should use extreme caution navigating through the area.	
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/ATON/ATON Changes	ATON	ATON Changes	2024-11-04	2024-11-18	ATON/ATON Changes From: 2024-11-04 To: 2024-11-18 Location: 38.92738° N / 76.46324° W Aid Name: Fishing Creek - Oyster Creek Light 6 LLNR: 19687.5 Action: RELOCATE/CHANGE Change: From Q R to FL R 4s Relocate: To 38-55-38.582N, 076-27-47.677W	POINT [Latitude: 38.92738, Longitude: -76.46324]
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/ATON/ATON Changes	ATON	ATON Changes	2024-11-04	2024-11-18	ATON/ATON Changes From: 2024-11-04 To: 2024-11-18 Location: 38.92711° N / 76.46285° W Aid Name: Fishing Creek - Oyster Creek Light 5 LLNR: 19687.4 Action: RELOCATE/CHANGE Change: From Q G to FL G 4s Relocate: To 38-55-37.581N, 076-27-46.249W	POINT [Latitude: 38.92711, Longitude: -76.46285]
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/ATON/ATON Changes	ATON	ATON Changes	2024-10-30	2024-11-13	ATON/ATON Changes From: 2024-10-30 To: 2024-11-13 Location: 38.46974° N / 76.37626° W Aid Name: Chesapeake Channel Mid-Channel Lighted Whistle Buoy CP LLNR: 7665 Sound Signal Removed. Action: RENAME Chesapeake Channel Mid-Channel Lighted Whistle Buoy CP to Chesapeake Channel Mid-Channel Lighted Buoy CP	POINT [Latitude: 38.46974, Longitude: -76.37626]
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-11-04	2025-05-03	ATON/PATON Discrepancies From: 2024-11-04 To: 2025-05-03 Location: 38.89847° N / 76.36594° W Aid Name: Prices Creek Light 5 LLNR: 7762 Discrepancy Information: Initial Report DTG: 041249Z NOV 2024 Summary: STRUCT MISSING	POINT [Latitude: 38.89847, Longitude: -76.36594]

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
USN Aerial Gunnery Area Lighted Buoy C	CHANGE	Starting immediately the Coast Guard will begin removing the existing ice conditions "Replace lighted buoy with an unlighted buoy when endangered by ice" and replace; the aid, with a new year-round (ice) buoy for the below listed aids to navigation. The new buoys daytime visibility will be 1.4nm and have a radar range of 1.0nm. The flash characteristic and nominal range will remain unchanged.
USN Aerial Gunnery Area Lighted Buoy C	CHANGE	Starting immediately the Coast Guard will begin removing the existing ice conditions "Replace lighted buoy with an unlighted buoy when endangered by ice" and replace; the aid, with a new year-round (ice) buoy for the below listed aids to navigation. The new buoys daytime visibility will be 1.4nm and have a radar range of 1.0nm. The flash characteristic and nominal range will remain unchanged.
USN Aerial Gunnery Area Lighted Buoy D	CHANGE	Starting immediately the Coast Guard will begin removing the existing ice conditions "Replace lighted buoy with an unlighted buoy when endangered by ice" and replace; the aid, with a new year-round (ice) buoy for the below listed aids to navigation. The new buoys daytime visibility will be 1.4nm and have a radar range of 1.0nm. The flash characteristic and nominal range will remain unchanged.
USN Aerial Gunnery Area Lighted Buoy D	CHANGE	Starting immediately the Coast Guard will begin removing the existing ice conditions "Replace lighted buoy with an unlighted buoy when endangered by ice" and replace; the aid, with a new year-round (ice) buoy for the below listed aids to navigation. The new buoys daytime visibility will be 1.4nm and have a radar range of 1.0nm. The flash characteristic and nominal range will remain unchanged.

Chester River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Chester River Channel Buoy 16	26705	LT EXT	FD

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
------	-------------	-------------

NAME	ACTION TYPE	DESCRIPTION
Chester River Lighted Buoy 6	CHANGE	On or about December 2, 2024 the Coast Guard will establish new year-round (ice) buoy for Lighted Buoy 6 in the Chester River. The new buoy will have a daytime visibility of 1.5nm and a radar range of 1.5nm. The flash characteristics and nominal ranges will remain unchanged.
Chester River Channel Lighted Buoy 9	CHANGE	On or about December 2, 2024 the Coast Guard will establish new year-round (ice) buoy for Lighted Buoy 9 in the Chester River. The new buoy will have a daytime visibility of 1.5nm and a radar range of 1.5nm. The flash characteristics and nominal ranges will remain unchanged.
Chester River Channel Lighted Buoy 12	CHANGE	On or about December 2, 2024 the Coast Guard will establish new year-round (ice) buoy for Lighted Buoy 12 in the Chester River. The new buoy will have a daytime visibility of 1.5nm and a radar range of 1.5nm. The flash characteristics and nominal ranges will remain unchanged.

Chickahominy River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Chickahominy River Dam Light A	12195	LT EXT	PA
Chickahominy River Dam Light B	12195.1	LT EXT	PA

Chincoteague Channel

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector Virginia, Submerged Land Act (SLA) - Chincoteague Channel/General Zones/Space Launches & Recovery	General	Safety Zones	2024-11-01	2024-11-24	<p>The Launch Director, National Aeronautics and Space Administration - Wallops Flight Facility, Wallops Island, Virginia, has advised that the area in the Atlantic Ocean within the existing Danger Zone off Wallops Island and Chincoteague Inlet (depicted as 334.130) as shown on National Ocean Service Chart, will be hazardous to navigation because of a rocket launch during the periods and times. The test windows are: Primary: November 19, 2024 from 07:45 to November 20, 2024, 01:00 AM. Alternate: November 20, 2024 from 07:45 to November 21, 2024, 01:00 AM. Alternate: November 21, 2024 from 07:45 to November 22, 2024, 01:00 AM. Alternate: November 22, 2024 from 07:45 to November 23, 2024, 01:00 AM. Alternate: November 23, 2024 from 07:45 to November 24, 2024, 01:00 AM. Public ship avoidance area are in effect and bound by: 22.7 nautical miles hazard area approximately 20.7 nautical miles east of Pad RLLC2 at center point position 37-44.19N /75-04.19W. . During the launch window, contact Wallops Plot via Marine Band (VHF) 12 and 22, or land line 757-824-1685. Outside the launch window, contact Surveillance Coordinator (SC) Jordan West 757-824-2949 or Launch Director John Dickerson 757-894-2094.</p>	<p>POLYGON [Latitude: 38.0552, Longitude: -75.0356] [Latitude: 38.0138, Longitude: -74.6601] [Latitude: 37.5521, Longitude: -74.1202] [Latitude: 37.2588, Longitude: -73.6811] [Latitude: 37.0629, Longitude: -73.8272] [Latitude: 37.5024, Longitude: -75.0847] [Latitude: 37.575, Longitude: -75.3465] [Latitude: 37.646, Longitude: -75.4901] [Latitude: 37.8184, Longitude: -75.5165] [Latitude: 37.8382, Longitude: -75.5202] [Latitude: 37.855, Longitude: -75.5075] [Latitude: 37.8613, Longitude: -75.4694] [Latitude: 37.8665, Longitude: -75.4543] [Latitude: 37.8829, Longitude: -75.41] [Latitude: 37.9201, Longitude: -75.322] [Latitude: 38.0552, Longitude: -75.0356]</p>

Chowan River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Chowan River Light 16	31835	STRUCT DEST/TRLB	FD

Clam Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Clam Creek Junction Lighted Buoy CC	1240	OFF STA	FD

Core Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Harkers Island Straits Light 3	29364	DAYMK DMGD	FD
Harkers Island Straits Daybeacon 11	29378	STRUCT DEST/TRUB	FD
Nelson Bay Light 1	34560	LT EXT	FD

Crab Alley Bay

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Eastern Bay - Crab Alley Bay/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 08-07	2025- 09-11	General/Hazards To Navigation/Shoaling Reported Hazard to navigation - there has been a report of shoaling in Crab Alley Bay approximately 50 yards northwest of Crab Alley Bay Buoy 6, (LLNR 26300), and 200 yards south of Crab Alley Bay Daybeacon 7, (LLNR 26305), in approximate position: 38-55.78n, 076- 17.58w to a depth of 2ft at mean low water.	POLYGON [Latitude: 38.93175, Longitude: -76.29353] [Latitude: 38.93148, Longitude: -76.29134] [Latitude: 38.92901, Longitude: -76.2919] [Latitude: 38.92934, Longitude: -76.29422] [Latitude: 38.93175, Longitude: -76.29353]

Crab Alley Little Creek

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Crab Alley - Little Creek Buoy 4	DISCONTINUE	Buoy 4 will be removed on or about December 1, 2024 d; as scheduled, but not replaced April 1.
Crab Alley - Little Creek Daybeacon 6	CHANGE	Daybeacon 6 will be changed to Warning Daybeacon A with NW dayboards worded "Danger Shoal" until removed.
Crab Alley - Little Creek Daybeacon 8	CHANGE	Daybeacon 8 will be changed to Warning Daybeacon B with NW dayboards worded "Danger Shoal" until removed.

Croatan Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Manns Harbor Canal Light 1	31920	STRUCT DEST	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Pamlico Sound - Croatan Sound/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-24	2025-10-24	ATON/Federal Discrepancies From: 2024-10-24 To: 2025-10-24 Location: 35.90717° N / 75.76684° W Aid Name: Manns Harbor Canal Light 1 LLNR: 31920 Discrepancy Information: Initial Report DTG: 241540Z OCT 2024 Summary: STRUCT DEST	POINT [Latitude: 35.90717, Longitude: -75.76684]

Currituck Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Currituck Sound Research Platform C	31241.2	LT EXT/STRUCT DMGD	FD

Curtis Bay

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Thomas Cove Mooring Buoy A	20882	BUOY DMGD	PA
Thomas Cove Mooring Buoy B	20883	BUOY DMGD	PA
Hess Lighted Mooring Buoy	20930	LT EXT	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Fort Mchenry Channel - Curtis Bay/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024-09-09	2025-06-30	<p>General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-09-09 To: 2025-06-30 Location: 39.20081° N / 76.57445° W 39.19847° N / 76.57272° W 39.19827° N / 76.57221° W 39.1973° N / 76.57284° W 39.20057° N / 76.57501° W 39.20081° N / 76.57445° W Pier, bulkhead, and dolphin construction and repair will begin January 15, 2024 along the U.S. Coast Guard Yard's waterfront located on Curtis Creek, Maryland, 2401 Hawkins Point Road, Baltimore, Anne Arundel County, Maryland. [Latitude: 39.197419; Longitude: -76.570247]. The project is expected to end on June 30, 2025. Associated on-water construction equipment/vessels include a 30-50T capacity Whirley, two 50x120 material barges, two work floats, two push/work skiffs, an ICE 216 vibratory hammer, and a Delmag D46 Diesel impact hammer will used in the vicinity of the project.</p>	<p>POLYGON [Latitude: 39.20081, Longitude: -76.57445] [Latitude: 39.19847, Longitude: -76.57272] [Latitude: 39.19827, Longitude: -76.57221] [Latitude: 39.1973, Longitude: -76.57284] [Latitude: 39.20057, Longitude: -76.57501] [Latitude: 39.20081, Longitude: -76.57445]</p>

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Curtis Bay Lighted Buoy 6	CHANGE	On or about November 11, 2024 the Coast Guard will remove the seasonal ice condition "Replace with an unlighted buoy if endangered by ice."
Curtis Bay Lighted Buoy 12	CHANGE	On or about November 11, 2024 the Coast Guard will remove the seasonal ice condition "Replace with an unlighted buoy if endangered by ice."

Deep Creek

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Pocomoke Sound - Deep Creek/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-09-10	2025-12-31	General/Hazards To Navigation/Shoaling Reported From: 2024-09-10 To: 2025-12-31 Location: 37.79645° N / 75.74917° W 37.79564° N / 75.74816° W 37.78242° N / 75.74993° W 37.7819° N / 75.74988° W 37.77694° N / 75.74799° W 37.77176° N / 75.75027° W 37.77162° N / 75.75023° W 37.7716° N / 75.7506° W 37.77701° N / 75.74833° W 37.78212° N / 75.75023° W 37.78965° N / 75.74916° W 37.79505° N / 75.7485° W 37.79593° N / 75.74886° W 37.79633° N / 75.74935° W 37.79645° N / 75.74917° W U.S. Army Corps Survey on 19 Sep 19 indicated a least depth of 1.2' MLW within the channel limits. From Deep Creek Channel Daybeacon 12 (LLNR 22225) to Deep Creek Channel Daybeacon 14 (LLNR 22230) least depth of 6.3' in center of channel, 5.8' on green side of channel, and 4.5' on red side of channel. From Deep Creek Channel Daybeacon 14 to Deep Creek Channel Light 15 (LLNR 22235) least depth of 5.0' In center of channel, 3.0' on green side of channel, 3.8' on red side of Channel. From Deep Creek Channel Light 15 to Deep Creek Channel Daybeacon 16 (LLNR 22240) least depth of 4.4' in center of channel, 3.2' on green side of channel, and 4.1' on red side of channel. From Deep	POLYGON [Latitude: 37.79645, Longitude: -75.74917] [Latitude: 37.79564, Longitude: -75.74816] [Latitude: 37.78242, Longitude: -75.74993] [Latitude: 37.7819, Longitude: -75.74988] [Latitude: 37.77694, Longitude: -75.74799] [Latitude: 37.77176, Longitude: -75.75027] [Latitude: 37.77162, Longitude: -75.75023] [Latitude: 37.7716, Longitude: -75.7506] [Latitude: 37.77701, Longitude: -75.74833] [Latitude: 37.78212, Longitude: -75.75023] [Latitude: 37.78965, Longitude: -75.74916] [Latitude: 37.79505, Longitude: -75.7485] [Latitude: 37.79593, Longitude: -75.74886] [Latitude: 37.79633, Longitude: -75.74935] [Latitude: 37.79645, Longitude: -75.74917]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					Creek Channel Daybeacon 16 to Deep Creek Channel Daybeacon 17 (LLNR 22245) least depth of 3.6' in center of Channel, 0.2' on green side of channel, and 2.6' on red side of channel. Chart 12207	

Delaware Bay East Side

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Fortescue Entrance Lighted Buoy 2F	1955	OFF STA	FD

Delaware Bay Main Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Brown Shoal Light	1535	LT EXT/RAC INOP	FD
Elbow of Cross Ledge Light	1600	LT EXT/SS INOP	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Delaware Bay - Delaware Bay Main Channel/General/Hazardal To Navigation/Shoaling Reported		Hazards To Navigation	2024- 08-26	2025- 01-28	General/Hazards To Navigation/Shoaling Reported There have been multiple reports of excessive shoaling in the Delaware Bay, in the vicinity of the southern portion Crow Shoal, in approximate position latitude 38°57'25.2"N, longitude 075°00'06.4"W, and extending south approximately 1,500 yards. Mariners are advised to use extreme caution when transiting this area and avoid it if possible. From: 2024- 08-26 To: 2025-01-28 Location: 38.95685° N / 75.00115° W 38.94439° N / 75.00054° W 38.94434° N / 75.002° W 38.95682° N / 75.00304° W 38.95685° N / 75.00115° W	POLYGON [Latitude: 38.95685, Longitude: -75.00115] [Latitude: 38.94439, Longitude: -75.00054] [Latitude: 38.94434, Longitude: -75.002] [Latitude: 38.95682, Longitude: -75.00304] [Latitude: 38.95685, Longitude: -75.00115]

Delaware River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Delaware River Light 2 (2)	2490	LT IMCH	FD
Reedy Island Range Front Light	2580	LT EXT	FD
Reedy Island Range Rear Light	2585	LT EXT	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Artificial Island Terminal Lighted Buoy 2	2523	MISSING	PA
Artificial Island Terminal Lighted Buoy 3	2523.2	MISSING	PA
Artificial Island Terminal Lighted Buoy 6	2523.6	MISSING	PA
Artificial Island Terminal Lighted Buoy 6	2523.6	MISSING	PA
Artificial Island Terminal Lighted Buoy 7	2523.8	MISSING	PA
South Jersey Dock Light A	3570	LT EXT	PA
South Jersey Light B	3575	LT EXT	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Liston Range - Delaware River/General/Bridges/Maintenance	General	Bridges	2024-09-26	2024-12-31	<p>Delaware River - Benjamin Franklin Bridge - Bridge maintenance will be performed from July 27, 2020, through December 31, 2024. For the duration of the project, the preferred navigation channel and bridge navigational lighting normally situated over the 410-foot Federal project channel will be shifted to the east approximately 205 feet. The Federal Project channel will remain fully open to traffic; however, the vertical clearance of the channel has temporarily decreased based on the planned scaffolding system (work platform) to be installed. The scaffolding system will be installed over the entire length of the bridge, as detailed below. Preferred Navigation Channel: A 410-foot scaffolding (work platform) system, with five 82-foot independent work zones, will be installed extending below the bridge approximately 10 inches (.83 feet), thereby reducing the vertical clearance of the bridge within the preferred navigation channel by approximately 10 inches (.83 feet). When in use, a single 82-foot work zone portion of the 410-foot scaffolding (work platform) system will be extended below the bridge approximately 18.5 inches (1.54 feet), thereby reducing the vertical clearance of the bridge within the work zone by approximately 18.5 inches (1.54 feet). The single 82-foot work zone portion of the 410-foot scaffolding (work platform) system in use will be lifted to extend below the bridge approximately</p>	POINT [Latitude: 39.95315, Longitude: -75.13434]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>10 inches (.83 feet), thereby reducing the vertical clearance of the bridge within the preferred navigation channel by approximately 10 inches (.83 feet), if at least 48-hour notice is given to Eric.Dovak@Skanska.com. Outside the Preferred Navigation Channel: Scaffolding will extend below the bridge approximately two feet from the west boundary of the Federal project channel to the center of the Federal project channel (west boundary of preferred navigation channel) and from the east boundary of the preferred navigation channel toward the east abutment approximately 385 feet. West of the west boundary of the Federal project and east of the position approximately 385 feet east of the east boundary of the preferred navigation channel, scaffolding will extend below the bridge approximately three feet. A safety boat will be in the vicinity of the bridge during bridge maintenance, which may be reached via VHF FM channel 13. Mr. Eric Dovak, contractor's representative, may be reached at Eric.Dovak@Skanska.com or (347) 860-2399. Mariners are advised to exercise caution when transiting the area. (HP)</p>	
Liston Range - Delaware River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-10-09	2025-10-09	<p>ATON/PATON Discrepancies From: 2024-10-09 To: 2025-10-09 Location: 39.47503° N / 75.54726° W Aid Name: Artificial Island Terminal Lighted Buoy 7 LLNR: 2523.8 Discrepancy Information: Initial Report DTG: 091241Z OCT 2024 Summary: MISSING</p>	POINT [Latitude: 39.47503, Longitude: -75.54726]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Liston Range - Delaware River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024- 10-15	2025- 10-15	ATON/PATON Discrepancies From: 2024-10-15 To: 2025- 10-15 Location: 39.47329° N / 75.55351° W Aid Name: Artificial Island Terminal Lighted Buoy 3 LLNR: 2523.2 Discrepancy Information: Initial Report DTG: 151139Z OCT 2024 Summary: MISSING	POINT [Latitude: 39.47329, Longitude: -75.55351]
Liston Range - Delaware River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024- 10-15	2025- 10-14	ATON/PATON Discrepancies From: 2024-10-15 To: 2025- 10-15 Location: 39.47207° N / 75.54631° W Aid Name: Artificial Island Terminal Lighted Buoy 6 LLNR: 2523.6 Discrepancy Information: Initial Report DTG: 151104Z OCT 2024 Summary: MISSING	POINT [Latitude: 39.47207, Longitude: -75.54631]
Liston Range - Delaware River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024- 10-15	2025- 10-15	ATON/PATON Discrepancies From: 2024-10-15 To: 2025- 10-15 Location: 39.47361° N / 75.54825° W Aid Name: Artificial Island Terminal Lighted Buoy 5 LLNR: 2523.4 Discrepancy Information: Initial Report DTG: 151104Z OCT 2024 Summary: MISSING	POINT [Latitude: 39.47361, Longitude: -75.54825]
Liston Range - Delaware River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024- 10-15	2025- 10-15	ATON/PATON Discrepancies From: 2024-10-15 To: 2025- 10-15 Location: 39.47132° N / 75.55828° W Aid Name: Artificial Island Terminal Lighted Buoy 2 LLNR: 2523 Discrepancy Information: Initial Report DTG: 151143Z OCT 2024 Summary: MISSING	POINT [Latitude: 39.47132, Longitude: -75.55828]

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Fisher Point Range Front Light	RELOCATE	ATON/Advanced Notice of Change Ballard Marine Construction will begin Fisher Point Range Project to rebuild the ranges. Project is expected to start on July 8, 2024 and continue to January 1, 2025. Several barges will be in the vicinity and all marine equipment will monitor VHF - CH 13, 16, & 79. Hours of operation will be Monday thru Saturday from 0600-1800. Mariners are requested to use caution and reduce wake when transiting the area. From: 2024-08-14 To: 2025-01-01 Location: 39.97786° N / 75.07054° W Aid Name: Fisher Point Range Front Light LLNR: 3625 Action: RELOCATE
Fisher Point Range Rear Light	RELOCATE	ATON/Advanced Notice of Change Ballard Marine Construction will begin Fisher Point Range Project to rebuild the ranges. Project is expected to start on July 8, 2024 and continue to January 1, 2025. Several barges will be in the vicinity and all marine equipment will monitor VHF - CH 13, 16, & 79. Hours of operation will be Monday thru Saturday from 0600-1800. Mariners are requested to use caution and reduce wake when transiting the area. From: 2024-08-14 To: 2025-01-01 Location: 39.97806° N / 75.06902° W Aid Name: Fisher Point Range Rear Light LLNR: 3630 Action: RELOCATE

Delaware River Main Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
New Castle Range Rear Light	2735	LT EXT	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Dupont Chambers Diffuser Warning Lighted Buoy A	2973	MISSING	PA
Dupont-Edgemoor Warning Buoy D	3090.1	MISSING	PA
Chester Transmission East Lights (4)	3225	LT EXT/SS INOP	PA
Thompson Point Intake Light	3305	LT EXT	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Delaware River - Delaware River Main Channel/General/Bridges/Construction	General	Bridges	2024-08-14	2027-07-12	<p>General/Bridges/Construction</p> <p>Mariners are advised that a construction firm, on behalf of Pennsylvania Department of Transportation, will be constructing a new bridge to replace the SR 420 (Wanamaker Avenue) Bridge, over Darby Creek, mile 1.3, between Prospect Park Borough, Delaware County, PA and Tinicum Township, Delaware County, PA. Construction activities will begin on March 11, 2024, and are expected to finish on July 12, 2027. Work will be on-going from 6 a.m. to 6 p.m.; Monday-Saturday. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. A tug, a material barge, manlift barges, and support vessels will be operating or stationed in the vicinity of the existing and new bridge structures. For the duration of the construction period, cofferdams will be located within the navigational channel of the bridge reducing the horizontal clearance of the bridge to approximately 45 feet of horizontal clearance. During the work hours, two forty-foot manlift barges and one forty-foot material barge may be located within the reduced navigational channel of the existing and new bridge structures providing access for demolition/construction activities. Vessels may safely transit through the bridge during the work hours if at least a two-hour prior</p>	POINT [Latitude: 39.876448, Longitude: -75.304584]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>notice is given to the R.E. Pierson Construction Company. R.E. Pierson Construction Company tug and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the area. The PennDOT Construction Manager may be contacted at (610) 476-7874 and P.E. Pierson Construction Company may be contacted at (609) 743-1617 or (609) 364-7105 or 609-743-7134. Project information may be found at https://www.penndot.pa.gov/RegionalOffices/district-6/ConstructionsProjectsAndRoadwork/DelawareCounty/Pages/420-(Wanamaker-Ave.)-Darby-Creek-Bridge-Replacement.aspx . From: 2024-08-14 To: 2027-07-12 Location: 39.876448° N / 75.304584° W Bridge Name: SR 420 (NB) Bridge</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Delaware River - Delaware River Main Channel/General/Bridges/Maintenance	General	Bridges	2024-08-14	2024-11-07	General/Bridges/Maintenance Mariners are advised that an engineering firm, on behalf of Delaware River Port Authority, will be performing maintenance on the SR 90 (Betsy Ross) Bridge, over Delaware River, mile 104.8, between Philadelphia, PA, and Pennsauken, NJ. The maintenance will be conducted from 7 a.m. to 5 p.m.; Monday-Saturday; from March 5, 2024, through November 7, 2027. During the maintenance period, work platforms and containment will reduce the vertical clearance of the entirety of the bridge, reducing the vertical clearance of the bridge navigational channel to approximately 136 feet of vertical clearance above mean high water. A safety vessel will be located onsite in the vicinity of the bridge, but will not be in the navigational channel or restrict vessel transits. The safety vessel may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (856) 979-1593. Mariners should use extreme caution navigating through the area. From: 2024-08-14 To: 2024-11-07 Location: 39.984639° N / 75.065326° W Bridge Name: Betsy Ross Bridge SR 90 Bridge	POINT [Latitude: 39.984639, Longitude: -75.065326]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Delaware River - Delaware River Main Channel/General/Bridges/Construction	General	Bridges	2024-09-09	2025-08-31	<p>General/Bridges/Construction From: 2024-09-09 To: 2025-08-31 Location: 39.68899° N / 75.51807° W Bridge Name: 295 Highway Southbound Bridge Mariners are advised that a construction company, on behalf of Delaware River Port Authority, started construction of the bridge collision protection system at the Delaware Memorial Bridge, over Delaware River, mile 68.9, at New Castle, DE. Construction activities began July 2023, and are expected to finish August 2025. Work will be ongoing from 7:00 a.m. to 5:30 p.m.; Monday-Saturday. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Barges will be on scene 24/7 and will be located outside the navigation channel. Temporary work platforms will be in place for the duration of construction of the bridge collision protection system. The waterway will remain open to navigation. Work vessels may be reached on VHF-FM channel 13 and 16. Mariners should use caution navigating through the area.</p>	POINT [Latitude: 39.68899, Longitude: -75.51807]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Delaware River - Delaware River Main Channel/General/Bridges/Construction	General	Bridges	2024- 09-09	2025- 08-31	<p>General/Bridges/Construction From: 2024-09-09 To: 2025-08-31 Location: 39.68899° N / 75.51807° W Bridge Name: 295 Highway Southbound Bridge Mariners are advised that a construction company, on behalf of Delaware River Port Authority, started construction of the bridge collision protection system at the Delaware Memorial Bridge, over Delaware River, mile 68.9, at New Castle, DE. Construction activities began July 2023, and are expected to finish August 2025. Work will be ongoing from 7:00 a.m. to 5:30 p.m.; Monday- Saturday. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Barges will be on scene 24/7 and will be located outside the navigation channel. Temporary work platforms will be in place for the duration of construction of the bridge collision protection system. The waterway will remain open to navigation. Work vessels may be reached on VHF-FM channel 13 and 16. Mariners should use caution navigating through the area.</p>	POINT [Latitude: 39.68866, Longitude: -75.51819]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Delaware River - Delaware River Main Channel/General/Bridges/Maintenance	General	Bridges	2024- 09-26	2024- 11-07	SR 90 (Betsy Ross) Bridge - Bridge maintenance will be conducted from 7 a.m. to 5 p.m.; Monday-Saturday; from March 5, 2024, through November 7, 2027. During the maintenance period, work platforms and containment will reduce the vertical clearance of the entirety of the bridge, reducing the vertical clearance of the bridge navigational channel to approximately 136 feet of vertical clearance above mean high water. A safety vessel will be located onsite in the vicinity of the bridge but will not be in the navigational channel or restrict vessel transits. The safety vessel may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (856) 979-1593. Mariners should use extreme caution navigating through the area. (MT)	POINT [Latitude: 39.984639, Longitude: -75.065326]
Delaware River - Delaware River Main Channel/General/Bridges/Maintenance	General	Bridges	2024- 09-26	2025- 04-01	Mariners are advised that an engineering firm, will be performing maintenance on the Commodore Barry Bridge over Delaware River, mile 81.4, in Chester, PA. Maintenance will be from 7:00 a.m. to 3:30 p.m.; Monday through Friday; from September 25, 2024, through April 01, 2025. During work hours work platforms will used on the top and bottom chords, reducing the vertical clearance of the bridge by approximately 3 feet to approximately 178 feet above mean high water. The contractor can be contacted by phone (609) 685-3417. All mariners should use caution when transiting the area.	POINT [Latitude: 39.827997, Longitude: -75.370962]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Delaware River - Delaware River Main Channel/General/ Marine Events/Fireworks	General	Marine Events	2024-10-25	2024-11-10	A barge-based fireworks display will be held in the Delaware River adjacent to Essington, PA on November 09, 2024, with a rain date of November 10, 2024, from 5:30 p.m. to 6:00 p.m. The barge will be located at approximate position: 39°51'24.46N, 75°18'23.52W. All mariners are urged to navigate with caution in the surrounding area. For any comments or questions contact Coast Guard Sector Delaware Bay, Waterways Management Division, at (267) 515-7294.	POINT [Latitude: 39.85679, Longitude: -75.30653]
Delaware River - Delaware River Main Channel/General/ Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-17	2025-03-15	Cottrell Contracting Corporation of Chesapeake, Virginia advises that the Dredge Lexington will be conducting maintenance dredging of the Marcus Hook range and anchorage. Dredging will approximately be from November 1st, 2024, to March 15, 2025. During Dredging operations coordinate with USCG Sector Delaware Bay Command center for Marcus Hook anchorage reservations. The dredge will monitor VHF channels 13 & 16.	POLYGON [Latitude: 39.82409, Longitude: -75.38102] [Latitude: 39.82242, Longitude: -75.37922] [Latitude: 39.8216, Longitude: -75.38059] [Latitude: 39.81041, Longitude: -75.38762] [Latitude: 39.79599, Longitude: -75.41736] [Latitude: 39.79535, Longitude: -75.43354] [Latitude: 39.78655, Longitude: -75.45065] [Latitude: 39.78295, Longitude: -75.45525] [Latitude: 39.78547, Longitude: -75.45822] [Latitude: 39.80765, Longitude: -75.41409] [Latitude: 39.82409, Longitude: -75.38102]
Delaware River - Delaware River Main Channel/General/ Safety Zones/COPT Restrictions	General	Safety Zones	2024-10-17	2025-03-15	The Captain of the Port (COTP), Sector Delaware Bay, is establishing two safety zones to facilitate the Philadelphia to Sea Maintenance Dredging. Maintenance dredging will be conducted in Marcus Hook Range and Marcus Hook Anchorage (No. 7) on the Delaware River from November 11, 2024, through approximately March 15, 2025. Safety zone one includes all the waters within a 250-yard radius of the dredge LEXINGTON and all associated	POLYGON [Latitude: 39.82409, Longitude: -75.38102] [Latitude: 39.82242, Longitude: -75.37922] [Latitude: 39.8216, Longitude: -75.38059] [Latitude: 39.81041, Longitude: -75.38762] [Latitude: 39.79599, Longitude: -75.41736] [Latitude: 39.79535, Longitude: -75.43354] [Latitude: 39.78655, Longitude: -75.45065] [Latitude: 39.78295, Longitude: -75.45525] [Latitude: 39.78547, Longitude: -75.45822] [Latitude: 39.80765, Longitude: -75.41409] [Latitude: 39.82409, Longitude: -75.38102]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>dredge equipment operating in or around Marcus Hook Range. Safety zone two includes all the waters of Marcus Hook Anchorage (No. 7) found in 33 CFR 110.157 (a) (8). Vessels wishing to transit through safety zones one and/or two may do so if they can make satisfactory passing arrangements with the dredge LEXINGTON, in accordance with the Inland Navigational Rules in 33 Code of Federal Regulations Subchapter E via VHF-FM channel 13 at least one hour prior to arrival. Vessels desiring to anchor within Marcus Hook Anchorage must obtain permission from the COTP at least 24 hours in advance, at (215) 271-4807. The COTP will permit one vessel at a time on a "first come, first served" basis, and will be directed to the open portion of the anchorage, with preference given to those vessels greater than 650 feet in overall length. The maritime public will be notified of any changes to vessel traffic patterns or availability of Marcus Hook Anchorage via Marine Safety Information Bulletin and Broadcast Notice to Mariners. Normally, Marcus Hook Anchorage is a 48-hour anchorage; however, vessels will not be permitted to occupy the anchorage beyond 12 hours during this time.</p>	
<p>Delaware River - Delaware River Main Channel/ATON/Federal Discrepancies</p>	<p>ATON</p>	<p>Federal Discrepancies</p>	<p>2024-10-30</p>	<p>2025-04-28</p>	<p>ATON/Federal Discrepancies From: 2024-10-30 To: 2025-04-28 Location: 39.68451° N / 75.51133° W Aid Name: Deepwater Point Range Rear Light LLNR: 2910 Discrepancy Information: Initial Report DTG: 301910Z OCT 2024 Summary: LT EXT</p>	<p>POINT [Latitude: 39.68451, Longitude: -75.51133]</p>

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Deepwater Point Range Rear Light	2910	WATCHING PROPERLY	FD	2024-10-31

Delaware River To St Georges Bridges

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Chesapeake and Delaware Canal Junction Lighted Buoy CD	2745	OFF STA	FD

Durant Point

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Durant Point Lighted Buoy 2	32320	MISSING	FD
Oliver Reef Light	32340	STRUCT DEST/TRLB	FD

Eastern Bay

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Eastern Bay Lighted Buoy 2A	CHANGE	On or about November 18, 2024 the Coast Guard will make the following change in Eastern Bay: Change: Lighted Buoy 2A (LLNR 26010) to Light 2A and relocate to approximate position: 38 50 32.1937N—76 18 18.234W. A temporary lighted buoy (TRLB) maybe established prior to the new light being established. The new light will have TR dayboards on pile and a 4 second flashings red light with a 4nm nominal range.
Eastern Bay Buoy 3	CHANGE	On or about November 18, 2024 the Coast Guard will make the following change in Eastern Bay: Change: Buoy 3 (LLNR 26045) to Daybeacon 3 and relocate to approximate position: 38 51 41 399N—76 16 57.297W with SG dayboards on pile. A temporary unlighted buoy (TRUB) maybe established prior to the new daybeacon being established. The new daybeacon will have SG dayboards on pile.

NAME	ACTION TYPE	DESCRIPTION
Eastern Bay Lighted Buoy 4	CHANGE	On or about November 18, 2024 the Coast Guard will make the following change in Eastern Bay Change Lighted Buoy 4 (LLNR 26050) to Light 4 and relocate to approximate position: 38 52 30.608N—76 15 13.052W. A temporary lighted buoy (TRLB) maybe established prior to the new light being established. The new light will have TR dayboards on pile and a 4 second flashing red light with a 4nm nominal range.
Eastern Bay Lighted Buoy 4	CHANGE	Starting immediately the Coast Guard will begin removing the existing ice conditions "Replace lighted buoy with an unlighted buoy when endangered by ice" and replace; the aid, with a new year-round (ice) buoy for the below listed aids to navigation. The new buoys daytime visibility will be 1.4nm and have a radar range of 1.0nm. The flash characteristic and nominal range will remain unchanged.
Eastern Bay Buoy 6	CHANGE	On or about November 18, 2024 the Coast Guard will make the following change in Eastern Bay Change Buoy 6 (LLNR 260070) and relocate to approximate position:38 52 15.425N—76 14 46.155W with TR dayboards on pile. A temporary unlighted buoy (TRUB) maybe established prior to the new daybeacon being established.
Eastern Bay Buoy 8	CHANGE	On or about November 18, 2024 the Coast Guard will make the following change in Eastern Bay Change Buoy 8 (LLNR 26075) to Light 8 and relocate to approximate position:38 50 38.526N—76 13 47.455W A temporary lighted buoy (TRLB) maybe established prior to the new light being established. The new light will have TR dayboards on pile and a 4 second flashings red light with a 4nm nominal range.
Eastern Bay Buoy 9	CHANGE	On or about November 18, 2024 the Coast Guard will make the following change in Eastern Bay Change Buoy 9 (LLNR 26080) to Daybeacon 9 and relocate to approximate position: 38 49 57.050N—76 13 49.191W with SG dayboards on pile. A temporary unlighted buoy (TRUB) maybe established prior to the new daybeacon being established.
Eastern Bay Lighted Buoy 11	CHANGE	On or about November 18, 2024 the Coast Guard will make the following change in Eastern Bay Change Lighted Buoy 11 LLNR 26085) to Light 11 and relocate to approximate position: 38 49 49.476—76 13 10.711W. A temporary lighted buoy (TRLB) maybe established prior to the new light being established. The new light will have SG dayboards on pile and a 4 second flashing green light with a 4nm nominal range.
Eastern Bay Buoy 10	CHANGE	On or about November 18, 2024 the Coast Guard will make the following change in Eastern Bay Change Buoy 10 (LLNR 26090) to Daybeacon 10 and relocate to approximate position: 38 49 34.024N—76 13 13.074W with TR dayboards. A temporary unlighted buoy (TRUB) maybe established prior to the new daybeacon being established.

Eastham Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Eastham Creek Daybeacon 7	33090	STRUCT DEST/TRUB	FD

Elizabeth River

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Elizabeth River Lighted Buoy 1ER	9445	RELOCATED FOR DREDGING	FD
Elizabeth River Lighted Buoy 3	9465	RELOCATED FOR DREDGING	FD
Elizabeth River Lighted Buoy 5	9470	RELOCATED FOR DREDGING	FD
Elizabeth River Lighted Buoy 7	9475	RELOCATED FOR DREDGING	FD
Elizabeth River Lighted Buoy 9	9515	RELOCATED FOR DREDGING	FD
Elizabeth River Lighted Buoy 10	9520	RELOCATED FOR DREDGING	FD
Elizabeth River Lighted Buoy 11	9525	RELOCATED FOR DREDGING	FD
Elizabeth River Lighted Buoy 12	9530	RELOCATED FOR DREDGING	FD
Elizabeth River Lighted Buoy 14	9540	DISCONTINUED FOR DREDGING	FD
Elizabeth River Lighted Buoy 18	9600	RELOCATED FOR DREDGING	FD
Elizabeth River Lighted Buoy 20	9620	TRLB	FD
Elizabeth River Lighted Buoy 20	9620	RELOCATED FOR DREDGING	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Elizabeth River/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-15	2024-11-08	Dredge Operations will take place at the Vulcan Construction Material pier in the Eastern Branch of the Elizabeth River. Project will start on November 1, 2024 and finish on November 2, 2024.	POLYGON [Latitude: 36.83793, Longitude: -76.24546] [Latitude: 36.83778, Longitude: -76.24488] [Latitude: 36.83753, Longitude: -76.24498] [Latitude: 36.83768, Longitude: -76.24558] [Latitude: 36.83793, Longitude: -76.24546]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Elizabeth River/General/Bridges/Maintenance	General	Bridges	2024- 09-19	2024- 12-30	<p>Mariners are advised that an engineering firm, on behalf of Virginia Department of Transportation, will be performing bridge maintenance on the I-264 (Berkley) Bridge, across the Elizabeth River-Eastern Branch, mile 0.4, at Norfolk, VA. The maintenance which began July 2023, will continue to be conducted from 7 a.m. to 3:30 p.m.; 7 days a week; through December 31, 2024. A 40-foot crane barge and a 25-foot tug will be located in and around the vicinity of the bridge. During the work hours, the crane barge will be located in the navigational channel, adjacent to the fender system, which will reduce the horizontal clearance of the bridge to approximately 100 feet. Vessels that can safely transit through the bridge during periods with a reduced horizontal clearance may do so at any time. Vessels that cannot safely transit through the bridge during periods with a reduced horizontal clearance may safely transit through the bridge, if at least a thirty-minute prior notice is given to the bridge tender. Maintenance personnel, equipment and vessels will relocate from the moveable span and navigable channel, upon request. Work vessels may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (757) 846-0501 or (703) 499-7121. Mariners should use extreme caution navigating through the area.</p>	POINT [Latitude: 36.84161, Longitude: -76.28616]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Elizabeth River/General/Bridges/Maintenance	General	Bridges	2024- 09-19	2024- 12-30	<p>Mariners are advised that an engineering firm, on behalf of Virginia Department of Transportation, will be performing bridge maintenance on the I-264 (Berkley) Bridge, across the Elizabeth River-Eastern Branch, mile 0.4, at Norfolk, VA. The maintenance which began July 2023, will continue to be conducted from 7 a.m. to 3:30 p.m.; 7 days a week; through December 31, 2024. A 40-foot crane barge and a 25-foot tug will be located in and around the vicinity of the bridge. During the work hours, the crane barge will be located in the navigational channel, adjacent to the fender system, which will reduce the horizontal clearance of the bridge to approximately 100 feet. Vessels that can safely transit through the bridge during periods with a reduced horizontal clearance may do so at any time. Vessels that cannot safely transit through the bridge during periods with a reduced horizontal clearance may safely transit through the bridge, if at least a thirty-minute prior notice is given to the bridge tender. Maintenance personnel, equipment and vessels will relocate from the moveable span and navigable channel, upon request. Work vessels may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (757) 846-0501 or (703) 499-7121. Mariners should use extreme caution navigating through the area.</p>	POINT [Latitude: 36.84168, Longitude: -76.28643]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Elizabeth River/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-09-24	2025-03-23	<p>General/Marine Construction (Excluding Bridges)/Dredging From: 2024-09-24 To: 2025-03-23 Location: 36.96003° N / 76.33257° W 36.9592° N / 76.32651° W 36.95692° N / 76.32697° W 36.95771° N / 76.33262° W 36.96003° N / 76.33257° W Norfolk Dredging company will begin maintenance dredging on Norfolk Navy Base Piers, Norfolk, Virginia. Bucket dredge VIRGINIAN will begin dredging operations at the Norfolk Navy Base inside the Pier 12 and Pier 14 approaches 700 feet south of Elizabeth River Lighted Buoy7 (LLNR 9475) on approximately April 10, 2024. The Dredge will be loading Mud Scows, and a Tug will tow them to the Norfolk Ocean Disposal Site (NODS) located offshore at Lat 36 57 17 N / Long 075 37 25 W. The dredge will be working between Pier 2 and Pier 14, including pier approaches until further notice. The Dredge VIRGINIAN Operator will standby on channels #13 and #16 VHF-FM. Traffic should call 60 minutes prior to the expected time of passage. All mariners are requested to stay clear of the dredge, barges, cranes, and tugs. Operators of vessels of all types should be aware that the barges are held in place by cables, attached to anchors some distance away from the equipment. Project will be conducted twenty - four (24) hours per day seven (7) days a week. For further information contact Norfolk Dredging Company at (757) 547-9391.</p>	<p>POLYGON [Latitude: 36.96003, Longitude: -76.33257] [Latitude: 36.9592, Longitude: -76.32651] [Latitude: 36.95692, Longitude: -76.32697] [Latitude: 36.95771, Longitude: -76.33262] [Latitude: 36.96003, Longitude: -76.33257]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Elizabeth River/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024- 10-10	2024- 11-11	<p>The Dredge ESSEX, along with its support equipment will be continuing its dredging operation in the Norfolk Harbor Inner Channel. The Dredge Essex's operations will continue for a period of one month. Operations will be conducted in the Norfolk Harbor Reach (specifically between Elizabeth River Lighted Buoy 11 (LLNR 9525) and continuing north of Elizabeth River Lighted Buoy 9 (LLNR 9515). Material will be pumped to the north cell in Craney Island. Sometime during this project, submerged pipeline will be placed across the channel. When this time nears another notice will be sent out to keep everyone involved aware. Submerged pipeline will be utilized between the dredging area and Craney Island. The submerged pipeline will be marked with buoys approximately every 1000' with appropriate signs and lights placed at every pipeline entry and exit points. The maximum floating pipeline length will be approximately 4000' and will be anchored and tended by tugboats. The submerged and floating pipeline will need to be moved occasionally as the dredge progresses. The Dredge Operator will standby on channels #13, #16, and #65 VHF-FM. For any emergencies the dredge operator can be reached at 757-353-0455. Traffic should call at minimum 30 minutes prior to expected time of passage. Mariners are requested to exercise caution when approaching, passing, and leaving the dredging plant. All vessels are requested to contact the dredge prior to passing.</p>	<p>POLYGON [Latitude: 36.94651, Longitude: -76.33647] [Latitude: 36.94629, Longitude: -76.33394] [Latitude: 36.93094, Longitude: -76.33529] [Latitude: 36.93116, Longitude: -76.33775] [Latitude: 36.94651, Longitude: -76.33647]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Elizabeth River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024-10-21	2024-12-15	Seaward marine will begin Oyster Reef Construction in the Eastern Branch of the Elizabeth River, in approximate position: 36-52-51.19N, 076-19-29.96W. Project will begin August 22, 2024 to December 15, 2024. Kathie D and Tending Tug Robert T will monitor VHF channels 16,13,03 or cell # 757-418-2033.	POLYGON [Latitude: 36.88238, Longitude: -76.32508] [Latitude: 36.88217, Longitude: -76.32392] [Latitude: 36.88082, Longitude: -76.32465] [Latitude: 36.88099, Longitude: -76.32577] [Latitude: 36.88238, Longitude: -76.32508]

Elk River Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Elk River Channel Lighted Buoy 11	9005	LT EXT	FD
Oldfield Point Range Rear Light	9030	LT EXT	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Upper Chesapeake Channel - Elk River	ATON	Federal Discrepancies	2024-10-22	2025-04-20	ATON/Federal Discrepancies From: 2024-10-22 To: 2025-04-20 Location: 39.51943° N / 75.89952° W Aid Name: Oldfield Point Range Rear Light LLNR: 9030 Discrepancy Information: Initial Report DTG: 222018Z OCT 2024 Summary: LT EXT	POINT [Latitude: 39.51943, Longitude: -75.89952]

Ferry Bar Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Masonville Dike Warning Light D	21223.3	LT EXT	PA

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Ferry Bar Lighted Buoy 1FB	CHANGE	On or about November 11, 2024 the Coast Guard will remove the seasonal ice condition "Replace with an unlighted buoy if endangered by ice."
Ferry Bar Lighted Buoy 6	CHANGE	On or about November 11, 2024 the Coast Guard will remove the seasonal ice condition "Replace with an unlighted buoy if endangered by ice."
Ferry Bar Lighted Buoy 7	CHANGE	On or about November 11, 2024 the Coast Guard will remove the seasonal ice condition "Replace with an unlighted buoy if endangered by ice."
Ferry Bar Channel Junction Buoy FB	DISCONTINUE	On or about November 4, 2024 the Coast Guard will discontinue Ferry Bar Channel Junction Buoy FB (LLNR 21275).
Ferry Bar Channel Junction Buoy FB	DISCONTINUE	On or about November 4, 2024 the Coast Guard will discontinue Ferry Bar Channel Junction Buoy FB (LLNR 21275).

Fire Island To Sea Girt

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Fire Island To Sea Girt/General/Bridges/Maintenance	General	Bridges	2024-09-26	2025-02-01	CR 18 (Ocean Avenue) Bridge - Bridge maintenance of the bridge fender system will be conducted from 7 a.m. to 3:30 p.m.; Monday-Friday; from September 3, 2024, through February 1, 2025. A crane barge and work boat will be located in and around the vicinity of the bridge. During the duration of the maintenance period the crane barge will be located within the navigational channel and will reduce the horizontal clearance of the bridge to approximately 70 feet. Vessels that can safely transit through the bridge during periods with a reduced horizontal clearance may do so at any time. Work vessels may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (201) 232-0617. Mariners should use extreme caution navigating through the area. (MT)	POINT [Latitude: 40.18752, Longitude: -74.01023]

Fort Mchenry Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Fort McHenry Limited Access Channel Lighted Buoy 5	null	Status Unreported	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sparrows Point Bulkhead Light A	20600	LT EXT	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Francis Scott Key Memorial Buoy	8245	RELOCATED	FD
Fort McHenry Limited Access Channel Lighted Buoy 4	null	DISCONTINUED	FD
Fort McHenry Limited Access Channel Lighted Buoy 4A	null	DISCONTINUED	FD
Fort McHenry Limited Access Channel Lighted Buoy 2C	null	DISCONTINUED	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Patapsco River - Fort Mchenry Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024-09-09	2025-07-31	<p>General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-09-09 To: 2025-07-31 Location: 39.25177° N / 76.57795° W 39.25162° N / 76.57749° W 39.24911° N / 76.57949° W 39.2492° N / 76.58004° W 39.25177° N / 76.57795° W McLean Contracting Company will conduct pier replacement on pier 4 in the Fairfield Marine Terminal from July 2023 to July 2025. Work will be conducted 24hours a day, 7 days a week until complete. Up to 4 crane barges and as well as numerous material barges will be moored around the pier. All assist boats will monitor VHF-FM 74.</p>	<p>POLYGON [Latitude: 39.25177, Longitude: -76.57795] [Latitude: 39.25162, Longitude: -76.57749] [Latitude: 39.24911, Longitude: -76.57949] [Latitude: 39.2492, Longitude: -76.58004] [Latitude: 39.25177, Longitude: -76.57795]</p>

Frisco Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Frisco Approach Light 4	32295	STRUCT DEST/TRLB	FD
Frisco Channel Daybeacon 8	32305	STRUCT DEST/HAZ NAV/TRLB	FD

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Frisco Approach Light 4	CHANGE	The Coast Guard will convert Frisco Approach Light 4 (LLNR 32295) changed to Frisco Approach Lighted Buoy 4 (LLNR 32295) FL R 6s, during the month of January 2025.
Frisco Channel Daybeacon 8	CHANGE	The Coast Guard will convert Frisco Channel Daybeacon 8 (LLNR 32305) changed to Frisco Channel Lighted Wreck Buoy WR 8, Q R (LLNR 32305), during the month of January 2025.

Germantown Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Germantown Bay Daybeacon 5	32765	STRUCT DEST/TRUB	FD

Great Bridge To Albemarle Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Great Bridge to Albemarle Sound Daybeacon 76	37490	STRUCT DEST/TRLB	FD
Great Bridge to Albemarle Sound Daybeacon 91	37535	STRUCT DEST	FD
Great Bridge to Albemarle Sound Daybeacon 101	37565	STRUCT DEST/TRLB	FD
Great Bridge to Albemarle Sound Warning Daybeacon	37595	STRUCT DEST/HAZ NAV/TRLB	FD
Great Bridge to Albemarle Sound Daybeacon 140	37700	STRUCT DEST/HAZ NAV/TRLB	FD
Great Bridge to Albemarle Sound Light 149	37730	DAYMK MISSING	FD
Great Bridge to Albemarle Sound Light 165	37790	STRUCT DEST/TRLB	FD

NAME	LLNR	STATUS	AID TYPE
Great Bridge to Albemarle Sound Buoy 171	37815	MISSING	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Great Bridge To Albemarle Sound/General/Bridges/Maintenance	General	Bridges	2024-09-26	2026-05-31	<p>Deep Creek Bridge – Bridge construction which began in September 2023, is expected to be finished in September 2026. Sheet pile cofferdams to support installation of the new bridge bascule span and rest piers will be installed behind the existing/proposed fender system outside the navigable channel. No restrictions will be placed in the navigation channel, except during several planned full closures to be scheduled between the fall of 2024 and spring of 2026. Construction equipment on scene includes excavators, crane barges, land cranes, and other construction equipment. Communications with the bridge tender will be maintained on VHF-FM channel 13. Detailed information will be provided via updated local notice to mariners, broadcast notice to mariners, and/or marine safety information bulletins. Vessels should use caution when transiting the area. (HP)</p>	POINT [Latitude: 36.74109, Longitude: -76.34489]
Great Bridge To Albemarle Sound/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-10	2025-10-10	<p>ATON/Federal Discrepancies From: 2024-10-10 To: 2024-10-24 Location: 36.46949° N / 75.98923° W Aid Name: Great Bridge to Albemarle Sound Daybeacon 91 LLNR: 37535 Discrepancy Information: Initial Report DTG: 101626Z OCT 2024 Summary: STRUCT DEST</p>	POINT [Latitude: 36.46949, Longitude: -75.98923]

Great Egg Harbor Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Great Egg Harbor Inlet Lighted Buoy 5	1285	SINKING / OFF STATION	FD
Great Egg Harbor Inlet Buoy 7	1288	MISSING	FD
Great Egg Harbor Inlet Buoy 9	1291	OFF STA	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector Delaware Bay, Submerged Land Act (SLA) - Great Egg Harbor Inlet/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-01	2025-10-15	General/Hazards To Navigation/Shoaling Reported Shoaling has been observed between Great Egg Harbor Inlet Buoy 7 (LLNR 1288) and the charted location of Buoy 9 (LLNR 1291) with a MLW depth of 4ft in the channel. See DB BNM 0062-24. From: 2024-08-01 To: 2025-10-15 Location:	POLYGON [Latitude: 39.3069, Longitude: -74.54459] [Latitude: 39.29993, Longitude: -74.53446] [Latitude: 39.29461, Longitude: -74.54235] [Latitude: 39.30192, Longitude: -74.55214] [Latitude: 39.3069, Longitude: -74.54459] 39.3069° N / 74.54459° W 39.29993° N / 74.53446° W 39.29461° N / 74.54235° W 39.30192° N / 74.55214° W 39.3069° N / 74.54459° W

Great Machipongo Channel

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Great Machipongo Channel Lighted Wreck Buoy WR3	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing the wreckage this aid is marking in the Virginia Inside Passage.
Great Machipongo Channel Lighted Wreck Buoy WR10	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing the wreckage this aid is marking in the Virginia Inside Passage.

Great Machipongo Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Great Machipongo Inlet Buoy 2	6805	OFF STA	FD
Great Machipongo Inlet Buoy 3	6810	MISSING	FD
Great Machipongo Inlet Lighted Buoy 4	6815	MISSING	FD

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Virginia Inside Passage Junction Daybeacon GV	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Great Machipongo Inlet Buoy 13	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing the wreckage this aid is marking in the Virginia Inside Passage.
Great Machipongo Inlet North Channel Warning Daybeacon A	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.

Great Wicomico River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Warehouse Creek Daybeacon 2	16336.02	DBD DMGD	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Great Wicomico River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-10-28	2025-10-28	ATON/PATON Discrepancies From: 2024-10-28 To: 2025-10-28 Location: 37.84458° N / 76.32004° W Aid Name: Warehouse Creek Daybeacon 2 LLNR: 16336.02 Discrepancy Information: Initial Report DTG: 281144Z OCT 2024 Summary: DBD DMGD	POINT [Latitude: 37.84458, Longitude: -76.32004]

Gunpowder River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Upper Gunpowder River Buoy 11	27275	OFF STA	PA
Upper Gunpowder River Buoy 12	27280	OFF STA	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Upper Chesapeake Channel - Gunpowder River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-10-07	2025-10-07	ATON/PATON Discrepancies From: 2024-10-07 To: 2025-10-07 Location: 39.34448° N / 76.2984° W Aid Name: APG Watson Creek Warning Buoy A LLNR: Not Provided Discrepancy Information: Initial Report DTG: 071424Z OCT 2024 Summary: MISSING	POINT [Latitude: 39.34448, Longitude: -76.2984]
ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-10-07	2025-10-07	ATON/PATON Discrepancies From: 2024-10-07 To: 2025-10-07 Location: 39.34457° N / 76.30141° W Aid Name: APG Watson Creek Warning Buoy C LLNR: Not Provided Discrepancy Information: Initial Report DTG: 071429Z OCT 2024 Summary: MISSING	POINT [Latitude: 39.34457, Longitude: -76.30141]
Upper Chesapeake Channel - Gunpowder River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-10-07	2025-10-07	ATON/PATON Discrepancies From: 2024-10-07 To: 2025-10-07 Location: 39.34455° N / 76.29986° W Aid Name: APG Watson Creek Warning Buoy B LLNR: Not Provided Discrepancy Information: Initial Report DTG: 071428Z OCT 2024 Summary: MISSING	POINT [Latitude: 39.34455, Longitude: -76.29986]
Upper Chesapeake Channel - Gunpowder River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-10-28	2025-10-28	ATON/PATON Discrepancies From: 2024-10-28 To: 2025-10-28 Location: 39.39546° N / 76.34915° W Aid Name: Mariner Point Park Channel Buoy 1 / 2190NAV1 LLNR: Not Provided Discrepancy Information: Initial Report DTG: 281730Z OCT 2024 Summary: MISSING	POINT [Latitude: 39.39546, Longitude: -76.34915]
Upper Chesapeake Channel - Gunpowder River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-10-28	2025-10-28	ATON/PATON Discrepancies From: 2024-10-28 To: 2025-10-28 Location: 39.39577° N / 76.34884° W Aid Name: Mariner Point Park Channel Buoy 3 / 2192NAV3 LLNR: Not Provided Discrepancy Information: Initial Report DTG: 281732Z OCT 2024 Summary: MISSING	POINT [Latitude: 39.39577, Longitude: -76.34884]

Hampton River

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
-------	----------	-----------------	---------------	-------------	-------------	----------

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Hampton River/General/Bridges/Modification	General	Bridges	2024- 09-26	2026- 12-31	<p>I-64 Westbound Bridge, I-64 Eastbound Bridges - Bridge construction began on March 4, 2024, and will continue through December 31, 2026, Monday through Saturday, from 6 a.m. to 6 p.m., daily. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Construction includes widening and repairs of the I-64 Westbound Bridge, and replacement of I-64 Eastbound bridges. Work activities include pile driving, concrete bent cap construction, erection of precast concrete girders, superstructure deck placements, structural steel erection and removal of existing structures. To facilitate bridge construction, temporary work trestles will be constructed alongside the existing bridges (Westbound and then Eastbound), and crane barges, material barges and work boats will be stationed and/or operating in the vicinity of the bridges and navigational channel. The work trestle in the vicinity of Hampton Spit has a removable trestle span. Vessels intended transit to or from Hampton Spit may do so, if at least 24-hour notice is given to the project foremen. Work vessels barges may be reached on VHF-FM channel 13 and 16. The project foreman may be reached at (757) 639-5179 or (252) 312-4876. Mariners should use extreme caution when navigating through the area. (HP)</p>	POINT [Latitude: 37.0313, Longitude: -76.33706]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Hampton River/General/Bridges/Modification	General	Bridges	2024- 09-26	2026- 12-31	<p>I-64 Westbound Bridge, I-64 Eastbound Bridges - Bridge construction began on March 4, 2024, and will continue through December 31, 2026, Monday through Saturday, from 6 a.m. to 6 p.m., daily. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Construction includes widening and repairs of the I-64 Westbound Bridge, and replacement of I-64 Eastbound bridges. Work activities include pile driving, concrete bent cap construction, erection of precast concrete girders, superstructure deck placements, structural steel erection and removal of existing structures. To facilitate bridge construction, temporary work trestles will be constructed alongside the existing bridges (Westbound and then Eastbound), and crane barges, material barges and work boats will be stationed and/or operating in the vicinity of the bridges and navigational channel. The work trestle in the vicinity of Hampton Spit has a removable trestle span. Vessels intended transit to or from Hampton Spit may do so, if at least 24-hour notice is given to the project foremen. Work vessels barges may be reached on VHF-FM channel 13 and 16. The project foreman may be reached at (757) 639-5179 or (252) 312-4876. Mariners should use extreme caution when navigating through the area. (HP)</p>	POINT [Latitude: 37.03099, Longitude: -76.337011]
James River -	General	Bridges	2024-	2026-	General/Bridges/Modification	POINT

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Hampton River/General/Bridges/Modifications					<p>From: 2024-09-13 To: 2026-12-31 Location: 37.03145° N / 76.33731° W</p> <p>Mariners are advised that an engineering firm, on behalf of Virginia Department of Transportation, will be performing construction on the I-64 Westbound Bridge over Hampton River and the East Branch of the Hampton River, and I-64 Eastbound Bridge over the Hampton River and I-64 Eastbound Bridge over the East Branch of the Hampton River, mile 1.2, at Hampton, VA. Construction began on March 4, 2024, and will continue through December 31, 2026, Monday through Saturday, from 6 a.m. to 6 p.m., daily. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Construction includes widening and repairs of the I-64 Westbound Bridge, and replacement of I-64 Eastbound bridges. Work activities include pile driving, concrete bent cap construction, erection of precast concrete girders, superstructure deck placements, structural steel erection and removal of existing structures. To facilitate bridge construction, temporary work trestles will be constructed alongside the existing bridges (Westbound and then Eastbound), and crane barges, material barges and work boats will be stationed and/or operating in the vicinity of the bridges and navigational channel. The work trestle in the vicinity of Hampton Spit has a removable</p>	[Latitude: 37.03145, Longitude: 76.33731]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					trestle span. Vessels intended transit to or from Hampton Spit may do so, if at least 24-hours notice is given to the project foremen. Work vessels and barges may be reached on VHF-FM channel 13 and 16. The project foreman may be reached at (757) 639-5179 or (252) 312-4876. Mariners should use extreme caution when navigating through the area.	

Harkers Island East Channel

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Barden Inlet - Core Sound/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 09-25	2025- 09-25	Wilmington District USACE Survey of 12 Mar 2020 has identified significant shoaling IVO Harker's Island in The Straights. Depths as low as 4ft MLW were found between Harkers Island Straits Light 14 (LLNR 29382) and Harkers Island Straits Light 15 (LLNR 29384).	POLYGON [Latitude: 34.71884, Longitude: -76.55221] [Latitude: 34.71624, Longitude: -76.54329] [Latitude: 34.71529, Longitude: -76.54368] [Latitude: 34.71788, Longitude: -76.55263] [Latitude: 34.71884, Longitude: -76.55221]

Harts Island Channel

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sandy Point To Susquehanna River (Chart 12273) - Harts Island Channel/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 08-08	2025- 05-24	General/Hazards To Navigation/Shoaling Reported Harts Island Channel with depths of 2.0-4.0 feet were observed extending into the channel in vicinity of Harts Island Channel Daybeacon 3 (LLNR 27010). Navigation of the area requires extreme caution.	POLYGON [Latitude: 39.22982, Longitude: -76.39631] [Latitude: 39.22691, Longitude: -76.39574] [Latitude: 39.22686, Longitude: -76.39679] [Latitude: 39.22979, Longitude: -76.39728] [Latitude: 39.22982, Longitude: -76.39631]

Hatteras Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hatteras Inlet Channel Buoy 12B	28733.1	OFF STATION/MSLD SIG	FD
Hatteras Inlet Channel Light 21	28770	STRUCT DEST/TRUB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector North Carolina, Submerged Lands Act (SLA) - Hatteras Inlet/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024- 11-04	2025- 05-03	ATON/Federal Discrepancies From: 2024-11-04 To: 2025- 05-03 Location: 35.20438° N / 75.7315° W Aid Name: Hatteras Inlet Channel Buoy 12B LLNR: 28733.1 Discrepancy Information: Initial Report DTG: 041243Z NOV 2024 Summary: OFF STATION/MSLD SIG	POINT [Latitude: 35.20438, Longitude: -75.7315]

Herring Bay

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
South Herrington Harbour Range Rear Light	19350	REDUCED INT	PA

Honga River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Muddy Hook Cove Channel Daybeacon 2	24480	STRUCT DEST/TRLB	FD
Middle Island Bridge West Channel Wreck Daybeacon WR1W	24515	STRUCT DEST/TRUB	FD

Horn Harbor

ATON Changes

NAME	ACTION TYPE	DESCRIPTION
Horn Harbor Wreck Light WR2	RELOCATE	ATON/ATON Changes From: 2024-10-29 To: 2025-04-27 Location: 37.33765° N / 76.2593° W Aid Name: Horn Harbor Warning Daybeacon A LLNR: 14450 Action: RELOCATED and RENAMED to Horn Harbor Lighted Wreck Light WR2, Q R, 4nm. in approx posit 37-20- 15.211N, 076-15-33.265W
Horn Harbor Lighted Buoy 2	DISCONTINUE	ATON/ATON Changes From: 2024-10-29 To: 2024-11-12 Location: 37.33717° N / 76.25935° W Aid Name: Horn Harbor Lighted Buoy 2 LLNR: 14453 Action: DISCONTINUE

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Horn Harbor/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-21	2025-04-19		POINT [Latitude: 37.36051, Longitude: -76.2785]
Chesapeake Channel - Horn Harbor/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-21	2025-04-19		POINT [Latitude: 37.36819, Longitude: -76.30161]
Chesapeake Channel - Horn Harbor/ATON/Federal Discrepancies Corrected	ATON	Federal Discrepancies Corrected	2024-10-23	2024-11-06		POINT [Latitude: 37.33717, Longitude: -76.25935]
Chesapeake Channel - Horn Harbor/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-21	2025-04-19		POINT [Latitude: 37.33717, Longitude: -76.25935]
Chesapeake Channel - Horn Harbor/ATON/ATON Changes	ATON	ATON Changes	2024-10-29	2025-04-27	ATON/ATON Changes From: 2024-10-29 To: 2025-04-27 Location: 37.33765° N / 76.2593° W Aid Name: Horn Harbor Warning Daybeacon A LLNR: 14450 Action: RELOCATED and RENAMED to Horn Harbor Lighted Wreck Light WR2, Q R, 4nm. in approx posit 37-20-15.211N, 076-15-33.265W	POINT [Latitude: 37.33765, Longitude: -76.2593]
Chesapeake Channel - Horn Harbor/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-21	2025-04-19		POINT [Latitude: 37.33895, Longitude: -76.26394]
Chesapeake Channel - Horn Harbor/ATON/ATON Changes	ATON	ATON Changes	2024-10-29	2024-11-12	ATON/ATON Changes From: 2024-10-29 To: 2024-11-12 Location: 37.33717° N / 76.25935° W Aid Name: Horn Harbor Lighted Buoy 2 LLNR: 14453 Action: DISCONTINUE	POINT [Latitude: 37.33717, Longitude: -76.25935]
Chesapeake Channel - Horn Harbor/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-21	2025-04-19		POINT [Latitude: 37.36255, Longitude: -76.29117]

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Horn Harbor Lighted Buoy 2	14453	RESET ON STATION	FD	2024-10-23
Horn Harbor Lighted Buoy 2	14453	RESET ON STATION	FD	2024-10-23

Hoskins Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hoskins Creek Light 1HC	15600	DAYMK DMGD/STRUCT DMGD	FD
Hoskins Creek Range Rear Light	15610	LT IMCH	FD

Indian River Channel

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Indian River Inlet - Indian River Channel/General/Navigation/To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-05	2025-11-07	<p>General/Hazards To Navigation/Shoaling Reported Extreme Shoaling has occurred in the channel on the Indian River from Indian River Channel Daybeacon 64 (LLNR 4551.23) to Indian River Channel Daybeacon 70 (LLNR 4551.23) near Millsboro, DE. This area is inaccessible at low tide and faces a severe hazard to safety. All navigation in this area should use caution as much of the channel has shoaled in with less than 1' MLW average.</p> <p>From: 2024-08-05 To: 2025-11-07 Location: 38.59107° N / 75.27681° W</p>	<p>POLYGON</p> <p>[Latitude: 38.59107, Longitude: -75.27681]</p> <p>[Latitude: 38.59102, Longitude: -75.27576]</p> <p>[Latitude: 38.58842, Longitude: -75.27703]</p> <p>[Latitude: 38.58717, Longitude: -75.27716]</p> <p>[Latitude: 38.58634, Longitude: -75.27641]</p> <p>[Latitude: 38.58688, Longitude: -75.2736]</p> <p>[Latitude: 38.58668, Longitude: -75.27192]</p> <p>[Latitude: 38.58618, Longitude: -75.27205]</p> <p>[Latitude: 38.58634, Longitude: -75.27342]</p> <p>[Latitude: 38.58569, Longitude: -75.27651]</p> <p>[Latitude: 38.58722, Longitude: -75.2778]</p> <p>[Latitude: 38.58868, Longitude: -75.27759]</p> <p>[Latitude: 38.5904, Longitude: -75.27681]</p> <p>[Latitude: 38.59107, Longitude: -75.27681]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Indian River Inlet - Indian River Channel/General Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-09-09	2025-03-01	<p>General/Marine Construction (Excluding Bridges)/Dredging From: 2024-09-09 To: 2025-03-01 Location: 38.59027° N / 75.27685° W 38.59015° N / 75.27603° W 38.58834° N / 75.27687° W 38.58725° N / 75.27704° W 38.58628° N / 75.27616° W 38.58683° N / 75.27283° W 38.58614° N / 75.27275° W 38.58634° N / 75.27341° W 38.58567° N / 75.2765° W 38.58722° N / 75.27768° W 38.58873° N / 75.27749° W 38.59027° N / 75.27685° W</p> <p>Delaware Department of Natural Resources (DNREC) will begin dredging operations in the Indian River Channel between Indian River Channel Daybeacon 64 (LLNR 4551.23) and Indian River Channel Daybeacon 70 (LLNR 4551.31), near Millsboro, DE, starting on July 1, 2024, and continuing until March 1, 2025. The dredge work hours will be Monday through Thursday, from 6 a.m. to 3 p.m. This dredging project is to help mitigate extreme shoaling in the area at low tide. The dredge, associated vessels, and equipment will be in the navigation channel and will remain in the navigation channel for the duration of the project. For more information mariners can contact Kathleen Bergin, the project point of contact, at (302) 739-9453. Mariners are urged to use extreme caution when transiting the area and avoid the area at low tide.</p>	<p>POLYGON [Latitude: 38.59027, Longitude: -75.27685] [Latitude: 38.59015, Longitude: -75.27603] [Latitude: 38.58834, Longitude: -75.27687] [Latitude: 38.58725, Longitude: -75.27704] [Latitude: 38.58628, Longitude: -75.27616] [Latitude: 38.58683, Longitude: -75.27283] [Latitude: 38.58614, Longitude: -75.27275] [Latitude: 38.58634, Longitude: -75.27341] [Latitude: 38.58567, Longitude: -75.2765] [Latitude: 38.58722, Longitude: -75.27768] [Latitude: 38.58873, Longitude: -75.27749] [Latitude: 38.59027, Longitude: -75.27685]</p>

Indian River Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Indian River Inlet Buoy 11	4400	OFF STA	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector Delaware Bay, Submerged Land Act (SLA) - Indian River Inlet/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-11-05	2025-03-31	<p>The dredge TRIUMPH will begin dredging operations in Indian River Inlet, west of the Charles W. Cullen Memorial Bridge near Bethany Beach, DE, starting on November 11, 2024, and continuing until March 31, 2025. The borrow area where the dredging will occur is located between approximate position 38°36.48' N, 075°04.05' W, and 38°36.43' N, 075°04.74' W, to include the navigational channel. The dredge, associated vessels, and equipment will be in and around the navigation channel and a section of floating dredge pipeline will be attached to the dredge and will be marked. The work hours for the dredge will be 24 hours a day, 7 days a week. The dredge TRIUMPH can be contacted via VHF radio channels 13 and 16. Mariners are requested to contact the dredge TRIUMPH prior to transiting the area to make passing arrangements. Mariners are urged to use extreme caution when transiting the area.</p>	<p>POLYGON [Latitude: 38.60869, Longitude: -75.07186] [Latitude: 38.60856, Longitude: -75.06703] [Latitude: 38.60716, Longitude: -75.06729] [Latitude: 38.60649, Longitude: -75.0695] [Latitude: 38.60686, Longitude: -75.07523] [Latitude: 38.6061, Longitude: -75.07953] [Latitude: 38.60805, Longitude: -75.07684] [Latitude: 38.60869, Longitude: -75.07186]</p>

Isle Of Wight Bay

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Ocean City Inlet - Isle Of Wight Bay/General/Bridges/Temp Deviation	General	Bridges	2024-10-31	2025-03-17	Mariners are advised that the US 50 (Harry W. Kelley Memorial) Bridge, over Isle of Wight (Sinepuxent) Bay, mile 0.5, at Ocean City, MD, will be maintained in the closed-to-navigation position to facilitate bridge maintenance. The bridge will remain in the closed-to-navigation position from 6 a.m. on January 2, 2025, through 6 p.m. on March 17, 2025. The bridge will not be able to open for emergencies. The navigation channel directly under the bridge will also be closed to navigation due to the presence of a permanently moored work barge under the bridge. The on-site maintenance team can be contacted via VHF-FM channel 13 or via telephone at (302) 632-9506. At all other times, the drawbridge will operate in accordance with the operating regulations set out in Title 33 Code of Federal Regulations Part 117.559. Mariners should adjust their transits accordingly and should use caution when transiting the area.	POINT [Latitude: 38.33313, Longitude: -75.09353]

James River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
James River Channel Light 122	12605	STRUCT DEST/HAZ NAV/TRLB	FD
James River Channel Light 168	12795	STRUCT DEST/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Seaward Marine Lighted Mooring Buoy A	11307	MISSING	PA
James River Oyster Sanctuary Daybeacon NMT	11564	DAYMK IMCH	PA
James River Oyster Sanctuary Daybeacon NTH	11564.1	DAYMK MISSING/STRUCT DMGD	PA
Surry Power Station Daybeacon 2	11800	STRUCT DEST	PA
Surry Power Station Daybeacon 5	11810	DAYMK MISSING	PA
Surry Power Station Daybeacon 9	11820	STRUCT DEST	PA
Virginia Power Groin Light A	12055	LT EXT	PA
Virginia Power Groin Light B	12060	LT EXT	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - James River/General/Marine Construction (Excluding Bridges)/Boring and Core Samples	General	Marine Construction (Excluding Bridges)	2024-09-13	2025-08-01	A pipeline installation project began on or about August 1, 2023 and is expected to continue through August 2025. The former temporary work platform has been de-constructed and removed from the south side of the federal shipping channel and federally maintained anchorage area. However, a few remnant mooring and goal-post piles will be in place through December 6, 2024 (approximate center at latitude/longitude 36.948626°N, 076.419579°W, ¼ of a mile west of the Monitor-Merrimac Memorial Bridge Tunnel). On or about September 1, 2024 and continuing through August 2025, approximately 17,970 feet of new pipeline will be installed beneath the bottom of the James River by marine trenching operations from the south side of the federal shipping channel and federally maintained anchorage area to the Suffolk shoreline along a non-linear path, between latitudes/longitudes 36.948626°N, 076.419579°W and 36.904509°N, 076.431395°W. Pipe installations will be conducted using a "train", consisting of four (4) individual barges in succession and moving in unison, including: two (2) trench excavation barges; one (1) pipe laying barge; and, one (1) trench restoration barge. Under normal conditions, it is expected the "train" will progress at the average rate of approximately 100 feet per day, with marine trenching, pipe installation and backfill efforts taking approximately 210 days to complete, including allowances	LINE [Latitude: 36.94862, Longitude: -76.41957] [Latitude: 36.9045, Longitude: -76.43139]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>for adverse weather conditions. Additional barges will be required for the delivery and storage of pipe and other construction materials. Each individual barge associated with these operations are expected to be approximately 60 feet in width and 180 feet in length, and will be individually equipped with four (4) 360-degree visible white warning lights, one (1) light at each corner. Mariners are advised to avoid crossing, and use caution while transiting in proximity to, the "train". At no time will this construction project affect, interfere with, obstruct, nor otherwise adversely impact marine traffic in the federal navigation channel or federally maintained anchorage area. Tug, barge and other vessel operations associated with these construction activities will monitor VHFFM channels 13 and 16 when work is in progress, or when vessels are operating in the project area. To reach an on-scene manager, contact Tommy Worten 813-957-7000. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Updated project information can be obtained from https://www.hrsd.com/boat-harbor-underwater-transmission-pipe-installation.</p>	
Chesapeake Channel - James River/General/Bridges/Construction	General	Bridges	2024-10-07	2026-08-01	<p>Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be constructing new approach bridges to replace the I-64/US 60 (Hampton Roads Beltway) North and South Approach Bridges, across Hampton Roads, at mile 0.0, between</p>	<p>POINT [Latitude: 37.00748, Longitude: -76.32162]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>Norfolk, VA and Hampton, VA, commonly referred to as the Hampton Roads Bridge-Tunnel (HRBT). Construction activities will begin March 15, 2021, and are expected to continue through November, 2025. Marine construction activity will take place 24-hours per day, seven days a week. The replacement north approach bridge will be a fixed bridge with a horizontal clearance of 80 feet and a vertical clearance of 16 feet above mean high water at position 37° 00' 24.12" N, 76° 19' 18.84" W for the west span and at position 37° 00' 24.48" N, 76° 19' 15.60" W for the east span. The replacement south approach bridge will be a fixed bridge with a horizontal clearance of 100 feet and a vertical clearance of 16 feet above mean high water at position 36° 58' 15.24" N, 76° 18' 03.96" W. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new approach bridge spans or located within specific Mooring Areas or Safe Harbor locations.</p> <p>Bridge Structures/Work Trestles & Islands - Mariners are advised to maintain a safe distance of 300 feet from all HRBT bridge structures/work trestles, HRBT North Island, and HRBT South Island. Construction managers may</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>establish safe transit corridors through bridge structures/work trestles as construction activity permits. Work trestles will be constructed extending out from the North and South shorelines next to the existing trestles for the duration of the bridge construction to facilitate construction activity. Each pile will be lit by a flashing white light.</p> <p>Hampton Flats Mooring Area - As charted. Changes pending. This area will contain six mooring buoys, lighted with flashing white lights, for the exclusive use of vessels involved in the HRBT Expansion project. The corners of the mooring area are marked with yellow buoys with flashing yellow lights. Mariners should use caution when transiting the area.</p> <p>Phoebus Safe Harbor Area - As charted. Changes pending. This area will only be used by HRBT Expansion project vessels in advance of a severe weather event that requires the vessels to be securely anchored or spudded down in that location. The corners of the safe harbor area are marked with yellow buoys with flashing yellow lights. When utilized, mariners should keep clear of the area.</p> <p>Willoughby Bay Mooring and Safe Harbor Area - As charted. This area contains a straight row of mooring pilings for the exclusive use of vessels involved in the HRBT Expansion project. The two end pilings are marked with a solid red light and each interior piling is marked with a solid yellow light. The perimeter of the mooring and safe harbor area is marked with yellow buoys with flashing yellow lights. Mariners are advised to keep clear</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>of the mooring/safe harbor area. Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the project area. To reach an on-scene manager, contact Shannon Gresham 757-685-3392 or Kareem Myers 757-256-9715. You may also contact Hampton Roads Connector Partners at 757-373- 4799 and/or email MarineOps@hrcpjv.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtexpansion.org.</p>	
Chesapeake Channel - James River/General/Bridges/Construction	General	Bridges	2024-10-07	2026-08-01	<p>Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be constructing new approach bridges to replace the I-64/US 60 (Hampton Roads Beltway) North and South Approach Bridges, across Hampton Roads, at mile 0.0, between Norfolk, VA and Hampton, VA, commonly referred to as the Hampton Roads Bridge-Tunnel (HRBT). Construction activities will begin March 15, 2021, and are expected to continue through November, 2025. Marine construction activity will take place 24-hours per day, seven days a week. The replacement north approach bridge will be a fixed bridge with a horizontal clearance of 80 feet and a vertical clearance of 16 feet above mean high water at position 37° 00' 24.12" N, 76° 19' 18.84" W for the west span and at position 37° 00' 24.48" N, 76° 19' 15.60" W for the east span. The</p>	POINT [Latitude: 37.00732, Longitude: -76.32199]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>replacement south approach bridge will be a fixed bridge with a horizontal clearance of 100 feet and a vertical clearance of 16 feet above mean high water at position 36° 58' 15.24" N, 76° 18' 03.96" W.</p> <p>Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new approach bridge spans or located within specific Mooring Areas or Safe Harbor locations.</p> <p>Bridge Structures/Work Trestles & Islands - Mariners are advised to maintain a safe distance of 300 feet from all HRBT bridge structures/work trestles, HRBT North Island, and HRBT South Island. Construction managers may establish safe transit corridors through bridge structures/work trestles as construction activity permits. Work trestles will be constructed extending out from the North and South shorelines next to the existing trestles for the duration of the bridge construction to facilitate construction activity. Each pile will be lit by a flashing white light. Hampton Flats Mooring Area - As charted. Changes pending. This area will contain six mooring buoys, lighted with flashing white lights, for the exclusive use of vessels involved in the HRBT Expansion project. The corners of the mooring area are marked with yellow</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>buoys with flashing yellow lights. Mariners should use caution when transiting the area. Phoebus Safe Harbor Area - As charted. Changes pending. This area will only be used by HRBT Expansion project vessels in advance of a severe weather event that requires the vessels to be securely anchored or spudded down in that location. The corners of the safe harbor area are marked with yellow buoys with flashing yellow lights. When utilized, mariners should keep clear of the area.</p> <p>Willoughby Bay Mooring and Safe Harbor Area - As charted. This area contains a straight row of mooring pilings for the exclusive use of vessels involved in the HRBT Expansion project. The two end pilings are marked with a solid red light and each interior piling is marked with a solid yellow light. The perimeter of the mooring and safe harbor area is marked with yellow buoys with flashing yellow lights. Mariners are advised to keep clear of the mooring/safe harbor area.</p> <p>Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the project area. To reach an on-scene manager, contact Shannon Gresham 757-685-3392 or Kareem Myers 757-256-9715. You may also contact Hampton Roads Connector Partners at 757-373- 4799 and/or email MarineOps@hrcpjv.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - James River/General/Bridges/Construction	General	Bridges	2024-10-07	2026-08-01	<p>may be found at https://hrbtexpansion.org.</p> <p>Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be constructing new approach bridges to replace the I-64/US 60 (Hampton Roads Beltway) North and South Approach Bridges, across Hampton Roads, at mile 0.0, between Norfolk, VA and Hampton, VA, commonly referred to as the Hampton Roads Bridge-Tunnel (HRBT). Construction activities will begin March 15, 2021, and are expected to continue through November, 2025. Marine construction activity will take place 24-hours per day, seven days a week. The replacement north approach bridge will be a fixed bridge with a horizontal clearance of 80 feet and a vertical clearance of 16 feet above mean high water at position 37° 00' 24.12" N, 76° 19' 18.84" W for the west span and at position 37° 00' 24.48" N, 76° 19' 15.60" W for the east span. The replacement south approach bridge will be a fixed bridge with a horizontal clearance of 100 feet and a vertical clearance of 16 feet above mean high water at position 36° 58' 15.24" N, 76° 18' 03.96" W. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new approach bridge spans or located</p>	POINT [Latitude: 36.97098, Longitude: -76.30117]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>within specific Mooring Areas or Safe Harbor locations.</p> <p>Bridge Structures/Work Trestles & Islands - Mariners are advised to maintain a safe distance of 300 feet from all HRBT bridge structures/work trestles, HRBT North Island, and HRBT South Island.</p> <p>Construction managers may establish safe transit corridors through bridge structures/work trestles as construction activity permits. Work trestles will be constructed extending out from the North and South shorelines next to the existing trestles for the duration of the bridge construction to facilitate construction activity. Each pile will be lit by a flashing white light.</p> <p>Hampton Flats Mooring Area - As charted. Changes pending. This area will contain six mooring buoys, lighted with flashing white lights, for the exclusive use of vessels involved in the HRBT Expansion project. The corners of the mooring area are marked with yellow buoys with flashing yellow lights. Mariners should use caution when transiting the area.</p> <p>Phoebus Safe Harbor Area - As charted. Changes pending. This area will only be used by HRBT Expansion project vessels in advance of a severe weather event that requires the vessels to be securely anchored or spudded down in that location. The corners of the safe harbor area are marked with yellow buoys with flashing yellow lights.</p> <p>When utilized, mariners should keep clear of the area.</p> <p>Willoughby Bay Mooring and Safe Harbor Area - As charted. This area contains a straight row of mooring pilings</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>for the exclusive use of vessels involved in the HRBT Expansion project. The two end pilings are marked with a solid red light and each interior piling is marked with a solid yellow light. The perimeter of the mooring and safe harbor area is marked with yellow buoys with flashing yellow lights. Mariners are advised to keep clear of the mooring/safe harbor area.</p> <p>Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the project area. To reach an on-scene manager, contact Shannon Gresham 757-685-3392 or Kareem Myers 757-256-9715. You may also contact Hampton Roads Connector Partners at 757-373- 4799 and/or email MarineOps@hrnpjv.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtexpansion.org.</p>	<p>POINT [Latitude: 37.27535, Longitude: -77.0492]</p>
Chesapeake Channel - James River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-10	2025-10-10		

Kent Island Narrows North Approach

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chester River - Kent Island Narrows North Approach/General/ To Navigation/Shoaling Reported	Hazards	Hazards To Navigation	2024- 08-08	2025- 10-07	General/Hazards To Navigation/Shoaling Reported A USACE survey has identified shoaling to a depth of four feet in the Kent Island Narrows North Approach within the channel boundaries between Kent Island Narrows North Approach Light 2KN (LLNR 26415) and Kent Island Narrows North Approach Light 8 (LLNR 26435). Mariners are urged to use caution when transiting the area.	POLYGON [Latitude: 38.98781, Longitude: -76.24525] [Latitude: 38.97947, Longitude: -76.23933] [Latitude: 38.9782, Longitude: -76.24199] [Latitude: 38.97931, Longitude: -76.24289] [Latitude: 38.98027, Longitude: -76.24178] [Latitude: 38.98721, Longitude: -76.24706] [Latitude: 38.98781, Longitude: -76.24525]

Knapps Narrows West Channel

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Knapps Narrows West Channel/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 08-07	2025- 08-07	General/Hazards To Navigation/Shoaling Reported Shoaling has been observed in the Knapps Narrow West Channel within the channel boundaries between Knapps Narrow West Channel Daybeacon 3 (LLNR 25925) and Knapps Narrow West Channel Daybeacon 5 (LLNR 25931) to a depth of 3 foot at mean low water.	POLYGON [Latitude: 38.72225, Longitude: -76.34363] [Latitude: 38.72175, Longitude: -76.33861] [Latitude: 38.72071, Longitude: -76.33876] [Latitude: 38.72118, Longitude: -76.34384] [Latitude: 38.72225, Longitude: -76.34363]

Lake Conoy

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake Conoy Warning Daybeacon C	16565	STRUCT DEST/HAZ NAV	PA

Lenoxville Point

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Core Sound - Lenoxville Point/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 09-25	2025- 08-11	Aids to Navigation in Lenoxville Point have been relocated to mark best available water. Shoaling still exists in the channel in vicinity of Lenoxville Point Buoy 1L (LLNR 34757) through Lenoxville Point Buoy 3 (LLNR 34760) and channel remains very narrow. Users of waterways should observe new route of channel and new locations of shoaling which can be viewed on US Army Corps of Engineers Hydrographic Survey - Taylor's Creek East.	POLYGON [Latitude: 34.70723, Longitude: -76.61745] [Latitude: 34.7071, Longitude: -76.61466] [Latitude: 34.70585, Longitude: -76.61494] [Latitude: 34.70601, Longitude: -76.6177] [Latitude: 34.70723, Longitude: -76.61745]

Little Creek Harbor

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Little Creek Harbor/General Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-25	2025-01-01	W3 Marine and the dredges MOBRO 112, MOBRO 114, and MOBRO 1003 will be conducting dredging operations at Little Creek Entrance Channel, inbound/outbound channel in the vicinity of Little Creek Naval Base beginning on October 28th 2024 until December 28th 2024. The dredge can be contacted on VHF-FM channels 13 and 16. Mariners are requested to review the DREDGING and MARINE CAUTIONS notice at the beginning of this section. Mariners are requested to stay clear of the dredges, dumpscows, and attendant plant. Exercise extreme caution when approaching, passing, and leaving the dredge area.	POLYGON [Latitude: 36.93008, Longitude: -76.17585] [Latitude: 36.92188, Longitude: -76.17583] [Latitude: 36.92183, Longitude: -76.17696] [Latitude: 36.92945, Longitude: -76.1773] [Latitude: 36.93008, Longitude: -76.17585]

Little Egg Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Little Egg Inlet Lighted Buoy 2	1105	MISSING	FD
Little Egg Inlet Lighted Buoy 10	1131	OFF STA	FD

Little Wicomico River

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Little Wicomico River/General/Hazards To Navigation/General/Hazards To Navigation/Reported	General	Hazards To Navigation	2024-08-19	2025-04-01	General/Hazards To Navigation/Shoaling Reported Shoaling has been reported in Little Wicomico River within the channel Boundaries between Little Wicomico River Light 4 (LLNR 16355) to the south approximately 75 yards towards Little Wicomico River Light 5 (LLNR 16360) to reported depths of three feet at mean low water. From: 2024-08-19 To: 2025-04-01 Location: 37.89046° N / 76.23546° W 37.88984° N / 76.23518° W 37.88954° N / 76.23618° W 37.89018° N / 76.23656° W 37.89046° N / 76.23546° W	POLYGON [Latitude: 37.89046, Longitude: -76.23546] [Latitude: 37.88984, Longitude: -76.23518] [Latitude: 37.88954, Longitude: -76.23618] [Latitude: 37.89018, Longitude: -76.23656] [Latitude: 37.89046, Longitude: -76.23546]
Chesapeake Channel - Little Wicomico River/General/Hazards To Navigation/General/Hazards To Navigation/Reported	General	Hazards To Navigation	2024-11-04	2025-11-13	Severe shoaling, as low as 2ft MLW in places within the Pier Jetties, of the Little Wicomico River, VA, have been reported.	POLYGON [Latitude: 37.89044, Longitude: -76.23583] [Latitude: 37.88981, Longitude: -76.23537] [Latitude: 37.88748, Longitude: -76.24146] [Latitude: 37.88822, Longitude: -76.24202] [Latitude: 37.89044, Longitude: -76.23583]

Lockwoods Folly Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lockwoods Folly Inlet Buoy 8	31040	MSLD SIG	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Lockwoods Folly Inlet Lighted Buoy 1	31010	DISCONTINUED FOR DREDGING	FD
Lockwoods Folly Inlet Lighted Buoy 2	31015	DISCONTINUED FOR DREDGING	FD
Lockwoods Folly Inlet Buoy 3	31020	DISCONTINUED FOR DREDGING	FD
Lockwoods Folly Inlet Buoy 4	31025	DISCONTINUED FOR DREDGING	FD
Lockwoods Folly Inlet Buoy 5	31027	DISCONTINUED FOR DREDGING	FD
Lockwoods Folly Inlet Buoy 6	31030	DISCONTINUED FOR DREDGING	FD
Lockwoods Folly Inlet Buoy 7	31035	DISCONTINUED FOR DREDGING	FD

Lockwoods Folly River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lockwoods Folly River Daybeacon 7	40160	STRUCT DEST/TRUB	FD

Long Creek

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Lynnhaven Inlet - Long Creek/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-10	2025-01-01	Cottrell Contracting Corporation of Chesapeake, Virginia advises that the Dredge Rockbridge will conduct dredging operations for the Lynnhaven Inlet Federal Navigation Channel, consisting of the Entrance Channel, Mooring and Turning Basin, Side Channel, Broad Bay Channel, and the Narrows Channel. The dredge and attendant equipment will be operating between October 16, 2024 and December 16, 2024. Before approach, the Dredge can be reached via VHF Radio Channels #13 and #16. For emergency, the dredge operator can be contacted at phone number 757-635-2576.	POLYGON [Latitude: 36.90688, Longitude: -76.09048] [Latitude: 36.90679, Longitude: -76.0888] [Latitude: 36.90637, Longitude: -76.08753] [Latitude: 36.90466, Longitude: -76.08507] [Latitude: 36.90453, Longitude: -76.08562] [Latitude: 36.90601, Longitude: -76.08769] [Latitude: 36.90641, Longitude: -76.08884] [Latitude: 36.90649, Longitude: -76.0902] [Latitude: 36.90688, Longitude: -76.09048]

Longport Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Longport Channel Buoy 1	1295	MISSING	FD
Longport Channel Buoy 2	1300	OFF STA	FD
Longport Channel Buoy 7	1317	MISSING	FD
Longport Channel Buoy 8	1318	MISSING	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Great Egg Harbor Inlet - Longport Channel/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-24	2025-04-22	ATON/Federal Discrepancies From: 2024-10-24 To: 2025-04-22 Location: 39.30616° N / 74.53932° W Aid Name: Longport Channel Buoy 1 LLNR: 1295 Discrepancy Information: Initial Report DTG: 241850Z OCT 2024 Summary: MISSING	POINT [Latitude: 39.30616, Longitude: -74.53932]

Lynnhaven Inlet

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Lynnhaven Inlet/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-13	2025-02-09	General/Hazards To Navigation/Shoaling Reported Army Corp of Engineer Survey has indicated shoaling between Lynnhaven Inlet Light 4 (LLNR 10138) and Lynnhaven Inlet Daybeacon 6 (LLNR 10145) on the western side of the channel extending into the Channel with a minimum depth of 2 feet. From: 2024-08-13 To: 2025-02-09 Location: 36.91374° N / 76.09141° W	POLYGON [Latitude: 36.91374, Longitude: -76.09141] [Latitude: 36.9137, Longitude: -76.09082] [Latitude: 36.90997, Longitude: -76.09165] [Latitude: 36.91001, Longitude: -76.09216] [Latitude: 36.91374, Longitude: -76.09141]
Chesapeake Channel - Lynnhaven Inlet/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-13	2025-02-09	General/Hazards To Navigation/Shoaling Reported Army Corp of Engineer Survey has indicated shoaling between Lynnhaven Inlet Light 1L (LLNR 10130) and Lynnhaven Inlet Light 3 (LLNR 10136) on the east side of the channel extending into the channel with the Minimum depth of 6.8 feet. From: 2024-08-13 To: 2025-02-09 Location: 36.91846° N / 76.08974° W	POLYGON [Latitude: 36.91846, Longitude: -76.08974] [Latitude: 36.91842, Longitude: -76.08912] [Latitude: 36.91379, Longitude: -76.08985] [Latitude: 36.91398, Longitude: -76.09065] [Latitude: 36.91846, Longitude: -76.08974]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Lynnhaven Inlet/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-10	2025-01-01	Cottrell Contracting Corporation of Chesapeake, Virginia advises that the Dredge Rockbridge will conduct dredging operations for the Lynnhaven Inlet Federal Navigation Channel, consisting of the Entrance Channel, Mooring and Turning Basin, Side Channel, Broad Bay Channel, and the Narrows Channel. The dredge and attendant equipment will be operating between October 16, 2024 and December 16, 2024. Before approach, the Dredge can be reached via VHF Radio Channels #13 and #16. For emergency, the dredge operator can be contacted at phone number 757-635-2576.	POLYGON [Latitude: 36.91912, Longitude: -76.09044] [Latitude: 36.91912, Longitude: -76.08945] [Latitude: 36.90723, Longitude: -76.09185] [Latitude: 36.90719, Longitude: -76.09066] [Latitude: 36.90501, Longitude: -76.0887] [Latitude: 36.90428, Longitude: -76.08936] [Latitude: 36.90422, Longitude: -76.09129] [Latitude: 36.90628, Longitude: -76.09287] [Latitude: 36.91912, Longitude: -76.09044]

Manasquan Inlet

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Manasquan Inlet/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-26	2025-02-25	General/Hazards To Navigation/Shoaling Reported U.S. Coast Guard Sector Delaware Bay is notifying mariners of shoaling on the green side of the channel in Manasquan Inlet. The shoaling extends approximately 75 feet from the south jetty towards the navigational channel. Mariners are advised to use caution when transiting the area. From: 2024-08-26 To: 2025-02-25	POLYGON [Latitude: 40.10247, Longitude: -74.03474] [Latitude: 40.10071, Longitude: -74.03147] [Latitude: 40.10044, Longitude: -74.03161] [Latitude: 40.10217, Longitude: -74.03504] [Latitude: 40.10247, Longitude: -74.03474]
Sector Delaware Bay, Submerged Land Act (SLA) - Manasquan Inlet/General/Miscellaneous	General	Miscellaneous	2024-09-22	2024-11-17	A salvage operation of a sunken vessel in the Atlantic Ocean, approximately 850 yards from the shoreline of Point Pleasant Beach, and approximately 1,000 yards south of Manasquan Inlet is scheduled to occur between October 27, 2024, and November 17, 2024. The salvage operation will take approximately 7 days to complete once started. A crane barge will be anchored in approximate position latitude 40°05'32.3"N, longitude 74°01'28.4"W. Once the salvage operation begins, and while the crane barge is on scene, Coast Guard Sector Delaware Bay has established 500-yard safety zone around the crane barge. All mariners are required to remain 500 yards away from the crane barge and transit the area with caution.	POINT [Latitude: 40.09496, Longitude: -74.02835]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector Delaware Bay, Submerged Land Act (SLA) - Manasquan Inlet/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-07	2025-02-03	General/Hazards To Navigation/Shoaling Reported U.S. Coast Guard Sector Delaware Bay is notifying mariners of extreme shoaling on the southern portion of Manasquan Inlet. Mariners are advised to use extreme caution when transiting Manasquan Inlet.	POLYGON [Latitude: 40.10426, Longitude: -74.03668] [Latitude: 40.1007, Longitude: -74.02992] [Latitude: 40.0999, Longitude: -74.03061] [Latitude: 40.10356, Longitude: -74.03743] [Latitude: 40.10426, Longitude: -74.03668]

Manasquan River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Manasquan River Light 9	34965	DAYMK MISSING	FD
Manasquan River Daybeacon 8	34970	STRUCT DEST/HAZ NAV/TRLB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Manasquan Inlet - Manasquan River/General/Bridges/Maintenance	General	Bridges	2024-08-14	2024-12-31	<p>General/Bridges/Maintenance</p> <p>Mariners are advised that an engineering firm, on behalf of New Jersey Department of Transportation, will be performing maintenance on the highway drawbridge - SR 35 (Route 35/Churchill) Bridge, over New Jersey Intracoastal Waterway (NJICW), Manasquan River, mile 1.1, between Brielle and Point Pleasant Beach, NJ. Bridge fender system maintenance will be conducted from 6 a.m. to 4 p.m.; Monday-Saturday; from July 1, 2024, through December 31, 2025. A 60-foot crane barge, a 40-foot material barge, and work vessels will be located in and around the vicinity of the bridge. During the duration of the maintenance period, the 40-foot material barge will be located adjacent to the bridge fender system within the navigational channel reducing the horizontal clearance of the bridge to approximately 45 feet of horizontal clearance. Vessels that can safely transit through the bridge during periods with a reduced horizontal clearance may do so at any time. Work vessels may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (908) 618-6313. Mariners should use extreme caution navigating through the area. From: 2024-08-14 To: 2024-12-31 Location: 40.104° N / 74.05334° W Bridge Name: SR 35 Bridge</p>	POINT [Latitude: 40.104, Longitude: -74.05334]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Manasquan Inlet - Manasquan River/General/Bridges/Maintenance	General	Bridges	2024- 09-26	2025- 12-31	SR 35 (Route 35/Churchill) Bridge - Bridge fender system maintenance will be conducted from 6 a.m. to 4 p.m.; Monday-Saturday; from July 1, 2024, through December 31, 2025. A 60-foot crane barge, a 40-foot material barge, and work vessels will be located in and around the vicinity of the bridge. During the duration of the maintenance period, the 40-foot material barge will be located adjacent to the bridge fender system within the navigational channel reducing the horizontal clearance of the bridge to approximately 45 feet of horizontal clearance. Vessels that can safely transit through the bridge during periods with a reduced horizontal clearance may do so at any time. Work vessels may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (908) 618-6313. Mariners should use extreme caution navigating through the area. (MT)	POINT [Latitude: 40.104, Longitude: -74.05334]

Mantua Creek

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
-------	----------	-----------------	---------------	-------------	-------------	----------

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Mifflin Range - Mantua Creek/General/Bridges/ Deviation	General Bridges/Temp	Bridges	2024- 10-21	2025- 01-31	<p>Mariners are advised that an engineering firm, on behalf of the New Jersey Department of Transportation, will be performing maintenance on the highway drawbridge – SR 44 (Crown Point Road) Bridge across Mantua Creek, mile 1.7, near Paulsboro, NJ, from 6 a.m. to 5 p.m., Monday-Friday; from November 1, 2024, through January 31, 2025. During the maintenance period, to facilitate bridge maintenance of the bridge lift span, the bridge will be maintained in the closed-to-navigation position and will remain in the closed position 24 hours a day; 7 days a week; from November 1, 2024, through December 31, 2024. Work scaffolding will be located in and around the vicinity of the bridge. During duration of the closure period, the work scaffolding will be located underneath and in the navigational channel of the bridge and will reduce the vertical clearance of the bridge to approximately 1 foot. The bridge will not be able to open for emergencies. There is no immediate alternative route for vessels unable to pass through the bridge in the closed position. At all other times, the drawbridge will operate in accordance with the operating regulations set out in Title 33 Code of Federal Regulations Part 117.729 (b). The project foreman can be reached at (856) 498-8107 or (856) 398-0996. Mariners should adjust their transits accordingly and should use extreme caution when transiting the area.</p>	POINT [Latitude: 39.83132, Longitude: -75.23608]

Masonboro Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Masonboro Inlet Buoy 3	30160	OFF STA	FD

Maurice River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Maurice River Buoy 2	1705	OFF STA	FD

Middle River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Norman Creek Daybeacon 2	27150	DBD DEST	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Upper Chesapeake Channel - Middle River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-11-05	2025-05-04	<p>ATON/Federal Discrepancies From: 2024-11-05 To: 2025-05-04 Location: 39.3057° N / 76.41796° W Aid Name: Norman Creek Daybeacon 2 LLNR: 27150 Discrepancy Information: Initial Report DTG: 051232Z NOV 2024 Summary: DBD DEST</p>	POINT [Latitude: 39.3057, Longitude: -76.41796]
Upper Chesapeake Channel - Middle River/General/Bridges/Rehabilitation	General	Bridges	2024-10-01	2025-02-01	<p>TRACY BLVD BRIDGE- The bascule span of the bridge will be secured in the closed-to-navigation position from 1 October, 2024 until 31 January, 2025, for bridge rehabilitation. When closed the bridge provides 16' of vertical clearance at high water. Vessels that can transit the bridge while closed can continue to do so at any time. For further information, contact the Coast Guard Bridge Office at (510) 437-3461 or via email at D11Bridges@uscg.mil.</p>	POINT [Latitude: 37.81997, Longitude: -121.44974]

Miles River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Miles River Light 1	26165	DBD DEST	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Eastern Bay - Miles River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-30	2025-04-28	ATON/Federal Discrepancies From: 2024-10-30 To: 2025-04-28 Location: 38.8028° N / 76.20868° W Aid Name: Miles River Light 1 LLNR: 26165 Discrepancy Information: Initial Report DTG: 301947Z OCT 2024 Summary: DBD DEST	POINT [Latitude: 38.8028, Longitude: -76.20868]

Milford Haven

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Milford Haven East - Milford Haven/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-21	2025-01-15	Seaward Marine Corp will begin dredge and seawall project in Milford Haven East Channel and Haven Beach beginning on March 20, 2024. Tug Seaward 4 & 7 will work with SMC Dredge 1 and barge Kathie D. All equipment will monitor VHF FM CH 16, 13, 03. Project is expected to be completed by January 15, 2025.	POLYGON [Latitude: 37.46957, Longitude: -76.2687] [Latitude: 37.46638, Longitude: -76.24981] [Latitude: 37.45965, Longitude: -76.25003] [Latitude: 37.46531, Longitude: -76.27159] [Latitude: 37.46957, Longitude: -76.2687]

Milford Haven East

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Milford Haven East Channel Light 1	14560	STRUCT DEST	PA
Milford Haven East Channel Light 3	14565	LT EXT/STRUCT DMGD	PA
Milford Haven East Channel Lighted Buoy 4A	14585	OFF STA	PA
Milford Haven East Channel Danger Light 6	14595	LT IMCH	PA

Mill Creek Patuxent River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Mill Creek (Patuxent River) Daybeacon 7	18965	STRUCT DEST/TRLB	PA

Morehead City Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Fort Macon Creek Warning Light	29430	STRUCT DEST/TRLB	FD

Morehead City Harbor Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Morehead City Harbor Channel Turning Basin Daybeacon B	38629	STRUCT DEST/TRUB	FD

Nandua Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Nandua Creek Channel Warning Daybeacon G	21800	DAYMK MISSING / INACCESSIBLE	FD

Nansemond River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Nansemond River Channel Daybeacon 23	11115	STRUCT DEST/TRLB	FD

Nanticoke River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Nanticoke River Channel Light 6	23980	STRUCT DMGD	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Wicomico River Honga, Nanticoke And Fishing Bay - Nanticoke River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 08-05	2025- 07-23	General/Hazards To Navigation/Shoaling Reported Shoaling has been reported in the immediate vicinity of Nanticoke River Cut Light 4 (LLNR 23995) at the mouth of Nanticoke Harbor, extending approximately 30ft into the channel. Water depths have been found as low as 2ft at low water.	POLYGON [Latitude: 38.2707, Longitude: -75.91437] [Latitude: 38.2704, Longitude: -75.91211] [Latitude: 38.26992, Longitude: -75.9122] [Latitude: 38.27021, Longitude: -75.91449] [Latitude: 38.2707, Longitude: -75.91437]

Nassawadox Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Nassawadox Creek Warning Daybeacon J	21667	STRUCT DEST/TRUB	FD
Nassawadox Creek Danger Buoy K	21670	OFF STA	FD

Naval Boat Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Naval Boat Channel Light 10	10655	LT EXT	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Naval Boat Channel/General/Marine Events/Regatta (Race)	General	Marine Events	2024- 09-10	2024- 11-24	General/Marine Events/Regatta (Race) From: 2024-09-10 To: 2024-11-24 Location: 36.96416° N / 76.30215° W 36.95846° N / 76.2935° W 36.95686° N / 76.27393° W 36.95851° N / 76.30497° W 36.96416° N / 76.30215° W The Broad Bay Sailing Association is sponsoring the Willoughby Racers Thursday Races on April 4 running until November 24, 2024 in Willoughby Bay, Norfolk VA. The sailboats will begin transiting to the racing area at 6:00 p.m. Mariners are requested to use caution when transiting the area.	POLYGON [Latitude: 36.96416, Longitude: -76.30215] [Latitude: 36.95846, Longitude: -76.2935] [Latitude: 36.95686, Longitude: -76.27393] [Latitude: 36.95851, Longitude: -76.30497] [Latitude: 36.96416, Longitude: -76.30215]

Neuse River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Neuse River Channel Daybeacon 45	34065	DAYMK MISSING	FD
Neuse River Channel Daybeacon 50	34115	STRUCT DEST/TRUB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Western Part Of Pamlico Sound - Neuse River/General/Bridges/Modification	General	Bridges	2024-10-21	2024-11-11	<p>All interested parties are notified that the Commander, Fifth Coast Guard District has submitted a completion report to the National Oceanic and Atmospheric Administration (NOAA) in order to correct the existing vertical clearance on the NOAA chart, 11552, for the existing fixed highway State Route 1302 (Janiero Rd) Bridge across Dawsons Creek, at Janiero, Pamlico County, North Carolina. WATERWAY AND LOCATION: Dawson Creek, mile 0.1, at Pamlico County, NC. PURPOSE OF CHART CORRECTION: The existing bridge was permitted in 1963 at which time the US Army Corps of Engineers was responsible for permitting bridge construction over navigable waters of the United States. The permit and plan sheets approved identified a vertical clearance at the center of the navigational channel of 11 feet above mean high water (MHW). The 1963 plan sheets indicated that the low steel elevation (or lowest part of the bridge at the navigation channel) was elevation 12.9 feet and MHW elevation is 1.9 feet, thus giving the 11 feet vertical clearance at the center of the navigation channel. During the review process of a recent application submission for the replacement of the bridge, the United States Coast Guard, in consultation with the North Carolina Department of Transportation (NCDOT), determined that the NOAA chart incorrectly cites the vertical clearance of</p>	<p>POINT [Latitude: 34.99323, Longitude: -76.75709]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					the bridge as 3.9 meters (12.8-feet) above MHW. To ensure the safety of mariners and to provide the most accurate vertical clearance, NCDOT has verified the existing vertical clearance is 10.61 feet above MHW at the center of the navigational channel. The existing fixed bridge, State Route 1302 (Janiero Rd) Bridge across Dawsons Creek, mile 0.1, at Janiero, Pamlico County, North Carolina has a horizontal clearance of 32 feet and a vertical clearance of 10.61 feet above mean high water.	
Western Part Of Pamlico Sound - Neuse River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-17	2025-04-15	<p>ATON/Federal Discrepancies From: 2024-10-17 To: 2025-04-15 Location: 35.08714° N / 76.54416° W Aid Name: Neuse River Warning Daybeacon LLNR: 33598 Discrepancy Information: Initial Report DTG: 171847Z OCT 2024 Summary: DBD DEST</p>	POINT [Latitude: 35.08714, Longitude: -76.54416]

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Neuse River Warning Daybeacon	33598	WATCHING PROPERLY	FD	2024-10-30

New Jersey Intracoastal Waterway

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
New Jersey Intracoastal Waterway Daybeacon 37	35110	STRUCT DEST/TRLB	FD
New Jersey Intracoastal Waterway Buoy 116A	35467	OFF STA/TRUB	FD
New Jersey Intracoastal Waterway Lighted Buoy 120	35480	OFF STA	FD
New Jersey Intracoastal Waterway Junction Lighted Buoy LEI	35485	MISSING	FD
New Jersey Intracoastal Waterway Lighted Buoy 181	35740	LT EXT/BUOY DMGD	FD
New Jersey Intracoastal Waterway Buoy 249	35975	MISSING	FD
New Jersey Intracoastal Waterway Light 260	36000	STRUCT DEST/HAZ NAV/TRLB	FD
New Jersey Intracoastal Waterway Daybeacon 385	36427	STRUCT DMGD	FD
New Jersey Intracoastal Waterway Light 461	36665	STRUCT MISSING/TRLB/HAZ NAV	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ship Channel Buoy 3	1335	SINKING	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General/Navigation/To Navigation/Shoaling Reported	General/Hazards To Navigation	Hazards To Navigation	2024-08-01	2025-11-18	General/Hazards To Navigation/Shoaling Reported Shoaling has been observed between Little Egg Inlet Buoy 1 (LLNR 1100) and Little Egg Inlet Buoy 4 (LLNR 1115). Shoaling has encroached channel ward in between the aids. Minimal depths observed at low tide 4ft. From: 2024-08-01 To: 2025-11-18 Location: 39.48647° N / 74.29743° W	POLYGON [Latitude: 39.48647, Longitude: -74.29743] [Latitude: 39.47315, Longitude: -74.26688] [Latitude: 39.46216, Longitude: -74.27546] [Latitude: 39.47759, Longitude: -74.30713] [Latitude: 39.48647, Longitude: -74.29743]
Cape May Inlet - New Jersey Intracoastal Waterway/General/Navigation/To Navigation/Shoaling Reported	General/Hazards To Navigation	Hazards To Navigation	2024-08-01	2025-05-15	General/Hazards To Navigation/Shoaling Reported Shoaling has been observed between Great Egg Harbor Inlet Buoy 7 (LLNR 1288) and the charted location of Buoy 9 (LLNR 1291) with a MLW depth of 4ft in the channel. See DB BNM 0062-24. From: 2024-08-01 To: 2025-05-15 Location: 39.50418° N / 74.30899° W	POLYGON [Latitude: 39.50418, Longitude: -74.30899] [Latitude: 39.48676, Longitude: -74.30049] [Latitude: 39.48385, Longitude: -74.31045] [Latitude: 39.5016, Longitude: -74.3186] [Latitude: 39.50418, Longitude: -74.30899]
Cape May Inlet - New Jersey Intracoastal Waterway/General/Construction (Excluding Bridges)/Dredging	General/Marine Construction (Excluding Bridges)	Marine Construction (Excluding Bridges)	2024-08-27	2025-04-30	General/Marine Construction (Excluding Bridges)/Dredging Dredge staging area for : Great Lakes Dredge and Dock Co. LLC is working on a beach nourishment project. Hopper dredge "Liberty Island" will include dredging operations on the coast of Long Beach Island, New Jersey. Dredged material will be transported through a 30" diameter pipe from the dredge to five (5) different beach fill areas. Material from one borrow area: D1 BA	POLYGON [Latitude: 39.39174, Longitude: -74.42698] [Latitude: 39.39024, Longitude: -74.42467] [Latitude: 39.38929, Longitude: -74.42134] [Latitude: 39.38842, Longitude: -74.42204] [Latitude: 39.38995, Longitude: -74.4266] [Latitude: 39.39174, Longitude: -74.42698]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey	General	Marine Construction	2024- 09-03	2025- 04-30	<p>located about 2-3 miles offshore of Long Beach Island, approximate center point 39-40-06.913N, 074-05-25.360W. See proposed subline locations for Holgate, Beach Haven, North Beach Haven, Harvey Cedars & Lovelady's Beaches on Long Beach Island. GLDD continues to maintain the northwest waterside staging areas on the northeast side of Absecon Inlet in Atlantic City where rafted pipeline and equipment will be stored until towed to the Barnegat Inlet Staging Area. The survey vessel and crew transfer vessel Saginaw River will traverse between the work areas and the Inlets throughout duration of the project. Other equipment on scene can include Booster Jack, Anchor Barges 111 & 116, Derrick 66, Crew Boat Saginaw River, Crew Boat St. Johns River, Tug Cavalier State, Tug Sherena B Cheramie, Tug Caspian Dawn. Operations will begin September 1, 2024 to April 30, 2025 and will be conducted 24 hours per day, 7 days per week. All vessels can be contract on VHF-FM 13 and 16. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. From: 2024-08-27 To: 2025-04-30 Location: 39.39174° N / 74.42698° W 39.39024° N / 74.42467° W 39.38929° N / 74.42134° W 39.38842° N / 74.42204° W 39.38995° N / 74.4266° W 39.39174° N / 74.42698° W</p>	<p>LINE [Latitude: 39.6898, Longitude:</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION [Latitude: 39.69403, Longitude: -74.12545] -74.13897]
Intracoastal Waterway/General/Marine Construction (Excluding Bridges)/Dredging					<p>(Excluding Bridges)/Dredging Dredge Subline: Great Lakes Dredge and Dock Co. LLC is working on a beach nourishment project. Hopper dredge "Liberty Island" will include dredging operations on the coast of Long Beach Island, New Jersey. Dredged material will be transported through a 30" diameter pipe from the dredge to five (5) different beach fill areas. Material from one borrow area: D1 BA located about 2-3 miles offshore of Long Beach Island, approximate center point 39-40-06.913N, 074-05-25.360W. See proposed subline locations for Holgate, Beach Haven, North Beach Haven, Harvey Cedars & Lovelady's Beaches on Long Beach Island. GLDD continues to maintain the northwest waterside staging areas on the northeast side of Absecon Inlet in Atlantic City where rafted pipeline and equipment will be stored until towed to the Barnegat Inlet Staging Area. The survey vessel and crew transfer vessel Saginaw River will traverse between the work areas and the Inlets throughout duration of the project. Other equipment on scene can include Booster Jack, Anchor Barges 111 & 116, Derrick 66, Crew Boat Saginaw River, Crew Boat St. Johns River, Tug Cavalier State, Tug Sherena B Cheramie, Tug Caspian Dawn.</p> <p>Operations will begin September 1, 2024 to April 30, 2025 and will be conducted 24 hours per day, 7 days per week. All vessels can be contract on VHF-FM 13 and 16. Mariners are urged to transit at their slowest safe speed to</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					minimize wake and proceed with caution after passing arrangements have been made. From: 2024-09-03 To: 2025-04-30 Location: 39.6898° N / 74.12545° W 39.69403° N / 74.13897° W	
Cape May Inlet - New Jersey Intracoastal Waterway/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-09-03	2025-04-30	General/Marine Construction (Excluding Bridges)/Dredging Dredge Subline: Great Lakes Dredge and Dock Co. LLC is working on a beach nourishment project. Hopper dredge "Liberty Island" will include dredging operations on the coast of Long Beach Island, New Jersey. Dredged material will be transported through a 30" diameter pipe from the dredge to five (5) different beach fill areas. Material from one borrow area: D1 BA located about 2-3 miles offshore of Long Beach Island, approximate center point 39-40-06.913N, 074-05-25.360W. See proposed subline locations for Holgate, Beach Haven, North Beach Haven, Harvey Cedars & Lovelady's Beaches on Long Beach Island. GLDD continues to maintain the northwest waterside staging areas on the northeast side of Absecon Inlet in Atlantic City where rafted pipeline and equipment will be stored until towed to the Barnegat Inlet Staging Area. The survey vessel and crew transfer vessel Saginaw River will traverse between the work areas and the Inlets throughout duration of the project. Other equipment on scene can include Booster Jack, Anchor Barges 111 & 116, Derrick 66, Crew Boat Saginaw River, Crew Boat St. Johns River, Tug Cavalier State, Tug Sherena B	LINE [Latitude: 39.72365, Longitude: -74.09967] [Latitude: 39.72467, Longitude: -74.12275]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>Cheremie, Tug Caspian Dawn.</p> <p>Operations will begin September 1, 2024 to April 30, 2025 and will be conducted 24 hours per day, 7 days per week. All vessels can be contract on VHF-FM 13 and 16. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. From: 2024-09-03 To: 2025-04-30 Location: 39.72365° N / 74.09967° W 39.72467° N / 74.12275° W</p>	
Cape May Inlet - New Jersey Intracoastal Waterway/General/Bridges/Modification	General	Bridges	2024-09-19	2025-04-25	<p>Mariners are advised that an engineering firm, will be installing junction boxes, conduit, wire and decorative lighting fixtures on the New Jersey State Route 52 Bridge over Beach Thorofare and Ship Channel, mile 1.0, Egg Harbor Township, NJ. Maintenance will be from September 11, 2024, through April 25, 2025. Work will not be performed over the waterways and will not reduce the vertical and horizontal clearance of the navigational channel. The manager of field operations can be contacted by phone (609) 685-6674. All mariners should use caution when transiting the area.</p>	<p>POINT [Latitude: 39.305815, Longitude: -74.59701]</p>
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-03	2025-10-03	<p>ATON/Federal Discrepancies From: 2024-10-03 To: 2024-10-17 Location: 38.9992° N / 74.83656° W Aid Name: New Jersey Intracoastal Waterway Light 461 LLNR: 36665 Discrepancy Information: Initial Report DTG: 031713Z OCT 2024 Summary: STRUCT MISSING/TRLB Temporary Response DTG: 031714Z OCT 2024 Temporary Response: TLB</p>	<p>POINT [Latitude: 38.9992, Longitude: -74.83656]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024-10-15	2024-12-31	Kokosing Industrial will begin installing a submerged power cable from Berkley Township to Seaside Park Borough, NJ across Barnegat Bay. Project will take approximately 4 weeks and will be completed between November 1, 2024 and December 31, 2024. Several barges, a push boat and work boat will be used. All vessels will monitor VHF-FM 13 and 16. All vessels are required to remain 1500ft away from construction vessels.	LINE [Latitude: 39.92006, Longitude: -74.11005] [Latitude: 39.91399, Longitude: -74.08564]
Cape May Inlet - New Jersey Intracoastal Waterway/General Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-15	2025-01-30	Dredge Area: The dredge D-15, of Mobile Dredging and Video Pipe, Inc., will be performing dredging operations in Traders Cove Marina, in Mantoloking, NJ, beginning on October 23, 2024, and continue until January 30, 2025. All dredging operations will take place within Traders Cove Marina, but 9,000 feet of pipeline will run north of the marina along Gunners Ditch to the discharge location in Edwin B. Forsythe National Wildlife Refugee marsh. The pipeline will be marked with buoys and lights. The dredge D-15 can be contacted via VHF radio channels 13 and 72. Mariners are urged to transit the area with caution. Permit numbers for the above project: US Army Corps of Engineers: CENAP-OP-R-2017-00755-86 NJ DEP Watershed: 1506-21-0030.1 NJ DEP Watershed: LUP2100001	POLYGON [Latitude: 40.04268, Longitude: -74.05818] [Latitude: 40.04156, Longitude: -74.05628] [Latitude: 40.04082, Longitude: -74.05653] [Latitude: 40.04225, Longitude: -74.0593] [Latitude: 40.04268, Longitude: -74.05818]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	Hazards	Hazards To Navigation	2024- 07-24	2025- 07-23	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Light 233 (LLNR 35905) and New Jersey Intracoastal Waterway Daybeacon 234 (LLNR 35910) based on ACOE Survey August 24, 2023. From: 2024-07- 24 To: 2025-07-23 Location: 39.32904° N / 74.53788° W	POLYGON [Latitude: 39.32904, Longitude: -74.53788] [Latitude: 39.32851, Longitude: -74.53747] [Latitude: 39.32615, Longitude: -74.54147] [Latitude: 39.32653, Longitude: -74.54185] [Latitude: 39.32904, Longitude: -74.53788] 39.32851° N / 74.53747° W 39.32615° N / 74.54147° W 39.32653° N / 74.54185° W 39.32904° N / 74.53788° W
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	Hazards	Hazards To Navigation	2024- 07-29	2025- 05-14	General/Hazards To Navigation/Shoaling Reported Shoaling reported developing in the vicinity of New Jersey Intracoastal Waterway Junction Lighted Buoy LEI (LLNR 35485). From: 2024-07-29 To: 2025- 05-14 Location:	POLYGON [Latitude: 39.50532, Longitude: -74.31137] [Latitude: 39.50499, Longitude: -74.30972] [Latitude: 39.50284, Longitude: -74.31071] [Latitude: 39.50326, Longitude: -74.31229] [Latitude: 39.50532, Longitude: -74.31137] 39.50532° N / 74.31137° W 39.50499° N / 74.30972° W 39.50284° N / 74.31071° W 39.50326° N / 74.31229° W 39.50532° N / 74.31137° W
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	Hazards	Hazards To Navigation	2024- 07-24	2025- 10-01	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Daybeacon 245 (LLNR 35945) and New Jersey Intracoastal Waterway Buoy 246 (LLNR 35955) based on ACOE Survey August 24, 2023. From: 2024-07-24 To: 2025-10-01 Location:	POLYGON [Latitude: 39.30956, Longitude: -74.56104] [Latitude: 39.30956, Longitude: -74.56018] [Latitude: 39.30461, Longitude: -74.55855] [Latitude: 39.30433, Longitude: -74.55926] [Latitude: 39.30956, Longitude: -74.56104] 39.30956° N / 74.56104° W 39.30956° N / 74.56018° W 39.30461° N / 74.55855° W 39.30433° N / 74.55926° W 39.30956° N / 74.56104° W

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	Hazards To Navigation		2024-07-24	2025-08-12	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Buoy 419 (LLNR 36520) and New Jersey Intracoastal Waterway Daybeacon 429 (LLNR 36550) based on ACOE Survey June 25, 2024. From: 2024-07- 24 To: 2025-08-12 Location: 39.04532° N / 74.77873° W	POLYGON [Latitude: 39.04532, Longitude: -74.77873] [Latitude: 39.04486, Longitude: -74.77863] [Latitude: 39.04468, Longitude: -74.78051] [Latitude: 39.04193, Longitude: -74.78239] [Latitude: 39.04275, Longitude: -74.78796] [Latitude: 39.0416, Longitude: -74.79115] [Latitude: 39.0419, Longitude: -74.7915] [Latitude: 39.04311, Longitude: -74.78799] [Latitude: 39.04236, Longitude: -74.78306] [Latitude: 39.04363, Longitude: -74.78216] [Latitude: 39.04505, Longitude: -74.78095] [Latitude: 39.04532, Longitude: -74.77873]
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	Hazards To Navigation		2024-07-24	2025-08-01	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Daybeacon 207 (LLNR 35830) and New Jersey Intracoastal Waterway Daybeacon 209 (LLNR 35835) based on ACOE Survey July 11, 2023. From: 2024-07-24 To: 2025-08-01 Location: 39.35996° N / 74.4499° W 39.35975° N / 74.44967° W 39.35807° N / 74.45279° W 39.3583° N / 74.453° W 39.35996° N / 74.4499° W	POLYGON [Latitude: 39.35996, Longitude: -74.4499] [Latitude: 39.35975, Longitude: -74.44967] [Latitude: 39.35807, Longitude: -74.45279] [Latitude: 39.3583, Longitude: -74.453] [Latitude: 39.35996, Longitude: -74.4499]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	Hazards	Hazards To Navigation	2024- 07-24	2025- 03-01	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Daybeacon 129 (LLNR 35530) and New Jersey Intracoastal Waterway Lighted Buoy 130A (LLNR 35536) based on ACOE Survey May 13, 2024. From: 2024-07- 24 To: 2025-03-01 Location: 39.50252° N / 74.34417° W 39.50208° N / 74.34278° W 39.49962° N / 74.34539° W 39.50016° N / 74.34677° W 39.50252° N / 74.34417° W	POLYGON [Latitude: 39.50252, Longitude: -74.34417] [Latitude: 39.50208, Longitude: -74.34278] [Latitude: 39.49962, Longitude: -74.34539] [Latitude: 39.50016, Longitude: -74.34677] [Latitude: 39.50252, Longitude: -74.34417]
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	Hazards	Hazards To Navigation	2024- 08-01	2025- 08-19	General/Hazards To Navigation/Shoaling Reported Shoaling has been reported between New Jersey Intracoastal Waterway Daybeacon 159 (LLNR 35640) and New Jersey Intracoastal Waterway Light 160 (LLNR 35645). At low tide, area is impassable.	POLYGON [Latitude: 39.45097, Longitude: -74.39171] [Latitude: 39.44776, Longitude: -74.39136] [Latitude: 39.44772, Longitude: -74.39223] [Latitude: 39.45096, Longitude: -74.39253] [Latitude: 39.45097, Longitude: -74.39171]
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	Hazards	Hazards To Navigation	2024- 07-24	2025- 06-19	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Buoy 263 (LLNR 36007) and New Jersey Intracoastal Waterway Buoy 263A (LLNR 36009) based on ACOE Survey June 4, 2024. From: 2024- 07-24 To: 2025-06-19 Location: 39.27929° N / 74.59812° W 39.27876° N / 74.59667° W 39.27754° N / 74.59991° W 39.27811° N / 74.60046° W 39.27929° N / 74.59812° W	POLYGON [Latitude: 39.27929, Longitude: -74.59812] [Latitude: 39.27876, Longitude: -74.59667] [Latitude: 39.27754, Longitude: -74.59991] [Latitude: 39.27811, Longitude: -74.60046] [Latitude: 39.27929, Longitude: -74.59812]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	General/ Hazards	Hazards To Navigation	2024- 07-24	2025- 06-19	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Buoy 263 (LLNR 36007) and New Jersey Intracoastal Waterway Buoy 263A (LLNR 36009) based on ACOE Survey June 4, 2024. From: 2024- 07-24 To: 2025-06-19 Location: 39.27929° N / 74.59812° W 39.27876° N / 74.59667° W 39.27754° N / 74.59991° W 39.27811° N / 74.60046° W 39.27929° N / 74.59812° W	POLYGON [Latitude: 39.27929, Longitude: -74.59812] [Latitude: 39.27876, Longitude: -74.59667] [Latitude: 39.27754, Longitude: -74.59991] [Latitude: 39.27811, Longitude: -74.60046] [Latitude: 39.27929, Longitude: -74.59812]
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	General/ Hazards	Hazards To Navigation	2024- 07-24	2025- 09-01	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Daybeacon 239 (LLNR 35930) and New Jersey Intracoastal Waterway Daybeacon 243 (LLNR 35945) based on ACOE Survey August 24, 2023. From: 2024-07- 24 To: 2025-09-01 Location: 39.31754° N / 74.55629° W 39.31698° N / 74.55577° W 39.31465° N / 74.55953° W 39.31594° N / 74.56053° W 39.31754° N / 74.55629° W	POLYGON [Latitude: 39.31754, Longitude: -74.55629] [Latitude: 39.31698, Longitude: -74.55577] [Latitude: 39.31465, Longitude: -74.55953] [Latitude: 39.31594, Longitude: -74.56053] [Latitude: 39.31754, Longitude: -74.55629]
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	General/ Hazards	Hazards To Navigation	2024- 07-24	2025- 07-23	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Light 233 (LLNR 35905) and New Jersey Intracoastal Waterway Daybeacon 234 (LLNR 35910) based on ACOE Survey August 24, 2023. From: 2024-07- 24 To: 2025-07-23 Location: 39.32904° N / 74.53788° W 39.32851° N / 74.53747° W 39.32615° N / 74.54147° W 39.32653° N / 74.54185° W 39.32904° N / 74.53788° W	POLYGON [Latitude: 39.32904, Longitude: -74.53788] [Latitude: 39.32851, Longitude: -74.53747] [Latitude: 39.32615, Longitude: -74.54147] [Latitude: 39.32653, Longitude: -74.54185] [Latitude: 39.32904, Longitude: -74.53788]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	General/ Hazards	Hazards To Navigation	2024- 07-24	2025- 07-30	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Daybeacon 385 (LLNR 36427) and New Jersey Intracoastal Waterway Daybeacon 399 (LLNR 36470) based on ACOE Survey August 23, 2023. From: 2024-07- 24 To: 2025-07-30 Location: 39.09715° N / 74.76586° W 39.09655° N / 74.76436° W 39.0803° N / 74.77152° W 39.07813° N / 74.77157° W 39.0745° N / 74.76629° W 39.07367° N / 74.76676° W 39.07817° N / 74.77539° W 39.08659° N / 74.77118° W 39.09715° N / 74.76586° W	POLYGON [Latitude: 39.09715, Longitude: -74.76586] [Latitude: 39.09655, Longitude: -74.76436] [Latitude: 39.0803, Longitude: -74.77152] [Latitude: 39.07813, Longitude: -74.77157] [Latitude: 39.0745, Longitude: -74.76629] [Latitude: 39.07367, Longitude: -74.76676] [Latitude: 39.07817, Longitude: -74.77539] [Latitude: 39.08659, Longitude: -74.77118] [Latitude: 39.09715, Longitude: -74.76586]
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	General/ Hazards	Hazards To Navigation	2024- 07-24	2025- 03-01	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Light 141 (LLNR 35575) and New Jersey Intracoastal Waterway Daybeacon 144 (LLNR 35585) based on ACOE Survey May 14, 2024. From: 2024-07-24 To: 2025-03-01 Location: 39.4904° N / 74.38131° W 39.48482° N / 74.37515° W 39.48441° N / 74.37577° W 39.49002° N / 74.38197° W 39.4904° N / 74.38131° W	POLYGON [Latitude: 39.4904, Longitude: -74.38131] [Latitude: 39.48482, Longitude: -74.37515] [Latitude: 39.48441, Longitude: -74.37577] [Latitude: 39.49002, Longitude: -74.38197] [Latitude: 39.4904, Longitude: -74.38131]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-07-29	2025-11-04	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of Oyster Creek Channel Buoy 38 (LLNR 1090) and Oyster Creek Channel Buoy 40 (LLNR 1095) New Jersey Intracoastal Waterway Buoy 263 (LLNR 36007) and New Jersey Intracoastal Waterway Buoy 263A (LLNR 36009) based on ACOE Survey May 7, 2024.* From: 2024-07-29 To: 2025-11-04 Location: 39.79244° N / 74.1518° W 39.79158° N / 74.15169° W 39.79071° N / 74.15897° W 39.79157° N / 74.15918° W 39.79244° N / 74.1518° W	POLYGON [Latitude: 39.79244, Longitude: -74.1518] [Latitude: 39.79158, Longitude: -74.15169] [Latitude: 39.79071, Longitude: -74.15897] [Latitude: 39.79157, Longitude: -74.15918] [Latitude: 39.79244, Longitude: -74.1518]
Cape May Inlet - New Jersey Intracoastal Waterway/General Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-21	2025-01-01	Borel Docks Marine Construction will dredge Liberty Harbor, Grand Bay Harbor in Waretown, NJ starting November 11, 2024 to December 31, 2024. Barges with Excavators will be utilized as well as a push boat. For more information, call 609-693-7887.	POLYGON [Latitude: 39.78504, Longitude: -74.18655] [Latitude: 39.78462, Longitude: -74.18443] [Latitude: 39.78405, Longitude: -74.18459] [Latitude: 39.78449, Longitude: -74.18676] [Latitude: 39.78504, Longitude: -74.18655]
Cape May Inlet - New Jersey Intracoastal Waterway/General To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-07-29	2025-10-01	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Daybeacon 49 (LLNR 36180) based on ACOE Survey December 21, 2022. From: 2024-07-29 To: 2025-10-01 Location: No coordinates available	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 07-24	2025- 10-01	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Daybeacon 245 (LLNR 35945) and New Jersey Intracoastal Waterway Buoy 246 (LLNR 35955) based on ACOE Survey August 24, 2023. From: 2024-07-24 To: 2025-10-01 Location:	POLYGON [Latitude: 39.30956, Longitude: -74.56104] [Latitude: 39.30956, Longitude: -74.56018] [Latitude: 39.30461, Longitude: -74.55855] [Latitude: 39.30433, Longitude: -74.55926] [Latitude: 39.30956, Longitude: -74.56104] 39.30956° N / 74.56104° W 39.30956° N / 74.56018° W 39.30461° N / 74.55855° W 39.30433° N / 74.55926° W 39.30956° N / 74.56104° W
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 07-24	2025- 08-01	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Daybeacon 221 (LLNR 35867) based on ACOE Survey May 20, 2024. From: 2024-07- 24 To: 2025-08-01 Location: 39.34499° N / 74.50288° W	POLYGON [Latitude: 39.34499, Longitude: -74.50288] [Latitude: 39.34473, Longitude: -74.50285] [Latitude: 39.34466, Longitude: -74.50512] [Latitude: 39.34491, Longitude: -74.50513] [Latitude: 39.34499, Longitude: -74.50288] 39.34473° N / 74.50285° W 39.34466° N / 74.50512° W 39.34491° N / 74.50513° W 39.34499° N / 74.50288° W
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024- 10-31	2025- 10-31	ATON/Federal Discrepancies From: 2024-10-31 To: 2025- 10-31 Location: 39.27839° N / 74.59146° W Aid Name: New Jersey Intracoastal Waterway Light 260 LLNR: 36000 Discrepancy Information: Initial Report DTG: 311550Z OCT 2024 Summary: STRUCT DEST/HAZ NAV/TRLB Temporary Response DTG: 311550Z OCT 2024 Temporary Response: TLB	POINT [Latitude: 39.27839, Longitude: -74.59146]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024- 10-30	2024- 12-15	Caldwell Marine International, LLC will be conducting an outfall repair in Barnegat Bay, NJ, for the Ocean County Utilities Authority (OCUA), beginning on 11/02/2024. The work/operational barge will operate on spuds for mooring, at Lat N39 degrees, 54.494 minutes, Long W74 degrees, 06.967 minutes. The equipment will mobilize from Lat N39 degrees, 44.751 minutes, Long W74 degrees, 11.754 minutes. Equipment on site will be a work/operational barge (60ft length x 36 ft beam), and a support tug 'Angel' (26 ft length x 11 ft beam); crew work boat: 'Patty C' (26' ft length x 10 ft beam); crew work boat: 'Carolina Skiff' (24 ft length x 10 ft beam) monitoring Hailing Channel VHF CH13 and CH16, Working Channel VHF CH73. Wide berth is requested as divers will be in the water for the duration of the repair. The barge platform will be illuminated from dusk to dawn with fixed white lights with a visible range of 2 nautical miles. Project is expected to be completed by December 15, 2024.	POLYGON [Latitude: 39.90911, Longitude: -74.11845] [Latitude: 39.90911, Longitude: -74.11443] [Latitude: 39.90551, Longitude: -74.11432] [Latitude: 39.90551, Longitude: -74.11856] [Latitude: 39.90911, Longitude: -74.11845]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024- 11-05	2025- 03-31	<p>Scarborough Marine Group Inc., will be performing mechanical dredging operations in multiple harbors in Ocean City, NJ, beginning on November 25, 2024, and continue until March 31, 2025. The harbors where dredging will be conducted are as follows: Sunny Harbor (latitude 39° 16.60' N, longitude 074° 35.91' W), Snug Harbor (latitude 39° 16.97' N, longitude 074° 34.78' W), Brittany Street Outfall (latitude 39° 17.77' N, longitude 074° 33.64' W), 9th Street Outfall (latitude 39° 16.96' N, longitude 074° 34.88' W). Dredging operations will be conducted Monday through Friday, from sunrise to sunset. Equipment on site for the dredging operations will include push boats, hopper barges, and work skiffs. The Push Boat "Ed" and Push Boat "Yeoman" can be contacted via VHF radio channel 16 or 72. Mariners are reminded to transit the above locations with caution.</p>	<p>POLYGON [Latitude: 39.28284, Longitude: -74.58092] [Latitude: 39.28256, Longitude: -74.58061] [Latitude: 39.28232, Longitude: -74.58107] [Latitude: 39.28258, Longitude: -74.5813] [Latitude: 39.28284, Longitude: -74.58092]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024- 11-05	2025- 03-31	<p>Scarborough Marine Group Inc., will be performing mechanical dredging operations in multiple harbors in Ocean City, NJ, beginning on November 25, 2024, and continue until March 31, 2025. The harbors where dredging will be conducted are as follows: Sunny Harbor (latitude 39° 16.60' N, longitude 074° 35.91' W), Snug Harbor (latitude 39° 16.97' N, longitude 074° 34.78' W), Brittany Street Outfall (latitude 39° 17.77' N, longitude 074° 33.64' W), 9th Street Outfall (latitude 39° 16.96' N, longitude 074° 34.88' W). Dredging operations will be conducted Monday through Friday, from sunrise to sunset. Equipment on site for the dredging operations will include push boats, hopper barges, and work skiffs. The Push Boat "Ed" and Push Boat "Yeoman" can be contacted via VHF radio channel 16 or 72. Mariners are reminded to transit the above locations with caution.</p>	<p>POLYGON [Latitude: 39.27724, Longitude: -74.59885] [Latitude: 39.2766, Longitude: -74.59797] [Latitude: 39.27475, Longitude: -74.59861] [Latitude: 39.27108, Longitude: -74.59445] [Latitude: 39.27078, Longitude: -74.59475] [Latitude: 39.27473, Longitude: -74.59917] [Latitude: 39.27633, Longitude: -74.5988] [Latitude: 39.27676, Longitude: -74.59963] [Latitude: 39.27724, Longitude: -74.59885]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024- 11-05	2025- 03-31	Scarborough Marine Group Inc., will be performing mechanical dredging operations in multiple harbors in Ocean City, NJ, beginning on November 25, 2024, and continue until March 31, 2025. The harbors where dredging will be conducted are as follows: Sunny Harbor (latitude 39° 16.60' N, longitude 074° 35.91' W), Snug Harbor (latitude 39° 16.97' N, longitude 074° 34.78' W), Brittany Street Outfall (latitude 39° 17.77' N, longitude 074° 33.64' W), 9th Street Outfall (latitude 39° 16.96' N, longitude 074° 34.88' W). Dredging operations will be conducted Monday through Friday, from sunrise to sunset. Equipment on site for the dredging operations will include push boats, hopper barges, and work skiffs. The Push Boat "Ed" and Push Boat "Yeoman" can be contacted via VHF radio channel 16 or 72. Mariners are reminded to transit the above locations with caution.	POLYGON [Latitude: 39.28339, Longitude: -74.57997] [Latitude: 39.28218, Longitude: -74.57837] [Latitude: 39.28189, Longitude: -74.57884] [Latitude: 39.2831, Longitude: -74.58046] [Latitude: 39.28339, Longitude: -74.57997]
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/ Federal Discrepancies	ATON	Federal Discrepancies	2024- 10-30	2025- 04-28	ATON/Federal Discrepancies From: 2024-10-30 To: 2025-04-28 Location: 39.39195° N / 74.42888° W Aid Name: New Jersey Intracoastal Waterway Lighted Buoy 181 LLNR: 35740 Discrepancy Information: Initial Report DTG: 301907Z OCT 2024 Summary: LT EXT/BUOY DMGD	POINT [Latitude: 39.39195, Longitude: -74.42888]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024- 11-05	2025- 03-31	<p>Scarborough Marine Group Inc., will be performing mechanical dredging operations in multiple harbors in Ocean City, NJ, beginning on November 25, 2024, and continue until March 31, 2025. The harbors where dredging will be conducted are as follows: Sunny Harbor (latitude 39° 16.60' N, longitude 074° 35.91' W), Snug Harbor (latitude 39° 16.97' N, longitude 074° 34.78' W), Brittany Street Outfall (latitude 39° 17.77' N, longitude 074° 33.64' W), 9th Street Outfall (latitude 39° 16.96' N, longitude 074° 34.88' W). Dredging operations will be conducted Monday through Friday, from sunrise to sunset. Equipment on site for the dredging operations will include push boats, hopper barges, and work skiffs. The Push Boat "Ed" and Push Boat "Yeoman" can be contacted via VHF radio channel 16 or 72. Mariners are reminded to transit the above locations with caution.</p>	<p>POLYGON [Latitude: 39.29656, Longitude: -74.56078] [Latitude: 39.29628, Longitude: -74.56043] [Latitude: 39.29585, Longitude: -74.56105] [Latitude: 39.2962, Longitude: -74.56143] [Latitude: 39.29656, Longitude: -74.56078]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024- 10-15	2025- 01-30	Dredge Pipeline: The dredge D-15, of Mobile Dredging and Video Pipe, Inc., will be performing dredging operations in Traders Cove Marina, in Mantoloking, NJ, beginning on October 23, 2024, and continue until January 30, 2025. All dredging operations will take place within Traders Cove Marina, but 9,000 feet of pipeline will run north of the marina along Gunners Ditch to the discharge location in Edwin B. Forsythe National Wildlife Refuge marsh. The pipeline will be marked with buoys and lights. The dredge D-15 can be contacted via VHF radio channels 13 and 72. Mariners are urged to transit the area with caution. Permit numbers for the above project: US Army Corps of Engineers: CENAP-OP-R-2017-00755-86 NJ DEP Watershed: 1506-21-0030.1 NJ DEP Watershed: LUP210001	LINE [Latitude: 40.04345, Longitude: -74.05751] [Latitude: 40.04614, Longitude: -74.05758] [Latitude: 40.04943, Longitude: -74.05717] [Latitude: 40.05084, Longitude: -74.05741] [Latitude: 40.05063, Longitude: -74.06324] [Latitude: 40.05056, Longitude: -74.06706]

New River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
New River Channel Wreck Light WR12	29735	STRUCT DEST/TRLB	FD
New River Channel Light 13	29740	STRUCT DEST/TRLB	FD
New River Channel Daybeacon 15	29745	STRUCT DEST/TRUB	FD
New River Channel Daybeacon 21	29800	STRUCT DEST/TRUB	FD
New River Channel Buoy 29	29830	MISSING	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
New River Inlet - New River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 09-25	2025- 09-29	Shoaling exists in the vicinity of the channel to Jacksonville spanning the entire width of the channel between New River Channel Daybeacon 16 (LLNR 29750) and New River Channel Light 17 (LLNR 29760). Depths reported of 4ft MLW	POLYGON [Latitude: 34.56775, Longitude: -77.36728] [Latitude: 34.56646, Longitude: -77.36438] [Latitude: 34.56137, Longitude: -77.35885] [Latitude: 34.561, Longitude: -77.35962] [Latitude: 34.56585, Longitude: -77.36503] [Latitude: 34.56709, Longitude: -77.36786] [Latitude: 34.56775, Longitude: -77.36728]
						New River Inlet - New River/ATON/Federal Discrepancies

New River Cape Fear River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
New River - Cape Fear River Daybeacon 59	39445	STRUCT MISSING/TRUB	FD
New River - Cape Fear River Light 122	39600	STRUCT DEST/TRLB	FD
New River - Cape Fear River Buoy 122A	39601	BUOY DMGD	FD
New River - Cape Fear River Daybeacon 123	39605	STRUCT DEST/TRUB	FD
New River - Cape Fear River Daybeacon 124	39610	STRUCT DEST/TRUB	FD
New River - Cape Fear River Light 129A	39635	STRUCT DEST/TRLB	FD
New River - Cape Fear River Daybeacon 135	39650	STRUCT DEST/TRUB	FD
New River - Cape Fear River Light 137	39655	STRUCT DEST/TRLB	FD
New River - Cape Fear River Daybeacon 138	39660	STRUCT DEST/TRUB	FD
New River - Cape Fear River Daybeacon 149	39700	STRUCT DEST/TRUB	FD
New River - Cape Fear River Daybeacon 150	39705	STRUCT DEST/TRUB	FD
New River - Cape Fear River Light 153	39720	STRUCT DEST/TRUB	FD
New River - Cape Fear River Daybeacon 159	39750	STRUCT DEST/TRUB	FD
New River - Cape Fear River Daybeacon 164	39836	STRUCT DEST/TRLB	FD
New River - Cape Fear River Daybeacon 165	39850	STRUCT DEST/TRUB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
New River - New River Cape Fear River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-09-23	2025-03-22	The shoal that is adjacent to the red side of the channel between New River - Cape Fear River Daybeacon 170 (LLNR 39860) and New River - Cape Fear River Light 168 (LLNR 39857) has encroached to the edge of the channel. Depths of 4-5ft at MLW have been observed.	POLYGON [Latitude: 34.04948, Longitude: -77.92602] [Latitude: 34.04894, Longitude: -77.92528] [Latitude: 34.04308, Longitude: -77.9286] [Latitude: 34.04345, Longitude: -77.92956] [Latitude: 34.04948, Longitude: -77.92602]
New River - New River Cape Fear River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-15	2025-04-13	ATON/Federal Discrepancies From: 2024-10-15 To: 2025-04-13 Location: 34.25194° N / 77.7807° W Aid Name: New River - Cape Fear River Buoy 122A LLNR: 39601 Discrepancy Information: Initial Report DTG: 151800Z OCT 2024 Summary: BUOY DMGD	POINT [Latitude: 34.25194, Longitude: -77.7807]
New River - New River Cape Fear River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-21	2025-10-21	ATON/Federal Discrepancies From: 2024-10-21 To: 2025-10-21 Location: 34.45231° N / 77.52589° W Aid Name: New River - Cape Fear River Daybeacon 59 LLNR: 39445 Discrepancy Information: Initial Report DTG: 211803Z OCT 2024 Summary: STRUCT MISSING/TRUB Temporary Response DTG: 251048Z OCT 2024 Temporary Response: TUB	POINT [Latitude: 34.45231, Longitude: -77.52589]
New River - New River Cape Fear River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-25	2025-04-23	ATON/Federal Discrepancies From: 2024-10-25 To: 2025-04-23 Location: 34.33843° N / 77.65797° W Aid Name: New Topsail Inlet Buoy 4 LLNR: 30000 Discrepancy Information: Initial Report DTG: 251105Z OCT 2024 Summary: MISSING	POINT [Latitude: 34.33843, Longitude: -77.65797]
New River - New River Cape Fear River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-25	2025-04-23	ATON/Federal Discrepancies From: 2024-10-25 To: 2025-04-23 Location: 34.34252° N / 77.66509° W Aid Name: New Topsail Inlet Buoy 7 LLNR: 30020 Discrepancy Information: Initial Report DTG: 251113Z OCT 2024 Summary: OFF STATION	POINT [Latitude: 34.34252, Longitude: -77.66509]

New River Inlet

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
New River Inlet Lighted Buoy 1	29655	DISCONTINUED	FD
New River Inlet Lighted Buoy 2	29660	DISCONTINUED	FD
New River Inlet Buoy 3	29665	DISCONTINUED	FD
New River Inlet Buoy 4	29670	DISCONTINUED	FD
New River Inlet Buoy 4A	29672	DISCONTINUED	FD
New River Inlet Buoy 6	29680	DISCONTINUED	FD
New River Inlet Buoy 8	29700	DISCONTINUED	FD
New River Inlet Buoy 9	29710	DISCONTINUED	FD
New River Inlet Buoy 9A	29712	DISCONTINUED	FD
New River Inlet Buoy 10	29720	DISCONTINUED	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape Hatteras To Little River Inlet - New River Inlet/General Hazard To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-09-25	2025-04-13	<p>Significant shoaling has occurred in New River Inlet between New River Inlet Lighted Buoy 1 (LLNR 29655) and New River Inlet Buoy 10 (LLNR 29720) with depths of 3' - 4' MLW present. Due to the shoaling, Buoys 1 through 10 have been temporarily discontinued. Once shoaling has been removed by ACOE dredging, waterway will be re-evaluated and aid will be re-established if sufficient depths are present. See SEC NC Marine Information Bulletin 017-24.</p>	<p>POLYGON [Latitude: 34.52788, Longitude: -77.34034] [Latitude: 34.52597, Longitude: -77.33432] [Latitude: 34.52202, Longitude: -77.33214] [Latitude: 34.52157, Longitude: -77.33426] [Latitude: 34.52496, Longitude: -77.33603] [Latitude: 34.5265, Longitude: -77.34131] [Latitude: 34.52788, Longitude: -77.34034]</p>

Newport News

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Golf 2 Anchorage Lighted Mooring Buoy A	10843	OFF STA	FD

Northeast Cape Fear River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Northeast Cape Fear River Light 2	30980	STRUCT DEST/TRUB	FD
Northeast Cape Fear River Light 4	30985	STRUCT DEST/TRLB	FD
Northeast Cape Fear River Light 6	30990	STRUCT DEST/TRLB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape Fear River - Northeast Cape Fear River/General/Hazards To Navigation/Obstructions	General	Hazards To Navigation	2024-09-26	2025-03-25	There is an underwater obstruction in the Cape Fear River in Wilmington, NC. The object is on the east side of the navigable channel, north of the battleship, in approximate position 34°14'31.3"N 077°57'12.3"W. Mariners are advised to use caution while navigating in this area.	POINT [Latitude: 34.24203, Longitude: -77.95342]

Northeast River

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Susquehanna River - Northeast River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-08	2025-07-14	General/Hazards To Navigation/Shoaling Reported There has been a report of shoaling in the Northeast River within the channel between Northeast River Buoy 7 (LLNR 27855) and Northeast River Buoy 8 (LLNR 27860). Depths as low as 4.2 feet were observed.	POLYGON [Latitude: 39.5635, Longitude: -75.9733] [Latitude: 39.56333, Longitude: -75.97137] [Latitude: 39.55165, Longitude: -75.97257] [Latitude: 39.55192, Longitude: -75.97501] [Latitude: 39.5635, Longitude: -75.9733]

Northwest Harbor

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Ferry Bar Channel - Northwest Harbor/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024-08-14	2024-11-15	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes Mclean Contracting Company will be conducting pier demolition and replacement of existing pier in Baltimore Harbor's, Northwest Harbor at the Domino Sugar Refinery Plant. Project center point: 39.2754899278648, -76.59398 Work will be conducted from July 15, 2024 to November 15, 2024, 24 hours, 7 days per week. Some of the following equipment will be on scene during the project: 1) - 50' x 18' x 8' Tugboat 'Megalodon' (1) - 49.5' x 19' x 7' Tugboat 'Captain Kenn (1) - 140' x 70' x 12.5' Permanently-Mounted Floating Crane 'Baltimore' (1) - 120' x 40' x 8' Spudded Floating Barge 'SC1 Marine equipment will be spud in location and marking in accordance with CG regulations. Marine equipment will monitor VHF- CH 74. From: 2024-08-14 To: 2024-11-15 Location: 39.27639° N / 76.59218° W 39.27525° N / 76.59203° W 39.27523° N / 76.59469° W 39.27629° N / 76.5947° W 39.27639° N / 76.59218° W	POLYGON [Latitude: 39.27639, Longitude: -76.59218] [Latitude: 39.27525, Longitude: -76.59203] [Latitude: 39.27523, Longitude: -76.59469] [Latitude: 39.27629, Longitude: -76.5947] [Latitude: 39.27639, Longitude: -76.59218]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Ferry Bar Channel - Northwest Harbor/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024-09-09	2024-11-15	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-09-09 To: 2024-11-15 Location: 39.27698° N / 76.59312° W 39.27647° N / 76.59229° W 39.27469° N / 76.59659° W 39.27518° N / 76.59705° W 39.27698° N / 76.59312° W Mclean Contracting Company will be conducting pier demolition and replacement of existing pier in Baltimore Harbor's, Northwest Harbor at the Domino Sugar Refinery Plant. Project center point: 39.2754899278648, -76.59398 Work will be conducted from July 15, 2024 to November 15, 2024, 24 hours, 7 days per week. Some of the following equipment will be on scene during the project: 1) - 50' x 18' x 8' Tugboat 'Megalodon' (1) - 49.5' x 19' x 7' Tugboat 'Captain Kenn' (1) - 140' x 70' x 12.5' Permanently-Mounted Floating Crane 'Baltimore' (1) - 120' x 40' x 8' Spudded Floating Barge 'SC1 Marine equipment will be spud in location and marking in accordance with CG regulations. Marine equipment will monitor VHF- CH 74	POLYGON [Latitude: 39.27698, Longitude: -76.59312] [Latitude: 39.27647, Longitude: -76.59229] [Latitude: 39.27469, Longitude: -76.59659] [Latitude: 39.27518, Longitude: -76.59705] [Latitude: 39.27698, Longitude: -76.59312]

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Northwest Harbor Lighted Buoy 2NH	CHANGE	On or about November 11, 2024 the Coast Guard will remove the seasonal ice condition "Replace with an unlighted buoy if endangered by ice."
Northwest Harbor Lighted Buoy 3	CHANGE	On or about November 11, 2024 the Coast Guard will remove the seasonal ice condition "Replace with an unlighted buoy if endangered by ice."

Oak Island Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Oak Island Channel Light 2	30420	STRUCT DEST/TRLB	FD
Oak Island Channel Daybeacon 5	30430	STRUCT DEST/TRUB	FD

--

Ocracoke Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ocracoke Inlet Lighted Buoy 1	28900	MISSING / Temp V-AIS: MMSI 993672514	FD
Ocracoke Inlet Lighted Buoy 2	28905	MISSING/ Temp V-AIS: MMSI 993672471	FD
Ocracoke Inlet Lighted Buoy 3	28910	MISSING	FD
Ocracoke Inlet Lighted Buoy 4	28915	MISSING	FD
Ocracoke Inlet Buoy 8	28927	MISSING	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape Hatteras To Little River Inlet - Ocracoke Inlet/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 09-23	2025- 04-11	Shoaling exists in the vicinity of Ocracoke Inlet. Aids to Navigation may be unreliable in various locations between Ocracoke Inlet Buoy 8 (LLNR 28927) and Teaches Hole Lighted Buoy 11 (LLNR 28945). Mariners are advised to use caution while navigating this area.	POLYGON [Latitude: 35.0764, Longitude: -76.00931] [Latitude: 35.07434, Longitude: -76.00586] [Latitude: 35.06667, Longitude: -76.01501] [Latitude: 35.06981, Longitude: -76.01866] [Latitude: 35.0764, Longitude: -76.00931]

Old House Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Old House Channel Daybeacon 7	28255	STRUCT DEST/TRUB	FD
Old House Channel Daybeacon 10	28270	STRUCT DEST/TRUB	FD
Old House Channel Light 15	28295	STRUCT DEST/TRLB	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Old House Channel Lighted Buoy 1H	28233	RELOCATED FOR DREDGING	FD

Oregon Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Oregon Inlet Jetty Light	615	LT IMCH/DBD DEST	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May To Cape Hatteras - Oregon Inlet/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-09-25	2025-03-24	Shoaling exists within Walter Slough Channel. Shoaling to 3-4 feet MLW was observed between Walter Slough Buoy 8 (LLNR 28335) and Walter Slough Lighted Buoy 9 (LLNR 28340).	POLYGON [Latitude: 35.7933, Longitude: -75.55489] [Latitude: 35.79305, Longitude: -75.55465] [Latitude: 35.79214, Longitude: -75.55684] [Latitude: 35.79254, Longitude: -75.55719] [Latitude: 35.7933, Longitude: -75.55489]
Cape May To Cape Hatteras - Oregon Inlet/General/Hazards To Navigation/Obstructions	General	Hazards To Navigation	2024-09-26	2024-12-31	Mariners are advised that the North Carolina Department of Transportation (NCDOT) has identified three partially submerged bents of concrete piles from the old Bonner Bridge. These piles are on the northeastern side of the bridge in 8 ft to 12 ft of water near Bodie Island. The piles have become uncovered due to ongoing erosion and changes in shoreline conditions. The tops of the piles are 2 ft to 4 ft below the water at Mean High Water (MHW). Mariners are urged to exercise caution when in vicinity of these piles. NCDOT has marked these piles with temporary inflatable buoys. Piles are in approximate positions: 35-46.75N, 075-32.66W, 35-46.75N, 075-32.65W, and 35-46.74N, 075-32.65W.	POLYGON [Latitude: 35.77722, Longitude: -75.53917] [Latitude: 35.77576, Longitude: -75.53836] [Latitude: 35.77508, Longitude: -75.53981] [Latitude: 35.77675, Longitude: -75.54113] [Latitude: 35.77722, Longitude: -75.53917]
Sector North Carolina, Submerged Lands Act (SLA) - Oregon Inlet/ATON/Federal Discrepancies Corrected	ATON	Federal Discrepancies Corrected	2024-10-31	2024-11-14	ATON/Federal Discrepancies Corrected From: 2024-10-31 To: 2024-11-14 Location: 35.77598° N / 75.52876° W Aid Name: Oregon Inlet Buoy 9 LLNR: 28025 Aid was not discrepant, entered in error. Discrepancy Information: Initial Report DTG: 121002Z SEP 2024 Correction DTG: 311429Z OCT 2024 Cause: FALSE REPORT Cause Comments: FALSE REPORT Correction Status: WATCHING PROPERLY	POINT [Latitude: 35.77598, Longitude: -75.52876]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector North Carolina, Submerged Lands Act (SLA) - Oregon Inlet/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024- 10-31	2025- 10-31	ATON/Federal Discrepancies From: 2024-10-31 To: 2025- 10-31 Location: 35.77387° N / 75.52501° W Aid Name: Oregon Inlet Jetty Light LLNR: 615 Unsafe to climb. Discrepancy Information: Initial Report DTG: 311617Z OCT 2024 Summary: LT IMCH/DBD DEST	POINT [Latitude: 35.77387, Longitude: -75.52501]

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Oregon Inlet Buoy 9	28025	WATCHING PROPERLY	FD	2024-10-31

Oregon Inlet Cut

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Oregon Inlet Cut Buoy 6	28084.4	MISSING	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Oregon Inlet - Oregon Inlet Cut/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-25	2025-04-23	<p>ATON/Federal Discrepancies From: 2024-10-25 To: 2025-04-23 Location: 35.78946° N / 75.55495° W Aid Name: Oregon Inlet Cut Buoy 6 LLNR: 28084.4 Discrepancy Information: Initial Report DTG: 251855Z OCT 2024 Summary: MISSING</p>	<p>POINT [Latitude: 35.78946, Longitude: -75.55495]</p>
Oregon Inlet - Oregon Inlet Cut/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-21	2024-12-31	<p>NC - OREGON INLET - DREDGING OPERATIONS The "MISS KATIE" dredge vessel has routine dredging operations scheduled at the Oregon Inlet, the Walter Slough Channel, Oregon Inlet Cut, the Old House Channel, and Roanoke Sound Channel from Light 1 (LLNR 28365) to Light 17 (LLNR 28470) periodically throughout the year, dependent upon weather conditions, maintenance, and/or other emergency dredging projects out of the area. Dredging operations will be performed on a schedule of 12 hours and/or 24 hours a day, seven (7) days a week. Material that is hopper dredged will be transported to a disposal site located in deep scour holes near the Basnight Bridge on the south side of Oregon Inlet and/or a nearshore site located off Pea Island. All mariners are requested to use caution in the area. MISS KATIE can be reached on VHF-FM CH 16 and 13. For more information, contact Jordan Hennessy at jhennessy@ejedredgng.com or (252) 597-5752. *</p>	<p>POLYGON [Latitude: 35.85035, Longitude: -75.60639] [Latitude: 35.79693, Longitude: -75.57957] [Latitude: 35.78989, Longitude: -75.5698] [Latitude: 35.7938, Longitude: -75.55682] [Latitude: 35.78136, Longitude: -75.54974] [Latitude: 35.78002, Longitude: -75.55457] [Latitude: 35.7916, Longitude: -75.55768] [Latitude: 35.78699, Longitude: -75.57249] [Latitude: 35.79691, Longitude: -75.58333] [Latitude: 35.84948, Longitude: -75.60993] [Latitude: 35.85035, Longitude: -75.60639]</p>

Oyster Creek Channel

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Oyster Creek Channel Daybeacon 5	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Oyster Creek Channel Light 6	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Oyster Creek Channel Daybeacon 8	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Oyster Creek Channel Light 10	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.

Pagan River

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Pagan River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-15	2025-06-30	General/Hazards To Navigation/Shoaling Reported Significant shoaling has been identified in the Pagan River Channel between Pagan River Channel Daybeacon 15 (LLNR 11435) and Daybeacon 17 (LLNR 11445). Least depth of 3.3 FT. From: 2024-08-15 To: 2025-06-30 Location: 36.99965° N / 76.60871° W	POLYGON [Latitude: 36.99965, Longitude: -76.60871] [Latitude: 36.99908, Longitude: -76.60043] [Latitude: 36.99786, Longitude: -76.60064] [Latitude: 36.99854, Longitude: -76.60681] [Latitude: 36.99848, Longitude: -76.60936] [Latitude: 36.99751, Longitude: -76.61274] [Latitude: 36.99843, Longitude: -76.61351] [Latitude: 36.99965, Longitude: -76.60871]
James River - Pagan River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-15	2025-06-01	General/Hazards To Navigation/Shoaling Reported Shoaling has been located on the approach to Jones Creek outside of the Pagan River Channel between Pagan River Channel Light 13 (LLNR 11415) and Jones Creek Daybeacon 2 (LLNR 11420). Depths observed 4ft at approximately 3 hours before MLW From: 2024-08-15 To: 2025-06-01 Location: 37.00364° N / 76.5731° W	POLYGON [Latitude: 37.00364, Longitude: -76.5731] [Latitude: 37.00148, Longitude: -76.57167] [Latitude: 37.00098, Longitude: -76.57263] [Latitude: 37.00186, Longitude: -76.57362] [Latitude: 37.00364, Longitude: -76.5731] [Latitude: 37.00148, Longitude: -76.57167] [Latitude: 37.00098, Longitude: -76.57263] [Latitude: 37.00186, Longitude: -76.57362] [Latitude: 37.00364, Longitude: -76.5731]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Pagan River/General/Bridges/Maintenance	General	Bridges	2024- 09-26	2025- 06-25	Route 10 Bypass Bridge - Bridge maintenance will not restrict the height or width of the main navigational channel. The equipment will be present at night, have nighttime navigational lights, and spudded down. Maintenance will be from December 11, 2023, through June 25, 2025. The project foreman can be contacted on VHF- FM channel 13 and 16. All mariners should use caution when transiting the area. (JW)	POINT [Latitude: 36.988718, Longitude: -76.630696]

Pamlico River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Long Point Ferry Terminal Channel Light 1	33235	LT EXT	FD
Long Point Ferry Terminal Channel Daybeacon 2	33240	STRUCT DEST/TRUB	FD
Pamlico River Channel Light 17	33360	STRUCT DMGD	FD

ATON Changes

NAME	ACTION TYPE	DESCRIPTION
Pamlico Point Warning Light	DISCONTINUE	ATON/ATON Changes From: 2024-11-05 To: 2024-11-19 Location: 35.31339° N / 76.45568° W Aid Name: Pamlico Point Warning Light LLNR: 32813 Demolished and removed. Action: DISCONTINUE

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Western Part Of Pamlico Sound - Pamlico River/ATON/ATON Changes	ATON	ATON Changes	2024-11-05	2024-11-19	ATON/ATON Changes From: 2024-11-05 To: 2024-11-19 Location: 35.31339° N / 76.45568° W Aid Name: Pamlico Point Warning Light LLNR: 32813 Demolished and removed. Action: DISCONTINUE	POINT [Latitude: 35.31339, Longitude: -76.45568]

Pamlico River Approach

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Juniper Bay Light 2	32445	STRUCT DEST/TRLB	FD

Pamlico Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Stumpy Point Target Warning Light W	32085	LT EXT	FD
Gull Shoal Light GS	32145	STRUCT DEST/TRLB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Oregon Inlet - Pamlico Sound/ATON/Federal Discrepancies Corrected	ATON	Federal Discrepancies Corrected	2024-10-24	2024-11-07	ATON/Federal Discrepancies Corrected From: 2024-10-24 To: 2024-11-07 Location: 35.23245° N / 75.78678° W Aid Name: Barney Slough Channel Lighted Buoy 6A LLNR: 28722.3 Discrepancy Information: Initial Report DTG: 211742Z OCT 2024 Summary: MISSING Correction DTG: 241927Z OCT 2024 Cause: WEATHER Cause Comments: WIND Correction Status: RELOCATED	POINT [Latitude: 35.23245, Longitude: -75.78678]
Oregon Inlet - Pamlico Sound/ATON/ATON Changes	ATON	ATON Changes	2024-10-24	2024-11-07	ATON/ATON Changes From: 2024-10-24 To: 2024-11-07 Location: 35.23245° N / 75.78678° W 35-13-56.811N / 075-47-12.406W. Aid Name: Barney Slough Channel Lighted Buoy 6A LLNR: 28722.3 Action: RELOCATE	POINT [Latitude: 35.23245, Longitude: -75.78678]
Oregon Inlet - Pamlico Sound/ATON/ATON Changes	ATON	ATON Changes	2024-10-24	2024-11-07	ATON/ATON Changes From: 2024-10-24 To: 2024-11-07 Location: 35.19803° N / 75.77304° W 35-11-52.910N / 075-46-22.956W. Aid Name: Hatteras Connector Buoy 7A LLNR: 28690.5 Action: ESTABLISH	POINT [Latitude: 35.19803, Longitude: -75.77304]
Oregon Inlet - Pamlico Sound/ATON/ATON Changes	ATON	ATON Changes	2024-10-24	2024-11-07	ATON/ATON Changes From: 2024-10-24 To: 2024-11-07 Location: 35.19626° N / 75.77104° W 35-11-46.549N / 075-46-15.740W Aid Name: Hatteras Connector Buoy 6A LLNR: 28687 Action: ESTABLISH	POINT [Latitude: 35.19626, Longitude: -75.77104]
Oregon Inlet - Pamlico Sound/ATON/ATON Changes	ATON	ATON Changes	2024-10-24	2024-11-07	ATON/ATON Changes From: 2024-10-24 To: 2024-11-07 Location: 35.20316° N / 75.77841° W 35-12-11.359N / 075-46-42.271W. Aid Name: Hatteras Connector Buoy 12 LLNR: 28698 Action: RELOCATE	POINT [Latitude: 35.20316, Longitude: -75.77841]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Oregon Inlet - Pamlico Sound/ATON/ATON Changes	ATON	ATON Changes	2024-10-24	2024-11-07	ATON/ATON Changes From: 2024-10-24 To: 2024-11-07 Location: 35.20218° N / 75.77805° W 35-12-07.859N / 075-46-40.986W. Aid Name: Hatteras Connector Buoy 13 LLNR: 28702 Action: RELOCATE	POINT [Latitude: 35.20218, Longitude: -75.77805]
Oregon Inlet - Pamlico Sound/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-21	2025-04-19	ATON/Federal Discrepancies From: 2024-10-21 To: 2025-04-19 Location: 35.23222° N / 75.78683° W Aid Name: Barney Slough Channel Lighted Buoy 6A LLNR: 28722.3 Discrepancy Information: Initial Report DTG: 211742Z OCT 2024 Summary: MISSING	POINT [Latitude: 35.23222, Longitude: -75.78683]

--

Patuxent River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Solomons Island Fishing Pier Light	19062	LT EXT	PA
Battle Creek Channel Daybeacon 4	19223	OFF STA/STRUCT DEST/HAZ NAV/TRLB	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024-09-23	2025-05-31	Starting on October 7, 2024 with a scheduled completion date of May 31, 2025, Coastal Design & Construction will begin a shoreline projection project in the Patuxent River adjacent to Hog Point at NAS Patuxent River. Seven temporary mooring will be installed for storage of various size barges and equipment. All mooring and barges will be lighted in accordance with Coast Guard Regulations. Tug Kat II & Nancy G will monitor VHF CH 13 & 16. For more information, contact, J. Richard Mattingly - Superintendent (Marine), Cell: 301-643-4323.	POLYGON [Latitude: 38.30972, Longitude: -76.40033] [Latitude: 38.30869, Longitude: -76.39623] [Latitude: 38.30798, Longitude: -76.39668] [Latitude: 38.30903, Longitude: -76.40013] [Latitude: 38.30536, Longitude: -76.40245] [Latitude: 38.30495, Longitude: -76.40702] [Latitude: 38.30421, Longitude: -76.40831] [Latitude: 38.30456, Longitude: -76.40867] [Latitude: 38.30549, Longitude: -76.40722] [Latitude: 38.30598, Longitude: -76.40279] [Latitude: 38.30778, Longitude: -76.40155] [Latitude: 38.30904, Longitude: -76.40125] [Latitude: 38.30972, Longitude: -76.40033]
Chesapeake Channel - Patuxent River/General/Other/Dredging	General	Miscellaneous	2024-09-30	2025-05-31	Temporary barge mooring for Shoreline Protection Project. For more information contact Coastal Design & Construction, J. Richard Mattingly - Superintendent (Marine), Cell: 301-643-4323.	
Chesapeake Channel - Patuxent River/General/Other	General	Miscellaneous	2024-09-30	2025-05-31	Temporary barge mooring for Shoreline Protection Project. For more information contact Coastal Design & Construction, J. Richard Mattingly - Superintendent (Marine), Cell: 301-643-4323.	POINT [Latitude: 38.30959, Longitude: -76.41124]
Chesapeake Channel - Patuxent River/General/Other	General	Miscellaneous	2024-09-30	2025-05-31	Temporary barge mooring for Shoreline Protection Project. For more information contact Coastal Design & Construction, J. Richard Mattingly - Superintendent (Marine), Cell: 301-643-4323.	POINT [Latitude: 38.30919, Longitude: -76.40572]
Chesapeake Channel - Patuxent River/General/Other	General	Miscellaneous	2024-09-30	2025-05-31	Temporary barge mooring for Shoreline Protection Project. For more information contact Coastal Design & Construction, J. Richard Mattingly - Superintendent (Marine), Cell: 301-643-4323.	POINT [Latitude: 38.30775, Longitude: -76.40945]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Patuxent River/General/Other	General	Miscellaneous	2024- 09-30	2025- 05-31	Temporary barge mooring for Shoreline Protection Project. For more information contact Coastal Design & Construction, J. Richard Mattingly - Superintendent (Marine), Cell: 301-643-4323.	POINT [Latitude: 38.31089, Longitude: -76.40491]
Chesapeake Channel - Patuxent River/General/Other	General	Miscellaneous	2024- 09-30	2025- 05-31	Temporary barge mooring for Shoreline Protection Project. For more information contact Coastal Design & Construction, J. Richard Mattingly - Superintendent (Marine), Cell: 301-643-4323.	POINT [Latitude: 38.30923, Longitude: -76.40803]
Chesapeake Channel - Patuxent River/General/Other	General	Miscellaneous	2024- 09-30	2025- 05-31	Temporary barge mooring for Shoreline Protection Project. For more information contact Coastal Design & Construction, J. Richard Mattingly - Superintendent (Marine), Cell: 301-643-4323.	POINT [Latitude: 38.31165, Longitude: -76.40857]

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Patuxent River Lighted Buoy 8	CHANGE	Starting immediately the Coast Guard will begin removing the existing ice conditions "Replace lighted buoy with an unlighted buoy when endangered by ice" and replace; the aid, with a new year-round (ice) buoy for the below listed aids to navigation. The new buoys daytime visibility will be 1.4nm and have a radar range of 1.0nm. The flash characteristic and nominal range will remain unchanged.

Phoebus Channel

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Phoebus Channel/General/Bridges/Construction	General	Bridges	2024-10-07	2026-08-01	<p>Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be constructing new approach bridges to replace the I-64/US 60 (Hampton Roads Beltway) North and South Approach Bridges, across Hampton Roads, at mile 0.0, between Norfolk, VA and Hampton, VA, commonly referred to as the Hampton Roads Bridge-Tunnel (HRBT). Construction activities will begin March 15, 2021, and are expected to continue through November, 2025. Marine construction activity will take place 24-hours per day, seven days a week. The replacement north approach bridge will be a fixed bridge with a horizontal clearance of 80 feet and a vertical clearance of 16 feet above mean high water at position 37° 00' 24.12" N, 76° 19' 18.84" W for the west span and at position 37° 00' 24.48" N, 76° 19' 15.60" W for the east span. The replacement south approach bridge will be a fixed bridge with a horizontal clearance of 100 feet and a vertical clearance of 16 feet above mean high water at position 36° 58' 15.24" N, 76° 18' 03.96" W. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be</p>	<p>POINT [Latitude: 37.00743, Longitude: -76.32106]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>operating or stationed in the vicinity of the existing and new approach bridge spans or located within specific Mooring Areas or Safe Harbor locations.</p> <p>Bridge Structures/Work Trestles & Islands - Mariners are advised to maintain a safe distance of 300 feet from all HRBT bridge structures/work trestles, HRBT North Island, and HRBT South Island. Construction managers may establish safe transit corridors through bridge structures/work trestles as construction activity permits. Work trestles will be constructed extending out from the North and South shorelines next to the existing trestles for the duration of the bridge construction to facilitate construction activity. Each pile will be lit by a flashing white light. Hampton Flats Mooring Area - As charted. Changes pending. This area will contain six mooring buoys, lighted with flashing white lights, for the exclusive use of vessels involved in the HRBT Expansion project. The corners of the mooring area are marked with yellow buoys with flashing yellow lights. Mariners should use caution when transiting the area. Phoebus Safe Harbor Area - As charted. Changes pending. This area will only be used by HRBT Expansion project vessels in advance of a severe weather event that requires the vessels to be securely anchored or spudded down in that location. The corners of the safe harbor area are marked with yellow buoys with flashing yellow lights. When utilized, mariners should keep clear of the area.</p> <p>Willoughby Bay</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>Mooring and Safe Harbor Area – As charted. This area contains a straight row of mooring pilings for the exclusive use of vessels involved in the HRBT Expansion project. The two end pilings are marked with a solid red light and each interior piling is marked with a solid yellow light. The perimeter of the mooring and safe harbor area is marked with yellow buoys with flashing yellow lights. Mariners are advised to keep clear of the mooring/safe harbor area.</p> <p>Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the project area. To reach an on-scene manager, contact Shannon Gresham 757-685-3392 or Kareem Myers 757-256-9715. You may also contact Hampton Roads Connector Partners at 757-373- 4799 and/or email MarineOps@hrcpjv.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtexpansion.org.</p>	
James River - Phoebus Channel/General/Bridges/Construction	General	Bridges	2024-10-07	2026-08-01	<p>Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be constructing new approach bridges to replace the I-64/US 60 (Hampton Roads Beltway) North and South Approach Bridges, across Hampton Roads, at mile 0.0, between Norfolk, VA and Hampton, VA, commonly referred to as the Hampton Roads Bridge-Tunnel (HRBT). Construction activities will begin March 15, 2021, and are expected to continue</p>	POINT [Latitude: 37.00732, Longitude: -76.32101]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>through November, 2025. Marine construction activity will take place 24-hours per day, seven days a week. The replacement north approach bridge will be a fixed bridge with a horizontal clearance of 80 feet and a vertical clearance of 16 feet above mean high water at position 37° 00' 24.12" N, 76° 19' 18.84" W for the west span and at position 37° 00' 24.48" N, 76° 19' 15.60" W for the east span. The replacement south approach bridge will be a fixed bridge with a horizontal clearance of 100 feet and a vertical clearance of 16 feet above mean high water at position 36° 58' 15.24" N, 76° 18' 03.96" W.</p> <p>Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new approach bridge spans or located within specific Mooring Areas or Safe Harbor locations.</p> <p>Bridge Structures/Work Trestles & Islands - Mariners are advised to maintain a safe distance of 300 feet from all HRBT bridge structures/work trestles, HRBT North Island, and HRBT South Island.</p> <p>Construction managers may establish safe transit corridors through bridge structures/work trestles as construction activity permits. Work trestles will be constructed extending out from</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>the North and South shorelines next to the existing trestles for the duration of the bridge construction to facilitate construction activity. Each pile will be lit by a flashing white light. Hampton Flats Mooring Area - As charted. Changes pending. This area will contain six mooring buoys, lighted with flashing white lights, for the exclusive use of vessels involved in the HRBT Expansion project. The corners of the mooring area are marked with yellow buoys with flashing yellow lights. Mariners should use caution when transiting the area. Phoebus Safe Harbor Area - As charted. Changes pending. This area will only be used by HRBT Expansion project vessels in advance of a severe weather event that requires the vessels to be securely anchored or spudded down in that location. The corners of the safe harbor area are marked with yellow buoys with flashing yellow lights. When utilized, mariners should keep clear of the area.</p> <p>Willoughby Bay Mooring and Safe Harbor Area - As charted. This area contains a straight row of mooring pilings for the exclusive use of vessels involved in the HRBT Expansion project. The two end pilings are marked with a solid red light and each interior piling is marked with a solid yellow light. The perimeter of the mooring and safe harbor area is marked with yellow buoys with flashing yellow lights. Mariners are advised to keep clear of the mooring/safe harbor area.</p> <p>Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>progress or vessels are operating in the project area. To reach an on-scene manager, contact Shannon Gresham 757-685-3392 or Kareem Myers 757-256-9715. You may also contact Hampton Roads Connector Partners at 757-373- 4799 and/or email MarineOps@hrctpjv.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtexpansion.org.</p>	

Piscataway Creek

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Piscataway Creek Daybeacon 7	18530	DAYMK MISSING	PA
Piscataway Creek Daybeacon 8	18535	DAYMK MISSING	PA
Piscataway Creek Warning Daybeacon A	18540	STRUCT DEST	PA
Piscataway Creek Warning Daybeacon B	18545	STRUCT DEST	PA

Pocomoke River

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Pocomoke Sound - Pocomoke River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-07	2025-06-28	General/Hazards To Navigation/Shoaling Reported Shoaling has been reported in the Pocomoke River between Pocomoke River Channel Buoy 7 (LLNR 22540) and Pocomoke River Channel Buoy 8 (LLNR 22555), to reported depths less than 4.5 feet at MLW centerline, 2.3 feet on the red side of the channel, and 3.2 feet on the green side. MD-NCR BNM 299-21.	POLYGON [Latitude: 37.96781, Longitude: -75.6772] [Latitude: 37.96658, Longitude: -75.6769] [Latitude: 37.96519, Longitude: -75.69222] [Latitude: 37.96629, Longitude: -75.69239] [Latitude: 37.96781, Longitude: -75.6772]

Pooles Island Flats Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pooles Island Light	8693	LT EXT	FD

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Pooles Island Flats Channel Lighted Buoy 1	CHANGE	On or about December 2, 2024 the Coast Guard will establish new year-round (ice) buoy for Pooles Island Flats Lighted Buoy 1. The new buoy will have a daytime visibility of 1.5nm and a radar range of 1.5nm. The flash characteristic and nominal range will remain unchanged.
Pooles Island Flats Channel Lighted Buoy 2	CHANGE	On or about December 2, 2024 the Coast Guard will establish new year-round (ice) buoy for Pooles Island Flats Lighted Buoy 2. The new buoy will have a daytime visibility of 1.5nm and a radar range of 1.5nm. The flash characteristic and nominal range will remain unchanged.
Pooles Island Flats Channel Lighted Buoy 3	CHANGE	On or about December 2, 2024 the Coast Guard will establish new year-round (ice) buoy for Pooles Island Flats Lighted Buoy 3. The new buoy will have a daytime visibility of 1.5nm and a radar range of 1.5nm. The flash characteristic and nominal range will remain unchanged.
Pooles Island Flats Channel Lighted Buoy 4	CHANGE	On or about December 2, 2024 the Coast Guard will establish new year-round (ice) buoy for Pooles Island Flats Lighted Buoy 4. The new buoy will have a daytime visibility of 1.5nm and a radar range of 1.5nm. The flash characteristic and nominal range will remain unchanged.
Pooles Island Flats Channel Lighted Buoy 5	CHANGE	On or about December 2, 2024 the Coast Guard will establish new year-round (ice) buoy for Pooles Island Flats Lighted Buoy 5. The new buoy will have a daytime visibility of 1.5nm and a radar range of 1.5nm. The flash characteristic and nominal range will remain unchanged.
Pooles Island Flats Channel Lighted Buoy 6	CHANGE	On or about December 2, 2024 the Coast Guard will establish new year-round (ice) buoy for Pooles Island Flats Lighted Buoy 6. The new buoy will have a daytime visibility of 1.5nm and a radar range of 1.5nm. The flash characteristic and nominal range will remain unchanged.
Pooles Island Flats Channel Lighted Buoy 7	CHANGE	On or about December 2, 2024 the Coast Guard will establish new year-round (ice) buoy for Pooles Island Flats Lighted Buoy 7. The new buoy will have a daytime visibility of 1.5nm and a radar range of 1.5nm. The flash characteristic and nominal range will remain unchanged.
Pooles Island Flats Channel Lighted Buoy 8	CHANGE	On or about December 2, 2024 the Coast Guard will establish new year-round (ice) buoy for Pooles Island Flats Lighted Buoy 8. The new buoy will have a daytime visibility of 1.5nm and a radar range of 1.5nm. The flash characteristic and nominal range will remain unchanged.
Pooles Island Flats Channel Lighted Buoy 9	CHANGE	On or about December 2, 2024 the Coast Guard will establish new year-round (ice) buoy for Pooles Island Flats Lighted Buoy 9. The new buoy will have a daytime visibility of 1.5nm and a radar range of 1.5nm. The flash characteristic and nominal range will remain unchanged.

Poplar Island Narrows

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Poplar Island Narrows Buoy 8	CHANGE	On or about December 16, 2024 the Coast Guard will change Popular Island Narrows Buoy 8 (LLNR 25985) to Poplar Island Daybeacon 8 and relocate to approximate position: 38 47 00.012N—76 20 48.529W with TR dayboards on pile.

Poquoson River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Poquoson River Entrance Buoy 4	13170	OFF STA	FD
Poquoson River Entrance Buoy 4	13170	OFF STATION/TRUB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Poquoson River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-04	2025-10-04	ATON/Federal Discrepancies From: 2024-10-04 To: 2025-04-02 Location: 37.21071° N / 76.33967° W Aid Name: Poquoson River Entrance Buoy 4 LLNR: 13170 Discrepancy Information: Initial Report DTG: 041226Z OCT 2024 Summary: OFF STATION/TRUB Temporary Response DTG: 041227Z OCT 2024 Temporary Response: TUB	POINT [Latitude: 37.21071, Longitude: -76.33967]

Port Mahon

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Port Mahon Approach Buoy 6	2370	MISSING	FD

Potomac River

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Potomac River Mid-Channel Lighted Whistle Buoy A	DISCONTINUE	On or about November 25, 2024 the Coast Guard will discontinue Potomac River Mid-Channel Lighted Whistle Buoy A (LLNR 16505).
Potomac River Mid-Channel Lighted Whistle Buoy B	DISCONTINUE	On or about November 25, 2024 the Coast Guard will discontinue Potomac River Mid-Channel Lighted Whistle Buoy B (LLNR 16855).
Potomac River Mid-Channel Lighted Whistle Buoy C	DISCONTINUE	On or about November 25, 2024 the Coast Guard will discontinue Potomac River Mid-Channel Lighted Whistle Buoy C (LLNR 17355).
Potomac River Mid-Channel Lighted Whistle Buoy D	CHANGE	On or about November 25, 2024 the Coast Guard will remove the sound signal (whistle) from Potomac River Mid-Channel Lighted Whistle Buoy D (LLNR 17615) and rename to Potomac River Mid-Channel Lighted Buoy A.

Pungo River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pungo River Junction Light PR	32855	STRUCT DEST/TRLB	FD
Pungo River Wreck Light WR2	32860	STRUCT DEST/TRLB	FD
Pungo River Light 3	32895	STRUCT DEST/TRLB	FD
Pungo River Channel Daybeacon 16	33015	STRUCT DEST/TRLB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Pamlico River - Pungo River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-09-25	2025-10-10	Mariners are advised of shoaling in vicinity of Wright Creek Daybeacon 4 (LLNR 32870) off the Pungo River	POLYGON [Latitude: 35.41632, Longitude: -76.58714] [Latitude: 35.41576, Longitude: -76.58647] [Latitude: 35.41463, Longitude: -76.58766] [Latitude: 35.4151, Longitude: -76.58845] [Latitude: 35.41632, Longitude: -76.58714]

Queen Creek

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Upper York River - Queen Creek/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 08-19	2025- 02-15	General/Hazards To Navigation/Shoaling Reported Shoaling to less the 4 feet has been reported in Queen Creek from Queen Creek Entrance Light 2QC (LLNR 13785) to Queen Creek Daybeacon 10 (LLNR 13820). From: 2024-08-19 To: 2025- 02-15 Location: 37.30241° N / 76.61384° W 37.30044° N / 76.60793° W 37.30011° N / 76.60823° W 37.30158° N / 76.6139° W 37.30036° N / 76.61904° W 37.29955° N / 76.62271° W 37.29981° N / 76.62299° W 37.30241° N / 76.61384° W	POLYGON [Latitude: 37.30241, Longitude: -76.61384] [Latitude: 37.30044, Longitude: -76.60793] [Latitude: 37.30011, Longitude: -76.60823] [Latitude: 37.30158, Longitude: -76.6139] [Latitude: 37.30036, Longitude: -76.61904] [Latitude: 37.29955, Longitude: -76.62271] [Latitude: 37.29981, Longitude: -76.62299] [Latitude: 37.30241, Longitude: -76.61384]

Queenstown Creek

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Queenstown Creek Buoy 3	DISCONTINUE	Due to increased shoaling in this waterway on/or about December 15, 2024 Buoy 3 will be removed as scheduled but not replaced.
Queenstown Creek Buoy 5	DISCONTINUE	Due to increased shoaling in this waterway on/or about December 15, 2024 Buoy 5 will be removed as scheduled but not replaced.

Queenstown Harbor

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Queenstown Creek - Queenstown Harbor/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-08	2025-07-24	General/Hazards To Navigation/Shoaling Reported A USACE survey conducted on July 12, 2021 has identified shoaling northwest of Queenstown Creek Buoy 3 (LLNR 26593) to south of Queenstown Creek Buoy 5 (LLNR 26595). Reported depths of less than four feet centerline and less than three feet closer to the channel boundaries. Least depths are located closer to the red side of the channel near Queenstown Creek Buoy 5 (LLNR 26595) to depths of less than two feet at mean low water.	POLYGON [Latitude: 39.00162, Longitude: -76.16781] [Latitude: 38.99438, Longitude: -76.16026] [Latitude: 38.99104, Longitude: -76.16159] [Latitude: 38.98904, Longitude: -76.16181] [Latitude: 38.98968, Longitude: -76.16339] [Latitude: 38.99224, Longitude: -76.16344] [Latitude: 38.99441, Longitude: -76.16254] [Latitude: 39.00052, Longitude: -76.16919] [Latitude: 39.00162, Longitude: -76.16781]

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Queenstown Harbor Channel Daybeacon 2	CHANGE	Due to increased shoaling in this waterway the Coast Guard on/or about December 15, 2024 will change Daybeacon 2 (LLNR 26600) to Warning Daybeacon B with NW dayboards worded "Danger Shoal" and rename to Queenstown Creek Warning Daybeacon B until removed.
Queenstown Harbor Channel Daybeacon 3	CHANGE	Due to increased shoaling in this waterway the Coast Guard on/or about December 15, 2024 will change Daybeacon 3 (LLNR 26605) to Warning Daybeacon C with NW dayboards worded "Danger Shoal" and rename to Queenstown Creek Warning Daybeacon B until removed.
Queenstown Harbor Channel Daybeacon 3A	CHANGE	Due to increased shoaling in this waterway the Coast Guard on/or about December 15, 2024 will change Daybeacon 3A (LLNR 26610) to Warning Daybeacon D with NW dayboards worded "Danger Shoal" and rename to Queenstown Creek Warning Daybeacon B until removed.
Queenstown Harbor Channel Daybeacon 4	CHANGE	Due to increased shoaling in this waterway the Coast Guard on/or about December 15, 2024 will change Daybeacon 4 (LLNR 26615) to Warning Daybeacon E with NW dayboards worded "Danger Shoal" and rename to Queenstown Creek Warning Daybeacon B until removed.
Queenstown Harbor Channel Daybeacon 6	CHANGE	Due to increased shoaling in this waterway the Coast Guard on/or about December 15, 2024 will change Daybeacon 6 (LLNR 26620) to Warning Daybeacon F with NW dayboards worded "Danger Shoal" and rename to Queenstown Creek Warning Daybeacon B until removed.

Rappahannock River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Rappahannock River Daybeacon 47	15675	STRUCT DEST/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
VA Power Cable Crossing West Tower Light C	15565	LT EXT	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Rappahannock River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-19	2025-02-15	General/Hazards To Navigation/Shoaling Reported An ACOE Survey of Greenvale Creek Channel indicates shoaling, to a least depth of 1.7 feet MLLW, across the channel from approximately 250 feet North-Northeast of Greenvale Channel Warning Daybeacon A (LLNR 15305) continuing inbound for approximately 880 feet. From: 2024-08-19 To: 2025-02-15 Location: 37.70994° N / 76.54459° W 37.70977° N / 76.54421° W 37.7079° N / 76.54598° W 37.70808° N / 76.54632° W 37.70994° N / 76.54459° W	POLYGON [Latitude: 37.70994, Longitude: -76.54459] [Latitude: 37.70977, Longitude: -76.54421] [Latitude: 37.7079, Longitude: -76.54598] [Latitude: 37.70808, Longitude: -76.54632] [Latitude: 37.70994, Longitude: -76.54459]
Chesapeake Channel - Rappahannock River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-10-31	2025-10-31	ATON/PATON Discrepancies From: 2024-10-31 To: 2025-10-31 Location: 37.87339° N / 76.77654° W Aid Name: VA Power Cable Crossing West Tower Light C LLNR: 15565 Discrepancy Information: Initial Report DTG: 311400Z OCT 2024 Summary: LT EXT	POINT [Latitude: 37.87339, Longitude: -76.77654]

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Rappahannock River Buoy 18	CHANGE	Due to increased shoaling around the area from Totuskey Creek to Hoskins Creek the Coast Guard; on or about November 12, 204, will change: Buoy 18 (LLNR 15440) to Daybeacon 18 in approximate position:37 49 23.450N-76 43 39.073W with TR dayboards on pile. A temporary unlighted buoy (TRUB) maybe established prior to the new daybeacon being established.
Rappahannock River Buoy 21	CHANGE	Due to increased shoaling around the area from Totuskey Creek to Hoskins Creek the Coast Guard; on or about November 12, 204, will change Buoy 21 (LLNR 15450) to Daybeacon 21 in approximate position:37 51 18.722N-76 45 25.169W with SG dayboards on pile. A temporary unlighted buoy (TRUB) maybe established prior to the new daybeacon being established.
Rappahannock River Buoy 22	CHANGE	Due to increased shoaling around the area from Totuskey Creek to Hoskins Creek the Coast Guard; on or about November 12, 204, will change Buoy 22 (LLNR 15550) to Daybeacon 22 in approximate position:37 52 05.331N-76 45 56.190W with TR dayboards on pile. A temporary unlighted buoy (TRUB) maybe established prior to the new daybeacon being established.
Rappahannock River Buoy 23	CHANGE	Due to increased shoaling around the area from Totuskey Creek to Hoskins Creek the Coast Guard; on or about November 12, 204, will change Buoy 23 (LLNR 15570) to Daybeacon 23 in approximate position:37 53 38.331N-76 47 03.372W with SG dayboards on pile. A temporary unlighted buoy (TRUB) maybe established prior to the new daybeacon being established.
Rappahannock River Lighted Buoy 24	CHANGE	Due to increased shoaling around the area from Totuskey Creek to Hoskins Creek the Coast Guard; on or about November 12, 204, will change Lighted Buoy 24 (LLNR 15575) to Light 24 in approximate position:37 54 03.779N-76 47 30.314W with TR dayboards on pile. The 4 second; Red, flash characteristic will remain, but the nominal range will be reduced from 5nm to 4nm. A temporary lighted buoy (TRLB) maybe established prior to the new daybeacon being established.
Rappahannock River Buoy 26	CHANGE	Due to increased shoaling around the area from Totuskey Creek to Hoskins Creek the Coast Guard; on or about November 12, 204, will change Buoy 26 (LLNR 15580) to Light 26 in approximate position:37 54 41.123N-76 48 25.156W with TR dayboards on pile, with a 2.5 second; Red, flash characteristic and a nominal range of 4nm. A temporary lighted buoy (TRLB) maybe established prior to the new light being established.
Rappahannock River Buoy 28	CHANGE	Due to increased shoaling around the area from Totuskey Creek to Hoskins Creek the Coast Guard; on or about November 12, 204, will Discontinue Buoy 28 (LLNR 15585).
Rappahannock River Buoy 30	CHANGE	Due to increased shoaling around the area from Totuskey Creek to Hoskins Creek the Coast Guard; on or about November 12, 204, will change Buoy 30 (LLNR 15595) to Daybeacon 30 in approximate position:37 52 29.431N-76 50 03.215W with TR dayboards on pile. A temporary unlighted buoy (TRUB) maybe established prior to the new daybeacon being established.

Rehoboth Bay

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Indian River Inlet - Rehoboth Bay/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-01	2025-08-19	General/Hazards To Navigation/Shoaling Reported Delaware Department of Natural Resources and Environmental Control (DNREC) reports shoaling in Baker's Channel between Baker's Channel Lighted Buoy 1A (LLNR 2136) and Baker's Channel Lighted Buoy 1B (LLNR 2137) as well as Baker's Channel Lighted Buoy 5 (LLNR 2137.04) and Baker's Channel Lighted Buoy 6 (LLNR 2137.05). DNREC has established two warning buoys worded "DANGER SHOAL" to mark the shoaling From: 2024-08-01 To: 2025-08-19 Location: 38.6342° N / 75.09881° W 38.63159° N / 75.09347° W 38.631° N / 75.09394° W 38.63376° N / 75.09922° W 38.6342° N / 75.09881° W	POLYGON [Latitude: 38.6342, Longitude: -75.09881] [Latitude: 38.63159, Longitude: -75.09347] [Latitude: 38.631, Longitude: -75.09394] [Latitude: 38.63376, Longitude: -75.09922] [Latitude: 38.6342, Longitude: -75.09881]
Indian River Inlet - Rehoboth Bay/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-01	2025-09-19	General/Hazards To Navigation/Shoaling Reported Shoaling observed from entrance to Rehoboth-Lewis canal south to Rehoboth Bay Channel Buoy 3 (LLNR 2100), depths 2-4 feet at mean low water. From: 2024-08-01 To: 2025-09-19 Location: 38.68791° N / 75.09955° W 38.68724° N / 75.09646° W 38.67678° N / 75.10015° W 38.67752° N / 75.1029° W 38.68791° N / 75.09955° W	POLYGON [Latitude: 38.68791, Longitude: -75.09955] [Latitude: 38.68724, Longitude: -75.09646] [Latitude: 38.67678, Longitude: -75.10015] [Latitude: 38.67752, Longitude: -75.1029] [Latitude: 38.68791, Longitude: -75.09955]

Roanoke Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Roanoke Sound Channel Daybeacon 25	28505	STRUCT DEST/TRUB	FD
Roanoke Sound Channel Daybeacon 37	28600	STRUCT DEST/TRUB	FD

Rockhold Creek

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Rockhold Creek Lighted Junction Buoy RC	19425	MISSING	PA

Rollinson Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Rollinson Channel Daybeacon 33A	28827	STRUCT DEST	FD
Rollinson Channel Light 34	28830	STRUCT DEST/TRLB	FD
Oliver Reef Warning Daybeacon	28855	STRUCT DEST	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Rollinson Channel/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-29	2025-10-29	ATON/Federal Discrepancies From: 2024-10-29 To: 2025-10-29 Location: 35.24955° N / 75.71969° W Aid Name: Oliver Reef Warning Daybeacon LLNR: 28855 Discrepancy Information: Initial Report DTG: 291409Z OCT 2024 Summary: STRUCT DEST	POINT [Latitude: 35.24955, Longitude: -75.71969]
Rollinson Channel/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-30	2025-10-30	ATON/Federal Discrepancies From: 2024-10-30 To: 2025-10-30 Location: 35.24254° N / 75.71189° W Aid Name: Rollinson Channel Daybeacon 33A LLNR: 28827 Discrepancy Information: Initial Report DTG: 301852Z OCT 2024 Summary: STRUCT DEST	POINT [Latitude: 35.24254, Longitude: -75.71189]

Rose Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Deep Cove Light 2	32740	STRUCT DEST/TRLB	FD

Sand Shoal Channel

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Sand Shoal Daybeacon 1	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Sand Shoal Lighted Wreck Buoy WR3	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing the wreckage this aid is marking in the Virginia Inside Passage.
Sand Shoal Channel Daybeacon 7	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Sand Shoal Channel Daybeacon 9	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Sand Shoal Channel Light 10	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.

Sandy Point To Susquehanna River (Chart 12273)

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Sandy Point To Susquehanna River (Chart 12273)/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-21	2025-04-19		POINT [Latitude: 39.18862, Longitude: -76.3944]
Chesapeake Channel - Sandy Point To Susquehanna River (Chart 12273)/ATON/Federal Discrepancies Corrected	ATON	Federal Discrepancies Corrected	2024-10-28	2024-11-11	ATON/Federal Discrepancies Corrected From: 2024-10-28 To: 2024-11-11 Location: 39.10199° N / 76.40653° W Aid Name: Craighill Channel Entrance Range Front Light LLNR: 7995 Discrepancy Information: Initial Report DTG: 281121Z OCT 2024 Summary: LT EXT Correction DTG: 281513Z OCT 2024 Cause: ATON EQUIPMENT Cause Comments: FLASHR/LMPCH/DLC Correction Status: RELIGHTED	POINT [Latitude: 39.10199, Longitude: -76.40653]
Chesapeake Channel - Sandy Point To Susquehanna River (Chart 12273)/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-28	2025-04-26	ATON/Federal Discrepancies From: 2024-10-28 To: 2025-04-26 Location: 39.10199° N / 76.40653° W Aid Name: Craighill Channel Entrance Range Front Light LLNR: 7995 Discrepancy Information: Initial Report DTG: 281121Z OCT 2024 Summary: LT EXT	POINT [Latitude: 39.10199, Longitude: -76.40653]
Chesapeake Channel - Sandy Point To Susquehanna River (Chart 12273)/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-21	2025-04-19		POINT [Latitude: 39.10199, Longitude: -76.40653]

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Craighill Channel Entrance Range Front Light	7995	RELIGHTED	FD	2024-10-28
Craighill Channel Entrance Range Front Light	7995	RELIGHTED	FD	2024-10-28

Sassafras River

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Elk River Channel - Sassafras River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-08	2025-10-05	General/Hazards To Navigation/Shoaling Reported Shoaling has been reported in Sassafras River extending from Daybeacon 8 (LLNR 27495) to the southeast approximately 520 yards towards Sassafras River Light 10 (LLNR 27500) and into the channel approximately 50 yards to reported depths of seven feet at mean low water.	POLYGON [Latitude: 39.37071, Longitude: -75.92845] [Latitude: 39.36676, Longitude: -75.91914] [Latitude: 39.36597, Longitude: -75.91983] [Latitude: 39.36995, Longitude: -75.92905] [Latitude: 39.37071, Longitude: -75.92845]

Schuylkill River

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Eagle Point - Schuylkill River/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-09-09	2025-04-30	General/Marine Construction (Excluding Bridges)/Dredging From: 2024-09-09 To: 2025-04-30	POLYGON [Latitude: 39.96606, Longitude: -75.18327] [Latitude: 39.96133, Longitude: -75.17821] [Latitude: 39.95633, Longitude: -75.17894] [Latitude: 39.94975, Longitude: -75.18224] [Latitude: 39.94149, Longitude: -75.19331] [Latitude: 39.94142, Longitude: -75.19426] [Latitude: 39.94297, Longitude: -75.19417] [Latitude: 39.94965, Longitude: -75.18533] [Latitude: 39.95758, Longitude: -75.18083] [Latitude: 39.96472, Longitude: -75.18529] [Latitude: 39.96606, Longitude: -75.18327]
<p>Mariners are advised that a construction firm, on behalf of the City of Philadelphia, will be constructing an extension of the Schuylkill River Park Trail along the eastern bank of the Schuylkill River, between mile 6.3 and 6.4, at Philadelphia, PA. Construction activities commenced in mid-February 2022 and are scheduled to conclude at the end of April 2025. Work will be performed from 6 a.m. to 6 p.m., Monday through Friday, with potential night and weekend work. A 70-foot by 120-foot crane barge, 30-foot by 100-foot material barges, work floats, and 24-foot work boats will be utilized during operations and stationed in the vicinity of construction. Vessels may be contacted via VHF-FM on channel 13 or 16. Construction firm representatives may be contacted at (215) 669-7883 and (484) 680-8550, 24-</p>						

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>hours/day. Detailed project information and information concerning the waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Mariners should navigate the vicinity of construction with due caution at minimum safe speed.</p>	
<p>Eagle Point - Schuylkill River/General/Bridges/Temp Deviation</p>	<p>General</p>	<p>Bridges</p>	<p>2024-09-26</p>	<p>2025-06-01</p>	<p>CSX (Tasker Avenue/BAK-2) Railroad Bridge - Bridge causality. Until further notice, the eastern navigation span will be restricted; the western navigation span of the bridge will be available for vessels to safely transit through the bridge. Mariners should navigate the waterway with extreme caution and due regard for prevailing conditions on the waterway. The drawbridge will continue to operate in accordance with the operating regulations set out in Title 33 Code of Federal Regulations Part 117.905 (a). (MT)</p>	<p>POINT [Latitude: 39.93549, Longitude: -75.2059]</p>

Scott Creek Channel

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Elizabeth River - Scott Creek Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024-09-13	2024-12-31	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-09-13 To: 2024-12-31 Crofton Construction Services, Incorporated (CSI) will be performing repair of Crofton Bulkhead in Scott Creek. Specifically, there will be installed approximately 276 linear feet of replacement steel sheet pile bulkhead, an average 3 feet channel ward of an existing, deteriorating bulkhead withing Scotts Creek, adjacent to property situated at 16 Harper Avenue in the City of Portsmouth. The limits of construction are approximately .20 acres in size and the area is bound by the land on the NW and Scott Creek on the other three sides of the bulkhead at in the following location:36°50'54.20"N, 76°18'56.41"W. Beginning June 16, 2023, and continuing until December 31, 2024, approximately 198 days or until complete from 7:00 AM - 5:00 PM, five days a week. Operations will include crane barge operations, material barges, tugboats, work floats, and smaller crafts consistent with general marine construction. Barge(s) & vessel(s) will be moored, on site with employees working over the side on small floats or crew boats. The construction equipment will be confined to the barges with crew boats working in the vicinity. The entire channel will not be	POLYGON [Latitude: 36.85014, Longitude: -76.31558] [Latitude: 36.84924, Longitude: -76.31458] [Latitude: 36.84745, Longitude: -76.31607] [Latitude: 36.84791, Longitude: -76.31703] [Latitude: 36.85014, Longitude: -76.31558]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					closed, during any stage of construction, or will not restrict marine traffic. Vessels are requested to proceed in this area with caution and no wake within 500' of the above coordinates. Crews will be monitoring the following radio frequencies: VHF channels 13 & 16.	

Seagirt Marine Terminal West Channel

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Seagirt Marine Terminal West Lighted Buoy 3SW	CHANGE	On or about November 11, 2024 the Coast Guard will remove the seasonal ice condition "Replace with an unlighted buoy if endangered by ice."
Seagirt Marine Terminal West Lighted Buoy 8	CHANGE	On or about November 11, 2024 the Coast Guard will remove the seasonal ice condition "Replace with an unlighted buoy if endangered by ice."

Shallow Creek

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Shallow Creek Daybeacon 4	26965	STRUCT DMGD	PA

Silver Lake

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Silver Lake Entrance Daybeacon 4	28995	STRUCT DEST/TRUB	FD
Silver Lake Entrance Light 9	29020	STRUCT DEST	FD

Sinepuxent Bay

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sinepuxent Bay/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-05	2025-04-17	General/Hazards To Navigation/Shoaling Reported Shoaling has also been reported between Sinepuxent Bay Channel Buoy 33 (LLNR 5130) and Sinepuxent Bay Channel Buoy 35 (LLNR 5135). From: 2024-08-05 To: 2025-04-17 Location: 38.19686° N / 75.20122° W 38.19558° N / 75.19933° W 38.18027° N / 75.21958° W 38.18195° N / 75.22156° W 38.19686° N / 75.20122° W	POLYGON [Latitude: 38.19686, Longitude: -75.20122] [Latitude: 38.19558, Longitude: -75.19933] [Latitude: 38.18027, Longitude: -75.21958] [Latitude: 38.18195, Longitude: -75.22156] [Latitude: 38.19686, Longitude: -75.20122]
Chincoteague Bay - Sinepuxent Bay/General/Hazard To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-05	2025-06-18	General/Hazards To Navigation/Shoaling Reported There has been a report of shoaling in Sinepuxent Bay within the channel boundaries between Sinepuxent Bay Channel Buoy 6 (LLNR 5015) and Sinepuxent Bay Channel Buoy 7 (LLNR 5017). From: 2024-08-05 To: 2025-06-18 Location: 38.31177° N / 75.11192° W 38.31168° N / 75.11119° W 38.30818° N / 75.11249° W 38.30831° N / 75.11322° W 38.31177° N / 75.11192° W	POLYGON [Latitude: 38.31177, Longitude: -75.11192] [Latitude: 38.31168, Longitude: -75.11119] [Latitude: 38.30818, Longitude: -75.11249] [Latitude: 38.30831, Longitude: -75.11322] [Latitude: 38.31177, Longitude: -75.11192]

Slaughter Creek

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Little Choptank River - Slaughter Creek/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-07	2025-07-25	General/Hazards To Navigation/Shoaling Reported Shoaling in the western portion of Slaughter Creek IVO of Holland Point has encroached easterly in most of the channel. The shoal adjacent to Slaughter Creek Light 25C (LLNR 24645) has encroached approximately 50-100 yds easterly with observed depths of 3-4' in between tide cycles. Shoaling to 2' MLW has been observed on the red side of the channel between Slaughter Creek Buoy 6 (LLNR 24670) and Slaughter Creek Buoy 8 (LLNR 24683).	POLYGON [Latitude: 38.50643, Longitude: -76.27042] [Latitude: 38.50068, Longitude: -76.26772] [Latitude: 38.49366, Longitude: -76.27866] [Latitude: 38.49501, Longitude: -76.28029] [Latitude: 38.50136, Longitude: -76.27085] [Latitude: 38.50586, Longitude: -76.27261] [Latitude: 38.50643, Longitude: -76.27042]

Smith Creek Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Smith Creek Channel Daybeacon 5	33765	STRUCT DEST/TRUB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Neuse River - Smith Creek Channel/General/ To Navigation/Shoaling Reported	Hazards General	Hazards To Navigation	2024- 09-25	2025- 03-24	Shoaling has been reported from Whittaker Creek Daybeacon 3 (LLNR 33723) to Whittaker Creek Daybeacon 5 (LLNR 33730). Shoaling is encroaching from western side of channel, expanding roughly 70% of channel width between Whittaker Creek Daybeacon 3 (LLNR 33723) and Whittaker Creek Daybeacon 4 (LLNR 33725). Depths of 3.5' MLLW has been reported	POLYGON [Latitude: 35.01992, Longitude: -76.69862] [Latitude: 35.0178, Longitude: -76.69511] [Latitude: 35.01706, Longitude: -76.69583] [Latitude: 35.01913, Longitude: -76.69973] [Latitude: 35.01992, Longitude: -76.69862]

South Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
South Creek Channel Daybeacon 9	33145	DAYMK MISSING	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Jacobs Creek Canal Daybeacon 1	33200	DAYMK MISSING	PA
Jacobs Creek Canal Daybeacon 2	33205	DAYMK MISSING	PA

South Ferry Terminal

ATON Changes

NAME	ACTION TYPE	DESCRIPTION
Hatteras Connector Buoy 6A	ESTABLISH	ATON/ATON Changes From: 2024-10-24 To: 2024-11-07 Location: 35.19626° N / 75.77104° W 35-11-46.549N / 075-46-15.740W Aid Name: Hatteras Connector Buoy 6A LLNR: 28687 Action: ESTABLISH
Hatteras Connector Buoy 7A	ESTABLISH	ATON/ATON Changes From: 2024-10-24 To: 2024-11-07 Location: 35.19803° N / 75.77304° W 35-11-52.910N / 075-46-22.956W. Aid Name: Hatteras Connector Buoy 7A LLNR: 28690.5 Action: ESTABLISH
Hatteras Connector Buoy 12	RELOCATE	ATON/ATON Changes From: 2024-10-24 To: 2024-11-07 Location: 35.20316° N / 75.77841° W 35-12-11.359N / 075-46-42.271W. Aid Name: Hatteras Connector Buoy 12 LLNR: 28698 Action: RELOCATE
Hatteras Connector Buoy 13	RELOCATE	ATON/ATON Changes From: 2024-10-24 To: 2024-11-07 Location: 35.20218° N / 75.77805° W 35-12-07.859N / 075-46-40.986W. Aid Name: Hatteras Connector Buoy 13 LLNR: 28702 Action: RELOCATE

South River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
South River Daybeacon 5	19575	DBD DMGD	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Glebe Bay Light	19630	LT EXT	PA

ATON Changes

NAME	ACTION TYPE	DESCRIPTION
Glebe Bay Light	RELOCATE	ATON/ATON Changes From: 2024-11-04 To: 2024-11-18 Location: 38.93547° N / 76.53869° W Aid Name: Glebe Bay Light LLNR: 19630 Action: RELOCATE Relocate: To 38-56-07.677N, 076-32-19.287W

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - South River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-11-04	2025-05-03	ATON/Federal Discrepancies From: 2024-11-04 To: 2025-05-03 Location: 38.90996° N / 76.48861° W Aid Name: South River Daybeacon 5 LLNR: 19575 Discrepancy Information: Initial Report DTG: 041239Z NOV 2024 Summary: DBD DMGD	POINT [Latitude: 38.90996, Longitude: -76.48861]
Chesapeake Channel - South River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-11-04	2025-11-04	ATON/PATON Discrepancies From: 2024-11-04 To: 2025-11-04 Location: 38.95378° N / 76.53278° W Aid Name: Crab Creek Buoy 1 LLNR: Not Provided Discrepancy Information: Initial Report DTG: 041712Z NOV 2024 Summary: OFF STATION	POINT [Latitude: 38.95378, Longitude: -76.53278]
Chesapeake Channel - South River/ATON/ATON Changes	ATON	ATON Changes	2024-11-04	2024-11-18	ATON/ATON Changes From: 2024-11-04 To: 2024-11-18 Location: 38.93547° N / 76.53869° W Aid Name: Glebe Bay Light LLNR: 19630 Action: RELOCATE Relocate: To 38-56-07.677N, 076-32-19.287W	POINT [Latitude: 38.93547, Longitude: -76.53869]
Chesapeake Channel - South River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-11-04	2025-05-03	ATON/PATON Discrepancies From: 2024-11-04 To: 2025-05-03 Location: 38.93567° N / 76.53829° W Aid Name: Glebe Bay Light LLNR: 19630 Discrepancy Information: Initial Report DTG: 041338Z NOV 2024 Summary: LT EXT	POINT [Latitude: 38.93567, Longitude: -76.53829]

Sparrows Point Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sparrows Point Buoy 4	20570	TRUB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Patapsco River - Sparrows Point Channel/General Construction (Excluding Bridges)/Boring and Core Samples	General	Marine Construction (Excluding Bridges)	2024-10-29	2024-11-22	<p>Drill soil boring operations are scheduled to occur in the vicinity of Sparrows Point Basin at Trade Point Atlantic, Baltimore MD. from October 30 to November 22, 2024. Work will be conducted Monday—Friday, from 7 a.m. to 5:00 p.m., and may include weekends to make up for weather-related delays, if needed. The spud barge will stay onsite each night, and the tug will be dispatched from Smith's yard in Curtis Bay or McCluskey's marina on North Point Creek each day. If there is a major weather event all equipment will return to Smith's yard. The barge "502" will have spuds approx. 60' long and will have proper lighting at night. A Tug w/ crew will always be onsite while drill crews are working, and will monitor VHF channels 13, 16, & 78. All equipment will be clearly marked and lighted as required by U.S. Coast Guard regulations. To prevent damage to the gear, mariners operating vessels nearby are requested to proceed at a reduced safe speed that minimizes wake at the work site.</p>	<p>POLYGON [Latitude: 39.21298, Longitude: -76.47618] [Latitude: 39.20433, Longitude: -76.47554] [Latitude: 39.20267, Longitude: -76.48669] [Latitude: 39.21198, Longitude: -76.48648] [Latitude: 39.21298, Longitude: -76.47618]</p>

St Catherine Sound Upper Entrance

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cobb Island Daybeacon 4	17305	STRUCT DEST/TRUB	FD

St Patrick Creek

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
St Clements Bay - St Patrick Creek/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 08-07	2025- 10-21	General/Hazards To Navigation/Shoaling Reported Shoaling has been reported in St. Patrick Creek to depths of 2-4 feet at MLW near St. Patrick Creek Channel Buoy 3 (LLNR 17123) and extending to Buoy 7 (LLNR 17145). Shoaling of 1 foot at MLW has been observed within the channel limits in the vicinity of St. Patrick Creek Channel Buoy 4 (LLNR 17130).	POLYGON [Latitude: 38.23401, Longitude: -76.74511] [Latitude: 38.23242, Longitude: -76.74015] [Latitude: 38.23197, Longitude: -76.74047] [Latitude: 38.23352, Longitude: -76.74555] [Latitude: 38.23401, Longitude: -76.74511]

Susquehanna River

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Upper Chesapeake Channel - Susquehanna River/General/Bridges/Maintenance	General	Bridges	2024-09-26	2025-11-07	<p>U.S. Route 40 (Thomas J. Hatem Memorial) Bridge - To facilitate replacement of the coating systems on the structural steel members of the bridge, a containment system will be located on and around the vicinity of the bridge from January 27, 2024, through November 7, 2025. The containment system will reduce the vertical clearance of the bridge by approximately 3 feet to approximately 84 feet above mean high water. A barge will be in and around the vicinity of the bridge which will reduce the horizontal clearance by approximately 53 feet to approximately 267 feet. The work vessel can be reached on VHF-FM channel 13. The project superintendent can be reach at (443) 250-8791. Mariners should use extreme caution while navigating in the vicinity of the bridge.</p> <p>(JW)</p>	POINT [Latitude: 39.561992, Longitude: -76.087138]
Upper Chesapeake Channel - Susquehanna River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024-10-21	2025-04-01	<p>Kiewit Infrastructure Co. will begin bulkhead upgrades at the Vulcan Havre de Grace Quarry on the Susquehanna River stating November 11, 2024 to March 2025. All construction Equipment will be staged on land for the duration of the project floating stages will be used for waterside access to the bulkhead. For more information, contact William.bodnarii@kiewit.com.</p>	<p>POLYGON [Latitude: 39.57265, Longitude: -76.10309] [Latitude: 39.57122, Longitude: -76.10073] [Latitude: 39.57074, Longitude: -76.10134] [Latitude: 39.57209, Longitude: -76.10357] [Latitude: 39.57265, Longitude: -76.10309]</p>

Swan Creek

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Swan Creek Buoy 13	26874.1	OFF STA	PA
Swan Creek Buoy 14	26875	SINKING	PA

Swanquarter Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Swanquarter Bay Light 10	32715	STRUCT DEST/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Swanquarter PPA Warning Daybeacon W	32725.22	DAYMK MISSING	PA

Tangier Island East Channel

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Tangier Sound - Tangier Island East Channel/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 09-10	2025- 12-31	General/Hazards To Navigation/Shoaling Reported From: 2024- 09-10 To: 2025-12-31 Location: 37.83398° N / 75.98183° W 37.83385° N / 75.98171° W 37.83279° N / 75.98347° W 37.83293° N / 75.98365° W 37.83398° N / 75.98183° W There has been a report of shoaling in the Tangier Island East Channel within the channel boundaries between Tangier Island East Daybeacon 6 (LLNR 22765) and Tangier Island East Channel Light 7 (LLNR 22770) to a depth of three feet.	POLYGON [Latitude: 37.83398, Longitude: -75.98183] [Latitude: 37.83385, Longitude: -75.98171] [Latitude: 37.83279, Longitude: -75.98347] [Latitude: 37.83293, Longitude: -75.98365] [Latitude: 37.83398, Longitude: -75.98183]

Tanker Anchorage

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Tanker Anchorage Buoy D	2195	OFF STA	FD

--

Tar Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Tar Bay Warning Daybeacon F	24601	STRUCT DEST	FD

ATON Changes

NAME	ACTION TYPE	DESCRIPTION
Coastal Design Lighted Mooring Buoy M11	DISCONTINUE	ATON/ATON Changes From: 2024-10-28 To: 2024-11-11 Location: 38.33963° N / 76.27113° W Aid Name: Coastal Design Lighted Mooring Buoy M11 LLNR: 24579.21 Action: DISCONTINUE

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON	ATON Changes	2024-10-28	2024-11-11	ATON/ATON Changes From: 2024-10-28 To: 2024-11-11 Location: 38.34201° N / 76.27423° W Aid Name: Coastal Design Lighted Mooring Buoy M13 LLNR: 24579.12 Action: DISCONTINUE	POINT [Latitude: 38.34201, Longitude: -76.27423]
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON	ATON Changes	2024-10-28	2024-11-11	ATON/ATON Changes From: 2024-10-28 To: 2024-11-11 Location: 38.32608° N / 76.26507° W Aid Name: Coastal Design Lighted Mooring Buoy M18 LLNR: 24579.17 Action: DISCONTINUE	POINT [Latitude: 38.32608, Longitude: -76.26507]
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON	ATON Changes	2024-10-28	2024-11-11	ATON/ATON Changes From: 2024-10-28 To: 2024-11-11 Location: 38.33963° N / 76.27113° W Aid Name: Coastal Design Lighted Mooring Buoy M11 LLNR: 24579.21 Action: DISCONTINUE	POINT [Latitude: 38.33963, Longitude: -76.27113]
ATON/ATON Changes	ATON	ATON Changes	2024-10-28	2024-11-11	ATON/ATON Changes From: 2024-10-28 To: 2024-11-11 Location: 38.33939° N / 76.27395° W Aid Name: Coastal Design Lighted Mooring Buoy M14 LLNR: 24579.13 Action: DISCONTINUE	POINT [Latitude: 38.33939, Longitude: -76.27395]
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON	ATON Changes	2024-10-28	2024-11-11	ATON/ATON Changes From: 2024-10-28 To: 2024-11-11 Location: 38.33994° N / 76.28112° W Aid Name: Coastal Design Lighted Mooring Buoy M15 LLNR: 24579.14 Action: DISCONTINUE	POINT [Latitude: 38.33994, Longitude: -76.28112]
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON	ATON Changes	2024-10-28	2024-11-11	ATON/ATON Changes From: 2024-10-28 To: 2024-11-11 Location: 38.32466° N / 76.2802° W Aid Name: Coastal Design Lighted Mooring Buoy M16 LLNR: 24579.15 Action: DISCONTINUE	POINT [Latitude: 38.32466, Longitude: -76.2802]
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON	ATON Changes	2024-10-28	2024-11-11	ATON/ATON Changes From: 2024-10-28 To: 2024-11-11 Location: 38.35048° N / 76.29509° W Aid Name: Coastal Design Lighted Mooring Buoy M2 LLNR: 24579.1 Action: DISCONTINUE	POINT [Latitude: 38.35048, Longitude: -76.29509]
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON	ATON Changes	2024-10-28	2024-11-11	ATON/ATON Changes From: 2024-10-28 To: 2024-11-11 Location: 38.29909° N / 76.27336° W Aid Name: Coastal Design Lighted Mooring Buoy M4 LLNR: 24579.3 Action: DISCONTINUE	POINT [Latitude: 38.29909, Longitude: -76.27336]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON	ATON Changes	2024-10-28	2024-11-11	ATON/ATON Changes From: 2024-10-28 To: 2024-11-11 Location: 38.29543° N / 76.27048° W Aid Name: Coastal Design Lighted Mooring Buoy M5 LLNR: 24579.4 Action: DISCONTINUE	POINT [Latitude: 38.29543, Longitude: -76.27048]
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON	ATON Changes	2024-10-28	2024-11-10	ATON/ATON Changes From: 2024-10-28 To: 2024-11-10 Location: 38.29324° N / 76.2669° W Aid Name: Coastal Design Lighted Mooring Buoy M6 LLNR: 24579.5 Action: DISCONTINUE	POINT [Latitude: 38.29324, Longitude: -76.2669]
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON	ATON Changes	2024-10-28	2024-11-11	ATON/ATON Changes From: 2024-10-28 To: 2024-11-11 Location: 38.34754° N / 76.29388° W Aid Name: Coastal Design Lighted Mooring Buoy M1 LLNR: 24579 Action: DISCONTINUE	POINT [Latitude: 38.34754, Longitude: -76.29388]
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON	ATON Changes	2024-10-28	2024-11-11	ATON/ATON Changes From: 2024-10-28 To: 2024-11-11 Location: 38.33712° N / 76.27315° W Aid Name: Coastal Design Lighted Mooring Buoy M20 LLNR: 24579.19 Action: DISCONTINUE	POINT [Latitude: 38.33712, Longitude: -76.27315]
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON	ATON Changes	2024-10-28	2024-11-11	ATON/ATON Changes From: 2024-10-28 To: 2024-11-11 Location: 38.32525° N / 76.26742° W Aid Name: Coastal Design Lighted Mooring Buoy M9 LLNR: 24579.8 Action: DISCONTINUE	POINT [Latitude: 38.32525, Longitude: -76.26742]
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON	ATON Changes	2024-10-28	2024-11-11	ATON/ATON Changes From: 2024-10-28 To: 2024-11-11 Location: 38.33753° N / 76.27034° W Aid Name: Coastal Design Lighted Mooring Buoy M19 LLNR: 24579.18 Action: DISCONTINUE	POINT [Latitude: 38.33753, Longitude: -76.27034]
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON	ATON Changes	2024-10-28	2024-11-11	ATON/ATON Changes From: 2024-10-28 To: 2024-11-11 Location: 38.34212° N / 76.2714° W Aid Name: Coastal Design Lighted Mooring Buoy M12 LLNR: 24579.11 Action: DISCONTINUE	POINT [Latitude: 38.34212, Longitude: -76.2714]
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON	ATON Changes	2024-10-28	2024-11-11	ATON/ATON Changes From: 2024-10-28 To: 2024-11-11 Location: 38.32775° N / 76.26554° W Aid Name: Coastal Design Lighted Mooring Buoy M17 LLNR: 24579.16 Action: DISCONTINUE	POINT [Latitude: 38.32775, Longitude: -76.26554]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON	ATON Changes	2024-10-28	2024-11-11	ATON/ATON Changes From: 2024-10-28 To: 2024-11-11 Location: 38.35364° N / 76.29668° W Aid Name: Coastal Design Lighted Mooring Buoy M3 LLNR: 24579.2 Action: DISCONTINUE	POINT [Latitude: 38.35364, Longitude: -76.29668]
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON	ATON Changes	2024-10-28	2024-11-11	ATON/ATON Changes From: 2024-10-28 To: 2024-11-11 Location: 38.32314° N / 76.26228° W Aid Name: Coastal Design Lighted Mooring Buoy M7 LLNR: 24579.6 Action: DISCONTINUE	POINT [Latitude: 38.32314, Longitude: -76.26228]
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON	ATON Changes	2024-10-28	2024-11-11	ATON/ATON Changes From: 2024-10-28 To: 2024-11-11 Location: 38.32329° N / 76.26582° W Aid Name: Coastal Design Lighted Mooring Buoy M8 LLNR: 24579.7 Action: DISCONTINUE	POINT [Latitude: 38.32329, Longitude: -76.26582]
Chesapeake Channel - Tar Bay/ATON/ATON Changes	ATON	ATON Changes	2024-10-28	2024-11-11	ATON/ATON Changes From: 2024-10-28 To: 2024-11-11 Location: 38.32772° N / 76.26843° W Aid Name: Coastal Design Lighted Mooring Buoy M10 LLNR: 24579.9 Action: DISCONTINUE	POINT [Latitude: 38.32772, Longitude: -76.26843]

Taylor Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Taylor Creek Channel Daybeacon 9	34800	STRUCT DEST/TRUB	FD

Teaches Hole Channel

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape Hatteras To Little River Inlet/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 09-25	2025- 03-24	Shoaling exists in various locations throughout Hatteras Inlet Channel to a depth of 2 feet at mean low water. Shoaling continues to encroach the channel near Hatteras Inlet Channel Lighted Buoy 12A (LLNR28732.1), and Hatteras Inlet Channel Buoy 15 (LLNR 28736). Depths of less than 4 feet MLW have been reported between Hatteras Inlet Channel Buoy 18 (LLNR 28760) and Hatteras Channel Lighted Buoy 19 (LLNR 28760). Some aids to navigation in the inlet may be unreliable.	POLYGON [Latitude: 35.21313, Longitude: -75.73104] [Latitude: 35.20655, Longitude: -75.72995] [Latitude: 35.20329, Longitude: -75.72872] [Latitude: 35.20486, Longitude: -75.72145] [Latitude: 35.20255, Longitude: -75.72003] [Latitude: 35.20134, Longitude: -75.72924] [Latitude: 35.20302, Longitude: -75.73201] [Latitude: 35.20865, Longitude: -75.73246] [Latitude: 35.21224, Longitude: -75.73339] [Latitude: 35.21313, Longitude: -75.73104]

Thimble Shoal Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Norfolk Entrance Reach Range Front Warning Light	9370	LT EXT	FD
Norfolk Entrance Reach Range Rear Warning Light	9375	LT EXT	FD

Thorofare Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Thorofare Channel Buoy 3	4875	OFF STA	PA

Townsend Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Townsend Inlet Lighted Buoy 3	1407	OFF STA	FD
Townsend Inlet Buoy 8	1420	MISSING	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Avalon Jetty Light A	1412	LT EXT	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector Delaware Bay, Submerged Land Act (SLA) - Townsends Inlet/PATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-10-21	2025-04-19		POINT [Latitude: 39.10674, Longitude: -74.70346]

Tred Avon River

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Tred Avon River Lighted Buoy 2	CHANGE	Starting immediately the Coast Guard will begin removing the existing ice conditions "Replace lighted buoy with an unlighted buoy when endangered by ice" and replace; the aid, with a new year-round (ice) buoy for the below listed aids to navigation. The new buoys daytime visibility will be 1.4nm and have a radar range of 1.0nm. The flash characteristic and nominal range will remain unchanged.

Trent River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Trent River Daybeacon 6	34270	STRUCT DEST/TRUB	FD
Trent River Daybeacon 12	34290	STRUCT DEST/TRUB	FD

Upper Delaware River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Kinkora Upper Range Rear Light	4150	LT EXT	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Upper Delaware River Channel Lighted Buoy 58	4070	RELOCATED FOR DREDGING	FD
Upper Delaware River Lighted Buoy 60	4075	RELOCATED FOR DREDGING	FD
Upper Delaware River Lighted Buoy 65	4095	RELOCATED FOR DREDGING	FD
Upper Delaware River Lighted Buoy 72	4160	RELOCATED FOR DREDGING	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Upper Delaware River/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-07-01	2025-01-01	General/Marine Construction (Excluding Bridges)/Dredging Seaward Marine Corp. will be conducting dredging operations in the Upper Delaware River between Edgewater Range and Florence Range starting July 1, 2024 to January 1, 2025. Mariners are requested to notify the Dredge Carolyn Skaves 30 minutes prior to transiting the area that the dredge is working in, to make passing arrangements. The Dredge Carolyn Skaves can be contacted via VHF radio channel 13, or by phone at 757-837-7620. Scows will be moored outside the channel in the vicinity of Upper Delaware River Channel Lighted Buoy 36 (LLNR 3920). Mariners are reminded to transit the area with caution. From: 2024-07-01 To: 2025-01-01	POLYGON [Latitude: 40.12915, Longitude: -74.81593] [Latitude: 40.12117, Longitude: -74.78924] [Latitude: 40.11934, Longitude: -74.78905] [Latitude: 40.1271, Longitude: -74.81614] [Latitude: 40.12687, Longitude: -74.82019] [Latitude: 40.12422, Longitude: -74.82534] [Latitude: 40.11908, Longitude: -74.82834] [Latitude: 40.10384, Longitude: -74.83525] [Latitude: 40.09756, Longitude: -74.84327] [Latitude: 40.09173, Longitude: -74.85575] [Latitude: 40.0834, Longitude: -74.86113] [Latitude: 40.08157, Longitude: -74.86467] [Latitude: 40.08094, Longitude: -74.86716] [Latitude: 40.0778, Longitude: -74.88467] [Latitude: 40.07008, Longitude: -74.91123] [Latitude: 40.0717, Longitude: -74.91268] [Latitude: 40.07948, Longitude: -74.88532] [Latitude: 40.08243, Longitude: -74.86662] [Latitude: 40.08418, Longitude: -74.86332] [Latitude: 40.09263, Longitude: -74.85731] [Latitude: 40.09893, Longitude: -74.84473] [Latitude: 40.10418, Longitude: -74.8376] [Latitude: 40.12445, Longitude: -74.82843] [Latitude: 40.12749, Longitude: -74.82529] [Latitude: 40.12892, Longitude: -74.82009] [Latitude: 40.12915, Longitude: -74.81593]
					01-01 Location: 40.12915° N / 74.81593° W 40.12117° N / 74.78924° W 40.11934° N / 74.78905° W 40.1271° N / 74.81614° W 40.12687° N / 74.82019° W 40.12422° N / 74.82534° W 40.11908° N / 74.82834° W 40.10384° N / 74.83525° W 40.09756° N / 74.84327° W 40.09173° N / 74.85575° W 40.0834° N / 74.86113° W 40.08157° N / 74.86467° W 40.08094° N / 74.86716° W 40.0778° N / 74.88467° W 40.07008° N / 74.91123° W 40.0717° N / 74.91268° W 40.07948° N / 74.88532° W 40.08243° N /	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					74.86662° W	
					40.08418° N /	
					74.86332° W	
					40.09263° N /	
					74.85731° W	
					40.09893° N /	
					74.84473° W	
					40.10418° N /	
					74.8376° W	
					40.12445° N /	
					74.82843° W	
					40.12749° N /	
					74.82529° W	
					40.12892° N /	
					74.82009° W	
					40.12915° N /	
					74.81593° W	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Upper Delaware River/General/Bridges/Maintenance	General	Bridges	2024- 09-05	2024- 11-23	<p>General/Bridges/Maintenance From: 2024-09-05 To: 2024-11-23 Location: 40.0117° N / 75.04269° W Bridge Name: 73 State Route Bridge Mariners are advised that Burlington County Bridge Commission will be performing repairs on the SR 73 (Tacony-Palmyra) Bridge, at mile 107.2 over the Delaware River, between Tacony PA, and Palmyra, NJ, from May 20, 2024, through November 22, 2024. To facilitate repairs to the bottom of the lower chord (steel members) on the bascule leaves, a platform will be located on and around the vicinity of the bridge for the entirety of the maintenance period. The platform will reduce the vertical clearance of the bridge by approximately 2 feet to approximately 48 feet above mean high water. Vessels able to pass through the bridge in closed position may do so at any time. The drawbridge will operate in accordance with the operating regulations set out in Title 33 Code of Federal Regulations Part 117.716. All mariners should use caution when transiting the area. The drawbridge tender may be reached VHF-FM channel 13 and (609) 922-2843. Mariners should use caution while navigating in the vicinity of the bridge.</p>	POINT [Latitude: 40.0117, Longitude: -75.04269]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Upper Delaware River/General/Bridges	General	Bridges	2024-09-26	2024-11-07	SR 73 (Tacony-Palmyra) Bridge - To facilitate repairs to the bottom of the lower chord (steel members) on the bascule leaves from May 20, 2024, through November 23, 2024. The platform will reduce the vertical clearance of the bridge by approximately 2 feet to approximately 48 feet above mean high water. Vessels able to pass through the bridge in closed position may do so at any time. The drawbridge will operate in accordance with the operating regulations set out in Title 33 Code of Federal Regulations Part 117.716. All mariners should use caution when transiting the area. The drawbridge tender may be reached VHF-FM channel 13 and (609) 922-2843. Mariners should use caution while navigating in the vicinity of the bridge. (JW)	POINT [Latitude: 40.0117, Longitude: -75.04269]
Delaware River - Upper Delaware River/ATON/Temporary Changes	ATON	Temporary Changes	2024-10-10	2025-04-08	ATON/Temporary Changes From: 2024-10-10 To: 2025-04-08 Location: 40.12634° N / 74.82281° W Aid Name: Upper Delaware River Channel Lighted Buoy 58 LLNR: 4070 Temporary Aid Change Information: Status: RELOCATED FOR DREDGING	POINT [Latitude: 40.12634, Longitude: -74.82281]
Delaware River - Upper Delaware River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-26	2025-04-24	ATON/Federal Discrepancies From: 2024-10-26 To: 2025-04-24 Location: 40.07031° N / 74.90283° W Aid Name: Beverly Upper Range Front Light LLNR: 3880 Discrepancy Information: Initial Report DTG: 260929Z OCT 2024 Summary: LT EXT	POINT [Latitude: 40.07031, Longitude: -74.90283]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Delaware River - Upper Delaware River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-26	2025-04-24	ATON/Federal Discrepancies From: 2024-10-26 To: 2025-04-24 Location: 40.13518° N / 74.75997° W Aid Name: Kinkora Upper Range Front Light LLNR: 4145 Discrepancy Information: Initial Report DTG: 260931Z OCT 2024 Summary: LT EXT	POINT [Latitude: 40.13518, Longitude: -74.75997]
Delaware River - Upper Delaware River/ATON/Temporary Changes	ATON	Temporary Changes	2024-10-10	2025-04-08	ATON/Temporary Changes From: 2024-10-10 To: 2025-04-08 Location: 40.12679° N / 74.77211° W Aid Name: Upper Delaware River Lighted Buoy 72 LLNR: 4160 Temporary Aid Change Information: Status: RELOCATED FOR DREDGING	POINT [Latitude: 40.12679, Longitude: -74.77211]
Delaware River - Upper Delaware River/ATON/Temporary Changes	ATON	Temporary Changes	2024-10-10	2025-04-08	ATON/Temporary Changes From: 2024-10-10 To: 2025-04-08 Location: 40.1213° N / 74.79135° W Aid Name: Upper Delaware River Lighted Buoy 65 LLNR: 4095 Temporary Aid Change Information: Status: RELOCATED FOR DREDGING	POINT [Latitude: 40.1213, Longitude: -74.79135]
Delaware River - Upper Delaware River/ATON/Temporary Changes	ATON	Temporary Changes	2024-10-10	2025-04-08	ATON/Temporary Changes From: 2024-10-10 To: 2025-04-08 Location: 40.12715° N / 74.81574° W Aid Name: Upper Delaware River Lighted Buoy 60 LLNR: 4075 Temporary Aid Change Information: Status: RELOCATED FOR DREDGING	POINT [Latitude: 40.12715, Longitude: -74.81574]
Delaware River - Upper Delaware River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-29	2025-04-27	ATON/Federal Discrepancies From: 2024-10-29 To: 2025-04-27 Location: 39.99249° N / 75.06038° W Aid Name: Upper Delaware River Channel Lighted Buoy 4 LLNR: 3663 Discrepancy Information: Initial Report DTG: 291815Z OCT 2024 Summary: OFF STATION	POINT [Latitude: 39.99249, Longitude: -75.06038]

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Upper Delaware River Channel Lighted Buoy 4	3663	RESET ON STATION	FD	2024-10-29
Beverly Upper Range Front Light	3880	WATCHING PROPERLY	FD	2024-10-28
Kinkora Upper Range Front Light	4145	RELIGHTED	FD	2024-10-28

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Upper Delaware River Channel Lighted Buoy 33	CHANGE	ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.07151° N / 74.913° W Aid Name: Upper Delaware River Channel Lighted Buoy 33 LLNR: 3875 Action: CHANGE Starting September 23, 2024 to the end of November 2024, the Coast Guard will make the following changes to the buoys on the Upper Delaware River. Seasonal status "Replaced by can/nun when endangered by ice." will be removed. Aid will be lighted year-round regardless of potential ice: Upper Delaware River Channel Lighted Buoy 33 (LLNR 3875) All aids will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range would be reduced from 2.7nm to 1.0nm. All light nominal ranges will be set to 4nm.
Upper Delaware River Lighted Buoy 36	CHANGE	ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.07429° N / 74.89753° W Aid Name: Upper Delaware River Channel Lighted Buoy 36 LLNR: 3920 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make the following changes to the buoys on the Upper Delaware River. Seasonal status "Replaced by can/nun when endangered by ice." will be removed. Aid will be lighted year-round regardless of potential ice: Upper Delaware River Channel Lighted Buoy 36 (LLNR 3920) All aids will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range would be reduced from 2.7nm to 1.0nm. All light nominal ranges will be set to 4nm.
Upper Delaware River Lighted Buoy 40	CHANGE	ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.07776° N / 74.88495° W Aid Name: Upper Delaware River Channel Lighted Buoy 40 LLNR: 3930 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make the following changes to the buoys on the Upper Delaware River. Seasonal status "Replaced by can/nun when endangered by ice." will be removed. Aid will be lighted year-round regardless of potential ice: Upper Delaware River Channel Lighted Buoy 40 (LLNR 3930) All aids will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range would be reduced from 2.7nm to 1.0nm. All light nominal ranges will be set to 4nm.

NAME	ACTION TYPE	DESCRIPTION
Upper Delaware River Channel Lighted Buoy 48	CHANGE	<p>ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.09393° N / 74.85195° W Aid Name: Upper Delaware River Channel Lighted Buoy 48 LLNR: 3990 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make the following changes to the buoys on the Upper Delaware River. Seasonal status "Replaced by can/nun when endangered by ice." will be removed. Aid will be lighted year-round regardless of potential ice: Upper Delaware River Channel Lighted Buoy 48(LLNR 3990) All aids will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range would be reduced from 2.7nm to 1.0nm. All light nominal ranges will be set to 4nm.</p>
Upper Delaware River Channel Lighted Buoy 51	CHANGE	<p>ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.09945° N / 74.84267° W Aid Name: Upper Delaware River Channel Lighted Buoy 51 LLNR: 4010 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make the following changes to the buoys on the Upper Delaware River. Seasonal status "Replaced by can/nun when endangered by ice." will be removed. Aid will be lighted year-round regardless of potential ice: Upper Delaware River Channel Lighted Buoy 51 (LLNR 4010) All aids will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range would be reduced from 2.7nm to 1.0nm. All light nominal ranges will be set to 4nm.</p>
Upper Delaware River Channel Lighted Buoy 52	CHANGE	<p>ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.09856° N / 74.841° W Aid Name: Upper Delaware River Channel Lighted Buoy 52 LLNR: 4015 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make changes to Upper Delaware River Channel Lighted Buoy 52 (LLNR 4015). Seasonal status "Replaced by LIB of reduced intensity from Dec. 15 to Mar. 1" will be removed. Buoy size/type and light nominal range will remain the same all year round. Aid will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range will be reduced from 2.7nm to 1.0nm. Light nominal range will be set to 4nm.</p>
Upper Delaware River Channel Lighted Buoy 53	CHANGE	<p>ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.10534° N / 74.83681° W Aid Name: Upper Delaware River Channel Lighted Buoy 53 LLNR: 4035 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make the following changes to the buoys on the Upper Delaware River. Seasonal status "Replaced by can/nun when endangered by ice." will be removed. Aid will be lighted year-round regardless of potential ice: Upper Delaware River Channel Lighted Buoy 53 (LLNR 4035) All aids will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range would be reduced from 2.7nm to 1.0nm. All light nominal ranges will be set to 4nm.</p>
Upper Delaware River Channel Lighted Buoy 54	CHANGE	<p>ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.10401° N / 74.83517° W Aid Name: Upper Delaware River Channel Lighted Buoy 54 LLNR: 4040 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make changes to Upper Delaware River Channel Lighted Buoy 54 (LLNR 4040). Seasonal status "Replaced by LIB of reduced intensity from Dec. 15 to Mar. 1" will be removed. Buoy size/type and light nominal range will remain the same all year round. Aid will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range will be reduced from 2.7nm to 1.0nm. Light nominal range will be set to 4nm.</p>

NAME	ACTION TYPE	DESCRIPTION
Upper Delaware River Lighted Buoy 60	CHANGE	<p>ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.12715° N / 74.81574° W Aid Name: Upper Delaware River Channel Lighted Buoy 60 LLNR: 4075 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make changes to Upper Delaware River Channel Lighted Buoy 60 (LLNR 4075). Seasonal status "Replaced by LIB of reduced intensity from Dec. 15 to Mar. 1" will be removed. Buoy size/type and light nominal range will remain the same all year round. Aid will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range will be reduced from 2.7nm to 1.0nm. Light nominal range will be set to 4nm.</p>
Upper Delaware River Lighted Buoy 65	CHANGE	<p>ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.1213° N / 74.79135° W Aid Name: Upper Delaware River Channel Lighted Buoy 65 LLNR: 4095 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make changes to Upper Delaware River Channel Lighted Buoy 65 (LLNR 4095). Seasonal status "Replaced by LIB of reduced intensity from Dec. 15 to Mar. 1" will be removed. Buoy size/type and light nominal range will remain the same all year round. Aid will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range will be reduced from 2.7nm to 1.0nm. Light nominal range will be set to 4nm.</p>
Upper Delaware River Lighted Buoy 69	CHANGE	<p>ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.12139° N / 74.78543° W Aid Name: Upper Delaware River Channel Lighted Buoy 69 LLNR: 4135 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make the following changes to the buoys on the Upper Delaware River. Seasonal status "Replaced by can/nun when endangered by ice." will be removed. Aid will be lighted year-round regardless of potential ice: Upper Delaware River Channel Lighted Buoy 69 (LLNR 4135) All aids will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range would be reduced from 2.7nm to 1.0nm. All light nominal ranges will be set to 4nm.</p>
Upper Delaware River Channel Lighted Buoy 71	CHANGE	<p>ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.12259° N / 74.78124° W Aid Name: Upper Delaware River Channel Lighted Buoy 71 LLNR: 4155 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make changes to Upper Delaware River Channel Lighted Buoy 71 (LLNR 4155). Seasonal status "Replaced by LIB of reduced intensity from Dec. 15 to Mar. 1" will be removed. Buoy size/type and light nominal range will remain the same all year round. Aid will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range will be reduced from 2.7nm to 1.0nm. Light nominal range will be set to 4nm.</p>
Upper Delaware River Lighted Buoy 72	CHANGE	<p>ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.12679° N / 74.77211° W Aid Name: Upper Delaware River Channel Lighted Buoy 72 LLNR: 4160 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make the following changes to the buoys on the Upper Delaware River. Seasonal status "Replaced by can/nun when endangered by ice." will be removed. Aid will be lighted year-round regardless of potential ice: Upper Delaware River Channel Lighted Buoy 72 (LLNR 4160) All aids will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range would be reduced from 2.7nm to 1.0nm. All light nominal ranges will be set to 4nm.</p>

NAME	ACTION TYPE	DESCRIPTION
Upper Delaware River Channel Lighted Buoy 76	CHANGE	<p>ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.13373° N / 74.75878° W Aid Name: Upper Delaware River Channel Lighted Buoy 76 LLNR: 4170 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make the following changes to the buoys on the Upper Delaware River. Seasonal status "Replaced by can/nun when endangered by ice." will be removed. Aid will be lighted year-round regardless of potential ice: Upper Delaware River Channel Lighted Buoy 76 (LLNR 4170) All aids will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range would be reduced from 2.7nm to 1.0nm. All light nominal ranges will be set to 4nm.</p>
Upper Delaware River Channel Lighted Buoy 78	CHANGE	<p>ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.1344° N / 74.75133° W Aid Name: Upper Delaware River Channel Lighted Buoy 78 LLNR: 4175 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make changes to Upper Delaware River Channel Lighted Buoy 78 (LLNR 4175). Seasonal status "Replaced by LIB of reduced intensity from Dec. 15 to Mar. 1" will be removed. Buoy size/type and light nominal range will remain the same all year round. Aid will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range will be reduced from 2.7nm to 1.0nm. Light nominal range will be set to 4nm.</p>
Upper Delaware River Channel Lighted Buoy 89	CHANGE	<p>ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.1504° N / 74.72239° W Aid Name: Upper Delaware River Channel Lighted Buoy 89 LLNR: 4250 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make changes to Upper Delaware River Channel Lighted Buoy 89 (LLNR 4250). Seasonal status "Replaced by LIB of reduced intensity from Dec. 15 to Mar. 1" will be removed. Buoy size/type and light nominal range will remain the same all year round. Aid will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range will be reduced from 2.7nm to 1.0nm. Light nominal range will be set to 4nm.</p>
Upper Delaware River Channel Lighted Buoy 91	CHANGE	<p>ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.16056° N / 74.72286° W Aid Name: Upper Delaware River Channel Lighted Buoy 91 LLNR: 4270 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make changes to Upper Delaware River Channel Lighted Buoy 91 (LLNR 4270). Seasonal status "Replaced by LIB of reduced intensity from Dec. 15 to Mar. 1" will be removed. Buoy size/type and light nominal range will remain the same all year round. Aid will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range will be reduced from 2.7nm to 1.0nm. Light nominal range will be set to 4nm.</p>

Upper Machodoc Creek Dahlgren Channel

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Potomac River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-13	2025-12-06	General/Hazards To Navigation/Shoaling Reported U. S. Army Corps of Engineers Survey of Bonum Creek indicates shoaling, to less than 2 feet MLLW, in the channel. From: 2024-08-13 To: 2025-12-06 Location: 38.09909° N / 76.57955° W 38.09874° N / 76.57894° W 38.09597° N / 76.58116° W 38.09622° N / 76.58178° W 38.09909° N / 76.57955° W	POLYGON [Latitude: 38.09909, Longitude: -76.57955] [Latitude: 38.09874, Longitude: -76.57894] [Latitude: 38.09597, Longitude: -76.58116] [Latitude: 38.09622, Longitude: -76.58178] [Latitude: 38.09909, Longitude: -76.57955]
Potomac River - Upper Machodoc Creek Dahlgren Channel/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-05	2025-08-19	General/Hazards To Navigation/Shoaling Reported The ACOE Survey of St. George Creek Channel dated April 2021, indicates shoaling across the entire channel. The shoaling is from 850 feet up the channel of St. George Creek West Channel Warning Light A (LL 16760) to 500 feet up the channel of St. George Creek West Channel Warning Daybeacon B (LL 16765), with a least depth of 3.1 feet MLLW. From: 2024-08-05 To: 2025-08-19 Location: 38.13635° N / 76.50126° W 38.13549° N / 76.50038° W 38.13191° N / 76.50667° W 38.1329° N / 76.50783° W 38.13635° N / 76.50126° W	POLYGON [Latitude: 38.13635, Longitude: -76.50126] [Latitude: 38.13549, Longitude: -76.50038] [Latitude: 38.13191, Longitude: -76.50667] [Latitude: 38.1329, Longitude: -76.50783] [Latitude: 38.13635, Longitude: -76.50126]
Chesapeake Channel - Potomac River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024-09-09	2027-02-01	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-09-09 To: 2027-02-01 Location: 38.88825° N / 77.0525° W 38.88012° N / 77.04183° W 38.88018° N / 77.04055° W 38.8799° N / 77.04009° W	POLYGON [Latitude: 38.88825, Longitude: -77.0525] [Latitude: 38.88012, Longitude: -77.04183] [Latitude: 38.88018, Longitude: -77.04055] [Latitude: 38.8799, Longitude: -77.04009] [Latitude: 38.88018, Longitude: -77.04177] [Latitude: 38.8854, Longitude: -77.04958] [Latitude: 38.88812, Longitude: -77.05278] [Latitude: 38.88825, Longitude: -77.0525]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>38.87968° N / 77.04177° W 38.8854° N / 77.04958° W 38.88812° N / 77.05278° W 38.88825° N / 77.0525° W Starting on April 15th, 2024 Cianbro Corporation will be mobilizing to begin the Tidal Basin and West Potomac Park Seawall Rehabilitation Project for The National Park Service. This project is scheduled from April 15th, 2024 to February 1st, 2027; with waterside activities being completed by the end of 2026. Starting in mid-June of 2024, one (1) temporary trestle will be installed between 38.8805754591474N, -77.04249015204742W and will extend approximately 94 feet into the river. In July 2024, one additional (1) temporary trestle in the Tidal Basin will be installed at 38.88154282457337N, -77.04085444069864W and will extend approximately 55 feet into the basin. The work area in the Potomac River will span from Arlington Memorial Bridge to The Inlet Bridge following the shoreline of West Potomac Park in stages starting in March of 2025. Directly surrounding the work areas we will have turbidity curtain deployed to contain the work impact zone, two (2) Turbidity Monitoring Bouy's Twenty-Five (25) LF upstream and downstream from the immediate work area. Additional equipment such as boats, crane barges, and material barges in the Potomac River to facilitate the completion of the work. While work is in proximity to a navigable channel, mariners are asked to refrain from entering the work area and maintain a respectful distance with</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					minimize wake to prevent any hazardous conditions from arising for the safety of our Team Members and the traveling public.	

Upper Potomac River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Potomac River Light 44	18095	LT EXT	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Potomac River - Upper Potomac River/General/Safety Zones/Temporary Regulated Navigation Zones	General	Safety Zones	2024-08-14	2025-01-01	<p>General/Safety Zones/Temporary Regulated Navigation Zones Bridge replacement operations are scheduled to continue adjacent to the Federal Navigation Channel at the New Harry W. Nice / Thomas "Mac" Middleton (US 301) Bridge on the Potomac River in Newburg, MD through November 2024. A new 6-knot speed limit is now being enforced for 0.5 nautical miles north and south of the bridge. Wakes from speeding boats can create major hazards for construction operations and workers. Mariners are reminded to heed the speed limit markers established by the State of Maryland when transiting the area, so that wake does not affect the platforms and barges at the work site. For more information, visit www.nicemiddletonbridge.com or call 888-994-1415. From: 2024-08-14 To: 2025-01-01 Location:</p> <p>38.36551° N / 76.98314° W 38.36189° N / 76.98217° W 38.35743° N / 77.01415° W 38.36139° N / 77.01425° W 38.36551° N / 76.98314° W</p>	<p>POLYGON [Latitude: 38.36551, Longitude: -76.98314] [Latitude: 38.36189, Longitude: -76.98217] [Latitude: 38.35743, Longitude: -77.01415] [Latitude: 38.36139, Longitude: -77.01425] [Latitude: 38.36551, Longitude: -76.98314]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Potomac River - Upper Potomac River/General/Bridges/Removal	General	Bridges	2024-08-14	2025-01-01	<p>General/Bridges/Removal Demolition of the old Harry W. Nice / Thomas "Mac" Middleton (US 301) Bridge on the Potomac River between Newburg, MD and Dahlgren VA, just south of the new bridge, is scheduled to continue into late 2024. Project vessels and barges will be working under and adjacent to the old bridge potentially 24 hours per day, 7 days per week. Construction vessels may be crossing or positioned adjacent to the federal navigation channel. Barges and/or floating boom may delineate active demolition areas outside of the Federal Channel that should be avoided by mariners due to active sensitive work including heavy equipment and divers. Interested mariners can contact Mr. Mike Baker at (443) 286-1780 or Mr. Daniel Francis at (757) 375-3960, or the vessels SEAWARD 23, MISS STACY M, or MISS ILA via marine band radio VHF-FM channels 13 and 16 when actively working on the river for information/coordination. When transiting this area at any time, mariners are reminded to heed the 6-knot speed limit established by the State of Maryland so wake does not affect the crane barges and endanger workers at the work site. From: 2024-08-14 To: 2025-01-01 Location:</p>	<p>POLYGON [Latitude: 38.36529, Longitude: -76.98327] [Latitude: 38.36159, Longitude: -76.98155] [Latitude: 38.35772, Longitude: -77.01374] [Latitude: 38.36142, Longitude: -77.01352] [Latitude: 38.36529, Longitude: -76.98327]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Potomac River - Upper Potomac River/General/Bridges/Maintenance	General	Bridges	2024- 09-26	2024- 12-07	<p>Mariners are advised that an engineering firm, on behalf of CSX Transportation, will be performing bridge maintenance on the rail bridge - Washington, DC Long Bridge Railway across the Potomac River, mile 109.8, at Arlington, VA. To facilitate bridge work from 7 a.m. to 5 p.m. from October 11, 2024, through December 7, 2024, a 30' x 80' barge with a manlift will be utilized in and around the bridge pilings to conduct inspection work and to install monitoring equipment to the bridge structure in various places. The bridge maintenance team and barge will not be in the navigation channel. The main navigation channel will remain open throughout the project. The maintenance personnel may be reached at (301)343-5476. Mariners are urged to use caution when operating in this area.</p>	POINT [Latitude: 38.87462, Longitude: -77.0386]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Potomac River - Upper Potomac River/General/Bridges/Inspection	General	Bridges	2024- 11-04	2024- 12-05	<p>Mariners are advised that an engineering firm, on behalf of District Department of Transportation, will be performing inspections on the I-395 (Arland D. Williams Jr.) Bridge across the Potomac River, mile 109.9, at Washington D.C. The inspections will be conducted from 8 a.m. to 5 p.m.; Monday-Friday; from November 12, 2024, through November 15, 2024, from November 18, 2024, through November 22, 2024, from November 25, 2024, through November 26, 2024, and from December 3, 2024, through December 5, 2024. A 30-foot inspection vessel, work boats, and a team of divers will be located in and around the vicinity of the bridge. Inspection personnel, equipment and vessels will relocate from the navigable channel, upon request. Vessels that cannot safely transit through the bridge during work hours, may safely transit through the bridge if at least a 15-minute prior notice is given to the project foreman. Work vessels may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (775) 313-8727. Mariners should use extreme caution navigating through the area.</p>	POINT [Latitude: 38.87543, Longitude: -77.03995]

Upper York River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Croaker Landing Daybeacon 1	13960	STRUCT DEST	PA
Croaker Landing Daybeacon 2	13965	STRUCT DEST	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
York River - Upper York River/ATON/Federal Discrepancies	ATON	Federal Discrepancie	2024- 09-18	2025- 03-17	ATON/Federal Discrepancies From: 2024-09-18 To: 2025- 03-17 Location: 37.49906° N / 76.783° W Aid Name: Upper York River Channel Light 30 LLNR: 14015 Discrepancy Information: Initial Report DTG: 180823Z SEP 2024 Summary: STRUCT DMGD Wreckage remain 1ft above waterline.	POINT [Latitude: 37.49906, Longitude: -76.783]

Urbanna Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Robinson Creek Daybeacon 3	15280	STRUCT DEST	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Rappahannock River - Urbanna Creek/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-11-05	2025-11-05	ATON/Federal Discrepancies From: 2024-11-05 To: 2025-11-05 Location: 37.65229° N / 76.57764° W Aid Name: Robinson Creek Daybeacon 3 LLNR: 15280 Discrepancy Information: Initial Report DTG: 051226Z NOV 2024 Summary: STRUCT DEST	POINT [Latitude: 37.65229, Longitude: -76.57764]

Virginia Inside Passage

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Virginia Inside Passage Light 265	6580	STRUCT DMGD	FD
Virginia Inside Passage Daybeacon 266	6585	STRUCT DEST/HAZ NAV/TRLB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
North Channel - Virginia Inside Passage/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 08-13	2025- 03-26	General/Hazards To Navigation/Shoaling Reported Norfolk District Army Corp of Engineers Survey of Quinby Creek; dated 11 Feb 2020, indicated significant shoaling with least depth of 6.0'MLLW to 1.2'MLLW at Quinby Creek Warning Daybeacon J (LLNR 6785). From: 2024- 08-13 To: 2025-03-26 Location: 37.54828° N / 75.72977° W 37.53148° N / 75.72156° W 37.53084° N / 75.72312° W 37.54739° N / 75.7317° W 37.54828° N / 75.72977° W	POLYGON [Latitude: 37.54828, Longitude: -75.72977] [Latitude: 37.53148, Longitude: -75.72156] [Latitude: 37.53084, Longitude: -75.72312] [Latitude: 37.54739, Longitude: -75.7317] [Latitude: 37.54828, Longitude: -75.72977]

NAME	ACTION TYPE	DESCRIPTION
Virginia Inside Passage Lighted Wreck Buoy WR244	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing the wreckage this aid marks in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 245	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 246	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 247	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 248	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 249	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 250	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 252	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 254	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 255	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 255A	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 259	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 261	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 262	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Light 265	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 266	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 267	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.

Wachapreague Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Wachapreague Channel Buoy 1	6650	MISSING	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Wachapreague Inlet - Wachapreague Channel/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-22	2025-04-20	ATON/Federal Discrepancies From: 2024-10-22 To: 2025-04-20 Location: 37.58081° N / 75.62192° W Aid Name: Wachapreague Channel Buoy 1 LLNR: 6650 Discrepancy Information: Initial Report DTG: 221742Z OCT 2024 Summary: MISSING	POINT [Latitude: 37.58081, Longitude: -75.62192]

Wachapreague Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Wachapreague Inlet Buoy 1	6605	MISSING	FD
Wachapreague Inlet Buoy 2	6610	OFF STA	FD
Wachapreague Inlet Buoy 3	6615	OFF STA	FD
Wachapreague Inlet Lighted Buoy 5	6625	OFF STATION	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector Virginia, Submerged Land Act (SLA) - Wachapreague Inlet/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-29	2025-04-27	ATON/Federal Discrepancies From: 2024-10-29 To: 2025-04-27 Location: 37.57856° N / 75.59672° W Aid Name: Wachapreague Inlet Lighted Buoy 5 LLNR: 6625 PFIP Discrepancy Information: Initial Report DTG: 291821Z OCT 2024 Summary: OFF STATION	POINT [Latitude: 37.57856, Longitude: -75.59672]

Walter Slough

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Walter Slough Daybeacon 2	28305	STRUCT DEST/TRUB	FD
Walter Slough Light 3	28310	STRUCT DEST/TRLB	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Walter Slough Lighted Buoy 5	28320	DISCONTINUED FOR DREDGING	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Oregon Inlet - Walter Slough/ATON/Temporary Changes	ATON	Temporary Changes	2024- 10-23	2025- 04-21	ATON/Temporary Changes From: 2024- 10-23 To: 2025-04-21 Location: 35.79201° N / 75.5643° W Aid Name: Walter Slough Lighted Buoy 5 LLNR: 28320 Temporary Aid Change Information: Status: DISCONTINUED FOR DREDGING	POINT [Latitude: 35.79201, Longitude: -75.5643]

Wanchese Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Wanchese Channel Daybeacon 5	28460	STRUCT DEST/TRUB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Wanchese Channel/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-09-10	2024-12-31	<p>General/Marine Construction (Excluding Bridges)/Dredging From: 2024-09-10 To: 2024-12-31 Location: 35.85066° N / 75.61034° W 35.79811° N / 75.58204° W 35.79311° N / 75.57611° W 35.79289° N / 75.57638° W 35.79785° N / 75.58229° W 35.85055° N / 75.61089° W 35.85066° N / 75.61034° W</p> <p>The "MISS KATIE" dredge vessel has routine dredging operations scheduled at the Oregon Inlet, the Walter Slough Channel, Oregon Inlet Cut, the Old House Channel, and Roanoke Sound Channel from Light 1 (LLNR 28365) to Light 17 (LLNR 28470) periodically throughout the year, dependent upon weather conditions, maintenance, and/or other emergency dredging projects out of the area. Dredging operations will be performed on a schedule of 12 hours and/or 24 hours a day, seven (7) days a week. Material that is hopper dredged will be transported to a disposal site located in deep scour holes near the Basnight Bridge on the south side of Oregon Inlet and/or a nearshore site located off Pea Island. All mariners are requested to use caution in the area. MISS KATIE can be reached on VHF-FM CH 16 and 13. For more information, contact Jordan Hennessy at jhennessy@ejedredgng.com or (252) 597-5752.</p>	<p>POLYGON [Latitude: 35.85066, Longitude: -75.61034] [Latitude: 35.79811, Longitude: -75.58204] [Latitude: 35.79311, Longitude: -75.57611] [Latitude: 35.79289, Longitude: -75.57638] [Latitude: 35.79785, Longitude: -75.58229] [Latitude: 35.85055, Longitude: -75.61089] [Latitude: 35.85066, Longitude: -75.61034]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Wanchese Channel/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-09-25	2025-04-13	Encroaching shoaling is present between Wanchese Channel Buoy 2 (LLNR 28445) and Wanchese Channel Daybeacon 4 (LLNR 28455) extending into channel.	POLYGON [Latitude: 35.84332, Longitude: -75.60772] [Latitude: 35.84318, Longitude: -75.60764] [Latitude: 35.8417, Longitude: -75.61198] [Latitude: 35.84181, Longitude: -75.61201] [Latitude: 35.84332, Longitude: -75.60772]
Wanchese Channel/ATON/Federal Discrepancies Corrected	ATON	Federal Discrepancies Corrected	2024-10-23	2024-11-06		POINT [Latitude: 35.84257, Longitude: -75.60753]
Wanchese Channel/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-22	2025-04-20		POINT [Latitude: 35.84257, Longitude: -75.60753]

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Wanchese Channel Buoy 1	28440	RESET ON STATION	FD	2024-10-23
Wanchese Channel Buoy 1	28440	RESET ON STATION	FD	2024-10-23

Webster Cove

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Webster Cove Channel Daybeacon 3	23800	STRUCT DEST/TRLB	FD

Western Part Of Pamlico Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Royal Shoal Light 3	32370	DAYMK MISSING	FD

White Creek

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Indian River Inlet - White Creek/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-05	2025-10-14	General/Hazards To Navigation/Shoaling Reported Shoaling was observed in White Creek to 2 - 5 feet at MLW. Floating Aids to Navigation have been discontinued while fixed aids to navigation have been converted to Warning Daybeacons with "Danger Shoal" on them. From: 2024-08-05 To: 2025-10-14	POLYGON [Latitude: 38.57784, Longitude: -75.0989] [Latitude: 38.57683, Longitude: -75.09469] [Latitude: 38.55851, Longitude: -75.08757] [Latitude: 38.55959, Longitude: -75.09074] [Latitude: 38.56871, Longitude: -75.09701] [Latitude: 38.57784, Longitude: -75.0989]

Whitehall Creek

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sharps Point Light	20067	LT EXT	PA

Willoughby Bay

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Willoughby Bay/General/Bridges/Modification	General	Bridges	2024-10-07	2026-08-01	<p>Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be modifying the existing bridge I-64/US 60 (Hampton Roads Beltway/Willoughby Bay) Bridge across Willoughby Bay, mile 1.5, at Norfolk, VA, commonly called the Willoughby Bay Bridge. Construction activities will begin on June 7, 2021, and are expected to continue through December, 2025. Marine construction activity will take place 24-hours per day, seven days a week. The project will involve widening the existing two-lane eastbound and westbound structures into two four-lane structures. This will be done by constructing an additional vehicular lane on each side of the existing eastbound structure and constructing an additional vehicular lane on each side of the existing westbound structure. The modified bridge will be a fixed bridge with a horizontal clearance of 50 feet and a vertical clearance of 25 feet above mean high water. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new bridge spans or located within the</p>	POINT [Latitude: 36.96379, Longitude: -76.2791]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>specific Mooring/Safe Harbor area. Bridge Structures/Work Trestles: Mariners are advised to maintain a safe distance of 300 feet to the south and 50 feet to the north from the Willoughby Bay Bridge. Construction managers may establish safe transit corridors through bridge trestles as construction activity permits. Work trestles will be constructed extending on out from the North and South shorelines. Willoughby Mooring and Safe Harbor Area - As charted. Mariners are advised to keep clear of the mooring/safe harbor area and are not permitted entry or mooring within the exclusion zone throughout the duration of the project.</p> <p>Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels and channels 67 & 71 while operating in the project area. To reach an on-scene manager, call Hampton Roads Connector Partners at 757-703-6060 and the call will be forwarded to an On-Call Hampton Roads Connector Partners Marine contact. You may also contact Hampton Roads Connector Partners via email at MarineOps@hrcpjv.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtexpansion.org.</p>	
James River - Willoughby Bay/General/Bridges/Modification	General	Bridges	2024-10-07	2026-08-01	Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be modifying the existing bridge I-64/US 60 (Hampton Roads	POINT [Latitude: 36.96355, Longitude: -76.2791]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>Beltway/Willoughby Bay) Bridge across Willoughby Bay, mile 1.5, at Norfolk, VA, commonly called the Willoughby Bay Bridge. Construction activities will begin on June 7, 2021, and are expected to continue through December, 2025. Marine construction activity will take place 24-hours per day, seven days a week. The project will involve widening the existing two-lane eastbound and westbound structures into two four-lane structures. This will be done by constructing an additional vehicular lane on each side of the existing eastbound structure and constructing an additional vehicular lane on each side of the existing westbound structure. The modified bridge will be a fixed bridge with a horizontal clearance of 50 feet and a vertical clearance of 25 feet above mean high water. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new bridge spans or located within the specific Mooring/Safe Harbor area. Bridge Structures/Work Trestles: Mariners are advised to maintain a safe distance of 300 feet to the south and 50 feet to the north from the Willoughby Bay Bridge. Construction managers may establish safe transit corridors through bridge trestles as construction activity</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>permits. Work trestles will be constructed extending on out from the North and South shorelines. Willoughby Mooring and Safe Harbor Area - As charted. Mariners are advised to keep clear of the mooring/safe harbor area and are not permitted entry or mooring within the exclusion zone throughout the duration of the project.</p> <p>Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels and channels 67 & 71 while operating in the project area. To reach an on-scene manager, call Hampton Roads Connector Partners at 757-703-6060 and the call will be forwarded to an On-Call Hampton Roads Connector Partners Marine contact. You may also contact Hampton Roads Connector Partners via email at MarineOps@hrcpjb.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtexpansion.org.</p>	

Wrightsville Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Wrightsville Channel Daybeacon 13	30215	STRUCT DEST/TRUB	FD
Wrightsville Channel Daybeacon 25	30255	STRUCT DEST/HAZ NAV/TRLB	FD

Wye River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Wye River Entrance Daybeacon 3	26115	STRUCT DMGD/TRUB/HAZ NAV	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Wye River Daybeacon 5	26135	STRUCT DEST/TRUB	PA
Wye East River Daybeacon 3	26160	STRUCT DEST/TRUB	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Eastern Bay - Wye River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024-09-12	2024-11-11	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-09-12 To: 2024-11-11 Location: 38.87894° N / 76.12436° W 38.87885° N / 76.12194° W 38.87299° N / 76.12218° W 38.87296° N / 76.12514° W 38.87894° N / 76.12436° W Shoreline Design will be conducting a shoreline protection project at the Pickering Creek Audubon Center in Easton, MD. Project will run from September 23, 2024 to November 11, 2024. Work will be conducted seven days a week from 7am to 7pm. Several work barges and work boats will be moored in the area for the project. For more information contact Wes Matheu at 443-336-0978.	POLYGON [Latitude: 38.87894, Longitude: -76.12436] [Latitude: 38.87885, Longitude: -76.12194] [Latitude: 38.87299, Longitude: -76.12218] [Latitude: 38.87296, Longitude: -76.12514] [Latitude: 38.87894, Longitude: -76.12436]
Eastern Bay - Wye River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-14	2025-10-14	ATON/Federal Discrepancies From: 2024-10-14 To: 2024-10-28 Location: 38.84265° N / 76.20784° W Aid Name: Wye River Entrance Daybeacon 3 LLNR: 26115 Discrepancy Information: Initial Report DTG: 142231Z OCT 2024 Summary: STRUCT DMGD/TRUB/HAZ NAV Temporary Response DTG: 142231Z OCT 2024 Temporary Response: TUB	POINT [Latitude: 38.84265, Longitude: -76.20784]

Wysocking Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Wysocking Bay Entrance Light 3	32155	LT EXT	FD
Wysocking Bay Light 6	32170	LT EXT	FD

Yeocomico River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
West Yeocomico River Daybeacon 6	16825	HAZ NAV/STRUCT DMGD	PA

York Spit Swash Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
York Spit Swash Channel Light 3	14110	STRUCT DEST/HAZ NAV/TRLB	FD



LOCAL NOTICE TO MARINERS

District: 5

Week: 46/24

COASTAL WATERS FROM SHREWSBURY RIVER, NEW JERSEY TO LITTLE RIVER, SOUTH CAROLINA

The Local Notice to Mariners contains all information relevant to the waterways within the Fifth Coast Guard District and is updated each Tuesday on the U.S. Coast Guard Navigation Center website at <https://www.navcen.uscg.gov/>.

If you have questions about the Fifth Coast Guard District Local Notice to Mariners (LNM), please contact:

COMMANDER
FIFTH COAST GUARD DISTRICT (dpw)
431 Crawford Street
Portsmouth, Virginia 23704
or for correspondence and article requests:
gregory.c.goetz2@uscg.mil, (571) 613-1472 and CGD5Waterways@uscg.mil

All bearings are in degrees TRUE - All times are in Local Time unless otherwise noted.

AIDS TO NAVIGATION DISCREPANCY REPORTING

To report any Aids to Navigation discrepancies (missing, damaged, extinguished lights, off station), shoaling or hazards to navigation, discrepancies to bridge lighting, please contact the following 24 hour numbers:

1. For PA, NJ, DE waters, coastal and tributaries contact COGARD SECTOR DELAWARE BAY at (215) 271-4940.
2. For MD, DE in the Upper Chesapeake Bay and tributaries contact COGARD SECTOR MARYLAND - NATIONAL CAPITAL REGION at (410) 576-2525.
3. For VA in Lower Chesapeake Bay below Smith Point Light and tributaries and VA, MD Eastern Shore Bay and coastal contact COGARD SECTOR VIRGINIA at (757) 483-8567.
4. For NC waters, coastal and tributaries contact COGARD SECTOR NORTH CAROLINA at (910) 343-3882.

REFERENCES

Light List: ATLANTIC COAST, VOLUME II, COMDTPUB P16502.2, 2024 Edition.
U.S. Coast Pilot 3, Atlantic Coast: Sandy Hook, NJ to Cape Henry, VA, 2024 (57th) Edition.
U.S. Coast Pilot 4, Atlantic Coast: Cape Henry, VA to Key West, FL, 2024 (56th) Edition.

NAVIGATION INTERNET SITES

2024 Light List/ Weekly Updates.
<https://www.navcen.uscg.gov/weekly-light-lists>

Bridges Public Notice Website.
<https://www.navcen.uscg.gov/bridge-notices>

NOAA Chart Corrections and Chart Viewer
<http://www.nauticalcharts.noaa.gov>

Coast Pilots, along with corrections are available at
<https://nauticalcharts.noaa.gov/publications/coast-pilot/index.html>

D5 LNM Archived Back Issues
<https://www.navcen.uscg.gov/archives>

Chesapeake Bay NOAA Weather Buoys
www.buoybay.noaa.gov

Tides, Currents, PORTS
<http://www.tidesandcurrents.noaa.gov>

Weather
<http://www.weather.gov>

Abbreviations

ADRIFT - Buoy Adrift	ICW - Intracoastal Waterway	R - Red
AICW - Atlantic Intracoastal Waterway	IMCH - Improper Characteristic	RACON - Radar Transponder Beacon
AI - Alternating	INL - Inlet	Ra ref - Radar reflector
B - Buoy	INOP - Not Operating	RBN - Radio Beacon
BKW - Breakwater	INT - Intensity	REBUILT - Aid Rebuilt
bl - Blast	ISL - Islet	RECOVERED - Aid Recovered
BNM - Broadcast Notice to Mariner	Iso - Isophase	RED - Red Buoy
bu - Blue	kHz - Kilohertz	REFL - Reflective
C - Canadian	LAT - Latitude	RRL - Range Rear Light
CHAN - Channel	LB - Lighted Buoy	RELIGHTED - Aid Relit
CGD - Coast Guard District	LBB - Lighted Bell Buoy	RELOC - Relocated
C/O - Cut Off	LHB - Lighted Horn Buoy	RESET ON STATION - Aid Reset on Station
CONT - Contour	LGB - Lighted Gong Buoy	RFL - Range Front Light
CRK - Creek	LONG - Longitude	RIV - River
CONST - Construction	LNM - Local Notice to Mariners	RRASS - Remote Radio Activated Sound Signal
DAYMK/Daymk - Daymark	LT - Light	s - seconds
DBN/Dbn - Daybeacon	LT CONT - Light Continuous	SEC - Section
DBD/DAYBD - Dayboard	LTR - Letter	SHL - Shoaling
DEFAC - Defaced	LWB - Lighted Whistle Buoy	si - silent
DEST - Destroyed	LWP - Left Watching Properly	SIG - Signal
DISCON - Discontinued	MHZ - Megahertz	SND - Sound
DMGD/DAMGD - Damaged	MISS/MSNG - Missing	SPM - Single Point Mooring Buoy
ec - eclipse	Mo - Morse Code	SS - Sound Signal
EST - Established Aid	MRASS - Marine Radio Activated Sound Signal	STA - Station
ev - every	MSLD - Misleading	STRUCT - Structure
EVAL - Evaluation	N/C - Not Charted	St M - Statute Mile
EXT - Extinguished	NGA - National Geospatial Intelligence Agency	TEMP - Temporary Aid Change
F - Fixed	NO/NUM - Number	TMK - Topmark
fl - flash	NOS - National Ocean Service	TRLB - Temporarily Replaced by Lighted Buoy
FI - Flashing	NW - Notice Writer	TRLT - Temporarily Replaced by Light
G - Green	OBSCU - Obscured	TRUB - Temporarily Replaced by Unlighted Buoy
GIWW - Gulf Intracoastal Waterway	OBST - Obstruction	USACE - Army Corps of Engineers
HAZ - Hazard to Navigation	OBSTRR - Obstruction	
HBR - Harbor	PRIV - Private Aid	
I - Interrupted	Q - Quick	

Absecon Inlet

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector Delaware Bay, Submerged Land Act (SLA) - Absecon Inlet/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-08-27	2025-04-30	General/Marine Construction (Excluding Bridges)/Dredging Dredge staging area: Great Lakes Dredge and Dock Co. LLC is working on a beach nourishment project. Hopper dredge "Liberty Island" will include dredging operations on the coast of Long Beach Island, New Jersey. Dredged material will be transported through a 30" diameter pipe from the dredge to five (5) different beach fill areas. Material from one borrow area: D1 BA located about 2-3 miles offshore of Long Beach Island, approximate center point 39-40-06.913N, 074-05-25.360W. See proposed subline locations for Holgate, Beach Haven, North Beach Haven, Harvey Cedars & Lovelady's Beaches on Long Beach Island. GLDD continues to maintain the northwest waterside staging areas on the northeast side of Absecon Inlet in Atlantic City where rafted pipeline and equipment will be stored until towed to the Barnegat Inlet Staging Area. The survey vessel and crew transfer vessel Saginaw River will traverse between the work areas and the Inlets throughout duration of the project. Other equipment on scene can include Booster Jack, Anchor Barges 111 & 116, Derrick 66, Crew Boat Saginaw River, Crew Boat St. Johns River, Tug Cavalier State, Tug Sherena B Cheramie, Tug Caspian Dawn. Operations will begin September 1, 2024 to	POLYGON [Latitude: 39.37786, Longitude: -74.41069] [Latitude: 39.37375, Longitude: -74.4079] [Latitude: 39.37309, Longitude: -74.40892] [Latitude: 39.37732, Longitude: -74.41198] [Latitude: 39.37786, Longitude: -74.41069]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					April 30, 2025 and will be conducted 24 hours per day, 7 days per week. All vessels can be contract on VHF-FM 13 and 16. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.	
Sector Delaware Bay, Submerged Land Act (SLA) - Absecon Inlet/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-08-27	2025-04-30	General/Marine Construction (Excluding Bridges)/Dredging Dredge staging area for: Great Lakes Dredge and Dock Co. LLC is working on a beach nourishment project. Hopper dredge "Liberty Island" will include dredging operations on the coast of Long Beach Island, New Jersey. Dredged material will be transported through a 30" diameter pipe from the dredge to five (5) different beach fill areas. Material from one borrow area: D1 BA located about 2-3 miles offshore of Long Beach Island, approximate center point 39-40-06.913N, 074-05-25.360W. See proposed subline locations for Holgate, Beach Haven, North Beach Haven, Harvey Cedars & Lovelady's Beaches on Long Beach Island. GLDD continues to maintain the northwest waterside staging areas on the northeast side of Absecon Inlet in Atlantic City where rafted pipeline and equipment will be stored until towed to the Barnegat Inlet Staging Area. The survey vessel and crew transfer vessel Saginaw River will traverse between the work areas and the Inlets throughout duration of the project. Other equipment on scene can include Booster Jack, Anchor Barges 111 & 116, Derrick 66, Crew Boat	POLYGON [Latitude: 39.38414, Longitude: -74.4178] [Latitude: 39.38298, Longitude: -74.41643] [Latitude: 39.38257, Longitude: -74.41705] [Latitude: 39.38379, Longitude: -74.41863] [Latitude: 39.38414, Longitude: -74.4178]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>Saginaw River, Crew Boat St. Johns River, Tug Cavalier State, Tug Sherena B Cheramie, Tug Caspian Dawn.</p> <p>Operations will begin September 1, 2024 to April 30, 2025 and will be conducted 24 hours per day, 7 days per week. All vessels can be contract on VHF-FM 13 and 16. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector Delaware Bay, Submerged Land Act (SLA) - Absecon Inlet/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-15	2024-12-06	<p>Mariners are advised that H&L Contracting will be conducting dredging operations in St. George's Thoroughfare (Approximate 39°23'05"N 74°24'57"W) from 10/20/2024 to 11/30/2024 . Work hours are 24 hours a day, 7 days a week. Dredging will be performed hydraulically. The dredge pipe will run from the channel to the beach immediately south-east of St. George's Thoroughfare (Approximate 39°22'51"N 74°24'48"W). The dredge pipe will be submerged at a channel crossing near the entrance and will be marked and lighted. Channel will remain open during dredging but channel width will be reduced. Informational signs will be posted locally to inform mariners of channel closings. All mariners are advised to reduce speed to minimum for making way while in the vicinity of dredging operations. All marine equipment operators will be monitoring VHF-FM Channel 65 and Channels 16 and 13. Dredge and work vessels will monitor Channel 13 and 16. Mariners are advised to proceed with caution when transiting the area.</p>	<p>POLYGON [Latitude: 39.39399, Longitude: -74.39896] [Latitude: 39.39255, Longitude: -74.3979] [Latitude: 39.39111, Longitude: -74.40579] [Latitude: 39.38713, Longitude: -74.40774] [Latitude: 39.38295, Longitude: -74.41618] [Latitude: 39.38388, Longitude: -74.4173] [Latitude: 39.3864, Longitude: -74.41163] [Latitude: 39.39191, Longitude: -74.40783] [Latitude: 39.39399, Longitude: -74.39896]</p>

Adams Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Adams Creek Light 16	38370	STRUCT DEST/TRLB	FD

Albemarle Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Durant Island Daybeacon 1D	31360	STRUCT DMGD	FD
Durant Island Daybeacon 3D	31375	STRUCT DEST	FD
Albemarle Sound Light 1AS	31485	STRUCT DEST/TRLB	FD
Kendrick Creek Channel Daybeacon 2	31665	STRUCT DEST/TRUB	FD

Alligator River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Alligator River Light 26	37895	STRUCT DEST/HAZ NAV/TRLB	FD
Alligator River Daybeacon 35	37920	STRUCT DEST/TRUB	FD
Alligator River Daybeacon 45	37975	STRUCT DEST/TRUB	FD

Alligator River Pungo River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Alligator River - Pungo River Light 55	38005	STRUCT DEST/TRLB	FD

Anacostia River

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Alexandria Channel - Anacostia River/General/Bridges/Maintenance	General	Bridges	2024-08-14	2024-11-30	<p>General/Bridges/Maintenance</p> <p>Mariners are advised that an engineering firm, on behalf of Washington Area Metro Transit Authority (WMATA), will be performing maintenance on the WAMATA Railroad Bridge, over Anacostia River, mile 4.7, at Washington, DC. The maintenance will be conducted from 6:30 a.m. to 3:30 p.m. Monday-Friday and from 10 p.m. to 6 a.m. from 10 p.m. on Saturday to 6 a.m. on Sunday; from May 13, 2024, through November 20, 2024. Several work barges and work boats will be located in and around the vicinity of the bridge. During the duration of the maintenance period one work barge will be located in the navigational channel of the bridge reducing the horizontal clearance of the bridge to approximately 94 feet. Vessels that can safely transit through the bridge during periods with a reduced vertical clearance may do so at any time.</p> <p>Maintenance personnel, equipment and vessels will not be able relocate from the navigable channel, upon request. Work vessels may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at 202-365-8932. Mariners should use extreme caution while navigating through the area.</p>	<p>POLYGON</p> <p>[Latitude: 38.8976, Longitude: -76.96275]</p> <p>[Latitude: 38.89737, Longitude: -76.96079]</p> <p>[Latitude: 38.897, Longitude: -76.96087]</p> <p>[Latitude: 38.89712, Longitude: -76.96278]</p> <p>[Latitude: 38.8976, Longitude: -76.96275]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Alexandria Channel - Anacostia River/General/Bridges/Construction	General	Bridges	2024-08-14	2025-02-10	<p>General/Bridges/Construction</p> <p>Bridge Name: South Capitol St Bridge</p> <p>Construction of the new Frederick Douglass Memorial (South Capitol Street) Bridge and demolition of the old bridge across the Anacostia River in Washington, DC continues to December 31, 2024. The federal navigation channel east of the original center pier, approximately 150 feet wide, remains available for navigation. Exclusion buoys labelled "DANGER" mark the ongoing bridge demolition in the Federal Channel. In addition, lit temporary piles are positioned around the old, submerged pier. Mariners are urged to use extreme caution when transiting the area, and to operate at minimum speed necessary to maintain safe course through the work site.</p>	POINT [Latitude: 38.868819, Longitude: -77.005528]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Alexandria Channel - Anacostia River/General/Bridges/Maintenance	General	Bridges	2024- 09-09	2024- 11-20	<p>General/Bridges/Maintenance Mariners are advised that an engineering firm, on behalf of Washington Area Metro Transit Authority (WMATA), will be performing maintenance on the WAMATA Railroad Bridge, over Anacostia River, mile 4.7, at Washington, DC. The maintenance will be conducted from 6:30 a.m. to 3:30 p.m. Monday-Friday and from 10 p.m. to 6 a.m. from 10 p.m. on Saturday to 6 a.m. on Sunday; from May 13, 2024, through November 20, 2024. Several work barges and work boats will be located in and around the vicinity of the bridge. During the duration of the maintenance period one work barge will be located in the navigational channel of the bridge reducing the horizontal clearance of the bridge to approximately 94 feet. Vessels that can safely transit through the bridge during periods with a reduced vertical clearance may do so at any time. Maintenance personnel, equipment and vessels will not be able relocate from the navigable channel, upon request. Work vessels may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at 202-365-8932. Mariners should use extreme caution while navigating through the area.</p>	POINT [Latitude: 38.89713, Longitude: -76.96176]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Alexandria Channel - Anacostia River/General/Bridges/Removal	General	Bridges	2024- 09-09	2024- 12-11	General/Bridges/Removal Bridge Name: South Capital Street Bridge Demolition of the original center pier of the old Frederick Douglass Memorial Bridge across the Anacostia River in Washington, DC will begin on or about April 1, 2024 and run through December 11, 2024. The federal navigation channel east of the original center pier, approximately 150 feet wide, remains available for navigation. Marine barges with navigational lights will be positioned around the old, submerged center pier. Mariners are urged to use extreme caution when transiting the area, and to operate at minimum speed necessary to maintain safe course through the work site.	POINT [Latitude: 38.868819, Longitude: -77.005528]

Annapolis Harbor Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Horn Point Light HP	19745	DAYMK MISSING	FD
Triton Light	19780	LT EXT	FD

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Annapolis Harbor Channel Lighted Buoy 2	CHANGE	Starting immediately the Coast Guard will begin removing the existing ice conditions "Replace lighted buoy with an unlighted buoy when endangered by ice" and replace; the aid, with a new year-round (ice) buoy for the below listed aids to navigation. The new buoys daytime visibility will be 1.4nm and have a radar range of 1.0nm. The flash characteristic and nominal range will remain unchanged. Additionally, relocate to approximate position:38 56 30.519N-76 25 33.997W.
Annapolis Harbor Channel Lighted Buoy 5	CHANGE	Starting immediately the Coast Guard will begin removing the existing ice conditions "Replace lighted buoy with an unlighted buoy when endangered by ice" and replace; the aid, with a new year-round (ice) buoy for the below listed aids to navigation. The new buoys daytime visibility will be 1.4nm and have a radar range of 1.0nm. The flash characteristic and nominal range will remain unchanged. Additionally, remove the word "CHANNEL" from the aids name.
Annapolis Harbor Channel Lighted Buoy 6	CHANGE	Starting immediately the Coast Guard will begin removing the existing ice conditions "Replace lighted buoy with an unlighted buoy when endangered by ice" and replace; the aid, with a new year-round (ice) buoy for the below listed aids to navigation. The new buoys daytime visibility will be 1.4nm and have a radar range of 1.0nm. The flash characteristic and nominal range will remain unchanged. Additionally, remove the word "CHANNEL" from the aids name.
Annapolis Harbor Channel Lighted Buoy 9	CHANGE	Starting immediately the Coast Guard will begin removing the existing ice conditions "Replace lighted buoy with an unlighted buoy when endangered by ice" and replace; the aid, with a new year-round (ice) buoy for the below listed aids to navigation. The new buoys daytime visibility will be 1.4nm and have a radar range of 1.0nm. The flash characteristic and nominal range will remain unchanged. Additionally, remove the word "CHANNEL" from the aids name.

Apm Terminal Channel

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Elizabeth River - Apm Terminal Channel/General Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-07	2025-07-16	The Clamshell Dredge 54, along with support equipment will perform dredging operations 24 hours a day / 7days / week starting October 28, 2024. The dredge area is located west of the Norfolk Harbor Reach of the Norfolk Harbor Channel (Elizabeth River) at the Virginia International Gateway (VIG) in Portsmouth, Virginia. Dredging will only be performed at the berths (VIG) and access channel. The Dredge 54 crew will coordinate directly with commercial traffic and plan accordingly to move as needed to allow traffic to transit the work area(s). All dredged material will be loaded into the split hull scows and will be towed by the tugs Larry Hebert and Smith Predator and placed in the Norfolk Ocean Disposal Area (NODA). All vessels will monitor marine VHF channels 87A and 13/16. Dredge GL 54 can be also reached at 630-881-6795. Project is expected to be completed July 16, 2025.	POLYGON [Latitude: 36.88264, Longitude: -76.33576] [Latitude: 36.87758, Longitude: -76.33485] [Latitude: 36.87813, Longitude: -76.33702] [Latitude: 36.87629, Longitude: -76.34298] [Latitude: 36.87275, Longitude: -76.34678] [Latitude: 36.87058, Longitude: -76.34611] [Latitude: 36.86998, Longitude: -76.3466] [Latitude: 36.8697, Longitude: -76.34821] [Latitude: 36.88032, Longitude: -76.35094] [Latitude: 36.88058, Longitude: -76.34949] [Latitude: 36.88028, Longitude: -76.34882] [Latitude: 36.87903, Longitude: -76.34847] [Latitude: 36.87807, Longitude: -76.34692] [Latitude: 36.87783, Longitude: -76.34381] [Latitude: 36.87964, Longitude: -76.3378] [Latitude: 36.88264, Longitude: -76.33576]

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
APM Terminal Channel Lighted Buoy 1	RELOCATE	Great Lakes Dredging will be starting a dredging and widening project for the APM Terminal Channel. On or about November 4, 2024 the Coast Guard will temporarily relocate Lighted Buoy 1 (LLNR 9699) to approximate position: 36 52 37.709N--76 20 13.455W. The light characteristic and nominal range will remain unchanged.
APM Terminal Channel Lighted Buoy 3	RELOCATE	Great Lakes Dredging will be starting a dredging and widening project for the APM Terminal Channel. On or about November 4, 2024 the Coast Guard will temporarily relocate Lighted Buoy 3 (LLNR 9700) to approximate position: 36 52 31.632N--76 20 32.329W. The light characteristic and nominal range will remain unchanged.
APM Terminal Channel Lighted Buoy 4	RELOCATE	Great Lakes Dredging will be starting a dredging and widening project for the APM Terminal Channel. On or about November 4, 2024 the Coast Guard will temporarily relocate Lighted Buoy 4 (LLNR 9701) to approximate position: 36 52 43.880N--76 20 37.826W and mark with temporary lighted buoy (TRLB) with reduced intensity.
APM Terminal Channel Lighted Buoy 4	RELOCATE	On or about November 4, 2024 the Coast Guard will temporarily relocate Lighted Buoy 4 (LLNR 9701) to approximate position: 36 52 43.880N--76 20 37.826W and mark with temporary lighted buoy (TRLB) with a reduced intensity.
APM Terminal Channel Lighted Buoy 5	RELOCATE	Great Lakes Dredging will be starting a dredging and widening project for the APM Terminal Channel. On or about November 4, 2024 the Coast Guard will temporarily relocate Lighted Buoy 5 (LLNR 9702) to approximate position: 36 52 18.841N--76 20 45.414W and mark with temporary lighted buoy (TRLB) with reduced intensity.
APM Terminal Channel Lighted Buoy 6	RELOCATE	Great Lakes Dredging will be starting a dredging and widening project for the APM Terminal Channel. On or about November 4, 2024 the Coast Guard will temporarily relocate Lighted Buoy 6 (LLNR 9703) to approximate position: 36 52 44.535N--76 20 47.363 W and mark with temporary lighted buoy (TRLB) with reduced intensity.
APM Terminal Channel Lighted Buoy 7	RELOCATE	Great Lakes Dredging will be starting a dredging and widening project for the APM Terminal Channel. On or about November 4, 2024 the Coast Guard will temporarily relocate Lighted Buoy 7 (LLNR 9704) to approximate position: 36 52 12.270N-- 76 20 43.873W. The light characteristic and nominal range will remain unchanged.
APM Terminal Channel Lighted Buoy 8	RELOCATE	On or about November 4, 2024 the Coast Guard will temporarily relocate Lighted Buoy 8 (LLNR 9705) to approximate position: 36 52 46.850N--76 20 52.974W and mark with temporary lighted buoy (TRLB) with a reduced intensity.
APM Terminal Channel Junction Lighted Buoy A	RELOCATE	Great Lakes Dredging will be starting a dredging and widening project for the APM Terminal Channel. On or about November 4, 2024 the Coast Guard will temporarily relocate Lighted Junction Buoy A (LLNR 9706) to approximate position: 36 52 50.498N--76 20 53.582W. The light characteristic and nominal range will remain unchanged.

Appomattox River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Appomattox River Channel Daybeacon 17	12595	STRUCT DEST/TRLB	FD

Aquia Creek

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Aquia Creek Daybeacon 13	18012	DAYMK DMGD/STRUCT DMGD	PA
Aquia Creek Daybeacon 16	18012.3	DAYMK MISSING	PA
Aquia Creek Daybeacon 18A	18012.6	STRUCT DEST/TRUB	PA

Banks Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Banks Channel Daybeacon 5	30070	STRUCT DEST/TRUB	FD

Banks Slough Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Banks Slough Channel Buoy 2BS	30048	MISSING	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Banks Slough Channel Buoy 3BS	30048.02	DISCONTINUED	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Banks Channel - Banks Slough Channel/ATON/Temporary Changes	ATON	Temporary Changes	2024- 10-25	2025- 04-23	ATON/Temporary Changes From: 2024- 10-25 To: 2025-04-23 Location: 34.34609° N / 77.6646° W Aid Name: Banks Slough Channel Buoy 3BS LLNR: 30048.02 Temporary Aid Change Information: Status: DISCONTINUED	POINT [Latitude: 34.34609, Longitude: -77.6646]

Barden Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Barden Inlet Buoy 8	29180	MISSING	FD

Barnegat Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Barnegat Inlet Lighted Buoy 4	925	OFF STA	FD
Barnegat Inlet North Breakwater Light 6	942	DAYMK DMGD	FD
Barnegat Inlet Lighted Buoy 9	950	MISSING	FD
Barnegat Inlet Lighted Buoy 11	955	OFF STA	FD
Barnegat Inlet Buoy 21	1000	OFF STA	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector Delaware Bay, Submerged Land Act (SLA) - Barnegat Inlet/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-08-27	2025-04-30	General/Marine Construction (Excluding Bridges)/Dredging Dredge staging area: Great Lakes Dredge and Dock Co. LLC is working on a beach nourishment project. Hopper dredge "Liberty Island" will include dredging operations on the coast of Long Beach Island, New Jersey. Dredged material will be transported through a 30" diameter pipe from the dredge to five (5) different beach fill areas. Material from one borrow area: D1 BA located about 2-3 miles offshore of Long Beach Island, approximate center point 39-40-06.913N, 074-05-25.360W. See proposed subline locations for Holgate, Beach Haven, North Beach Haven, Harvey Cedars & Lovelady's Beaches on Long Beach Island. GLDD continues to maintain the northwest waterside staging areas on the northeast side of Absecon Inlet in Atlantic City where rafted pipeline and equipment will be stored until towed to the Barnegat Inlet Staging Area. The survey vessel and crew transfer vessel Saginaw River will traverse between the work areas and the Inlets throughout duration of the project. Other equipment on scene can include Booster Jack, Anchor Barges 111 & 116, Derrick 66, Crew Boat Saginaw River, Crew Boat St. Johns River, Tug Cavalier State, Tug Sherena B Cheramie, Tug Caspian Dawn. Operations will begin September 1, 2024 to April 30, 2025 and will be conducted 24 hours per day, 7 days per week. All vessels	POLYGON [Latitude: 39.77013, Longitude: -74.11877] [Latitude: 39.76644, Longitude: -74.1185] [Latitude: 39.76365, Longitude: -74.11762] [Latitude: 39.76336, Longitude: -74.11896] [Latitude: 39.76612, Longitude: -74.11959] [Latitude: 39.77009, Longitude: -74.11972] [Latitude: 39.77013, Longitude: -74.11877]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					can be contract on VHF-FM 13 and 16. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.	
Sector Delaware Bay, Submerged Land Act (SLA) - Barnegat Inlet/General/Marine Construction (Excluding Bridges)/Survey Operations	General	Marine Construction (Excluding Bridges)	2024-09-13	2024-11-16	General/Marine Construction (Excluding Bridges)/Survey Operations Research vessel Time and Tide will conduct survey operations in a corridor off Manasquan Inlet, NJ. Overview of Work Area (LAT/LONG): Between 40° 07.033' N / 74° 01.705' W and 40° 04.996' N / 73° 58.292' W. Surveying will be conducted from September 29, 2024 to November 16, 2024 during daylight hours. R/V Time and Tide will monitor VHF 16 or can be reached at Bridge Mobile PHONE: +1 339-499-8784 or +1 508-736-5019. All vessels and fishing activity requested to maintain a 0.5 nautical mile (0.5 nm) closest point of approach (CPA).	LINE [Latitude: 40.11667, Longitude: -74.01686] [Latitude: 40.06916, Longitude: -73.96722]
Sector Delaware Bay, Submerged Land Act (SLA) - Barnegat Inlet/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-07-29	2025-09-15	General/Hazards To Navigation/Shoaling Reported Sector Delaware Bay is notifying mariners that there is shoaling reported at the entrance of Barnegat Bay Inlet. The shoaling is reported in the main navigation channel between Barnegat Inlet Lighted Buoys 9 (LLNR 950) and Barnegat Inlet Lighted Buoy 11 (LLNR 995). Mariners are advised to use extreme caution when transiting Barnegat Bay Inlet as some depths at mean low low water could be hazardous to navigation, especially during extreme weather events.	POLYGON [Latitude: 39.76688, Longitude: -74.10056] [Latitude: 39.76038, Longitude: -74.09253] [Latitude: 39.75903, Longitude: -74.09434] [Latitude: 39.76516, Longitude: -74.10288] [Latitude: 39.76688, Longitude: -74.10056]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector Delaware Bay, Submerged Land Act (SLA) - Barnegat Inlet/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-07-29	2025-11-18	General/Hazards To Navigation/Shoaling Reported U.S. Coast Guard Sector Delaware Bay is notifying mariners of extreme shoaling at the entrance to Barnegat Inlet. Due to this shoaling Barnegat Inlet Buoy 3 (LLNR 915) and Barnegat Inlet Lighted Buoy 4 (LLNR 925) are unreliable at marking the navigational channel. Mariners are advised to use extreme caution when transiting Barnegat Inlet. See SEC DB BNM 235-22.	POLYGON [Latitude: 39.75749, Longitude: -74.08232] [Latitude: 39.7534, Longitude: -74.07601] [Latitude: 39.74872, Longitude: -74.08168] [Latitude: 39.75288, Longitude: -74.08846] [Latitude: 39.75749, Longitude: -74.08232]

Barney Slough Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Barney Slough Channel Buoy 12	28723	OFF STATION/MSLD SIG	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Hatteras Inlet - Barney Slough Channel/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-11-04	2025-05-03	ATON/Federal Discrepancies From: 2024-11-04 To: 2025-05-03 Location: 35.2253° N / 75.74881° W Aid Name: Barney Slough Channel Buoy 12 LLNR: 28723 Discrepancy Information: Initial Report DTG: 041241Z NOV 2024 Summary: OFF STATION/MSLD SIG	POINT [Latitude: 35.2253, Longitude: -75.74881]

Bay River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bay River Daybeacon 6	33420	STRUCT DEST/TRUB	FD
Bay River Daybeacon 20	33470	STRUCT DEST/TRUB	FD

Bay Shore Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cape May Aquaculture Zone Lighted Buoy A	1687	MISSING	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Delaware Bay Main Channel - Bay Shore Channel/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024- 10-24	2025- 10-24	ATON/PATON Discrepancies From: 2024-10-24 To: 2025- 10-24 Location: 39.07283° N / 74.91967° W Aid Name: Cape May Aquaculture Zone Lighted Buoy A LLNR: 1687 Discrepancy Information: Initial Report DTG: 241655Z OCT 2024 Summary: MISSING	POINT [Latitude: 39.07283, Longitude: -74.91967]

Bear Creek

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sparrows Point Country Club Pier Light	20700	LT EXT	PA

Beaufort Harbor Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Beaufort Harbor Channel Warning Daybeacon B	34812	DAYMK MISSING	FD
Beaufort Harbor Channel Daybeacon 8	34830	MISSING/TRUB	FD

Beaufort Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Morehead City Channel Range Rear Light	29303	REDUCED INT	FD
Beaufort Inlet Channel Lighted Buoy 14	29310	LT IMCH	FD

Bennett Creek Poquoson River

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Poquoson River - Bennett Creek Poquoson River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 08-15	2025- 06-11	General/Hazards To Navigation/Shoaling Reported Shoaling was reported on the east side of channel in between Bennett Creek - Poquoson River Light 4 (LLNR 13270) and Bennett Creek - Poquoson River Light 6 (LLNR 13275). Depth of 3 feet at MLW.	POLYGON [Latitude: 37.15767, Longitude: -76.3739] [Latitude: 37.15417, Longitude: -76.37245] [Latitude: 37.15391, Longitude: -76.37401] [Latitude: 37.15742, Longitude: -76.37548] [Latitude: 37.15767, Longitude: -76.3739]

Big Foot Slough Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Big Foot Slough Channel Light 3	29030	STRUCT DEST/TRLB	FD
Big Foot Slough Channel Light 9	29055	STRUCT DEST/TRLB	FD
Big Foot Slough Channel Light 9A	29056	STRUCT DEST/TRUB	FD
Big Foot Slough Channel Lighted Buoy 11	29070.3	OFF STATION	FD
Big Foot Slough Channel Daybeacon 12	29077	STRUCT DEST/TRUB	FD

ATON Changes

NAME	ACTION TYPE	DESCRIPTION
Big Foot Slough Channel Lighted Buoy 9C	RELOCATE	ATON/ATON Changes From: 2024-11-06 To: 2024-11-20 Location: 35.14822° N / 76.00977° W Aid Name: Big Foot Slough Channel Buoy 9C LLNR: 29061 Action: RELOCATE To approx position 35-09-02.695N, 076-00-41.096W
Big Foot Slough Channel Lighted Buoy 9C	RENAME	ATON/ATON Changes From: 2024-11-07 To: 2024-11-21 Location: 35.15075° N / 76.01142° W Aid Name: Big Foot Slough Channel Buoy 9C LLNR: 29061 Action: RENAME and ADD LIGHT Big Foot Slough Channel Buoy 9C to Big Foot Slough Channel Lighted Buoy 9C, FI G 2.5s
Big Foot Slough Channel Lighted Buoy 11	RELOCATE	ATON/ATON Changes From: 2024-11-06 To: 2024-11-20 Location: 35.15225° N / 76.01184° W Aid Name: Big Foot Slough Channel Lighted Buoy 11 LLNR: 29070.3 Action: RELOCATE to approximate position: 35-09-08.101N, 076-00-42.636W.
Big Foot Slough Channel Daybeacon 12	RELOCATE	ATON/ATON Changes From: 2024-11-06 To: 2024-11-20 Location: 35.15302° N / 76.01116° W Aid Name: Big Foot Slough Channel Daybeacon 12 LLNR: 29077 Action: RELOCATE TRUB to approx posit 35-09-07.414N, 076-00-39.726W

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Big Foot Slough Channel/ATON/ATON Changes	ATON	ATON Changes	2024-11-06	2024-11-20	ATON/ATON Changes From: 2024-11-06 To: 2024-11-20 Location: 35.15003° N / 76.01024° W Aid Name: Big Foot Slough Channel Lighted Buoy 10A LLNR: 29070.1 Action: RELOCATE To approx posit 35-09-01.067N, 076-00-38.571W	POINT [Latitude: 35.15003, Longitude: -76.01024]
Big Foot Slough Channel/ATON/ATON Changes	ATON	ATON Changes	2024-11-07	2024-11-21	ATON/ATON Changes From: 2024-11-07 To: 2024-11-21 Location: 35.15075° N / 76.01142° W Aid Name: Big Foot Slough Channel Buoy 9C LLNR: 29061 Action: RENAME and ADD LIGHT Big Foot Slough Channel Buoy 9C to Big Foot Slough Channel Lighted Buoy 9C, FI G 2.5s	POINT [Latitude: 35.15075, Longitude: -76.01142]
Big Foot Slough Channel/ATON/ATON Changes	ATON	ATON Changes	2024-11-06	2024-11-20	ATON/ATON Changes From: 2024-11-06 To: 2024-11-20 Location: 35.15225° N / 76.01184° W Aid Name: Big Foot Slough Channel Lighted Buoy 11 LLNR: 29070.3 Action: RELOCATE to approximate position: 35-09-08.101N, 076-00-42.636W.	POINT [Latitude: 35.15225, Longitude: -76.01184]
Big Foot Slough Channel/ATON/ATON Changes	ATON	ATON Changes	2024-11-06	2024-11-20	ATON/ATON Changes From: 2024-11-06 To: 2024-11-20 Location: 35.14822° N / 76.00977° W Aid Name: Big Foot Slough Channel Buoy 9C LLNR: 29061 Action: RELOCATE To approx position 35-09-02.695N, 076-00-41.096W	POINT [Latitude: 35.14822, Longitude: -76.00977]
Big Foot Slough Channel/ATON/Federal Discrepancies	Federal	Federal Discrepancies	2024-11-12	2025-05-11	ATON/Federal Discrepancies From: 2024-11-12 To: 2025-05-11 Location: 35.15225° N / 76.01184° W Aid Name: Big Foot Slough Channel Lighted Buoy 11 LLNR: 29070.3 Discrepancy Information: Initial Report DTG: 121750Z NOV 2024 Summary: OFF STATION	POINT [Latitude: 35.15225, Longitude: -76.01184]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Big Foot Slough Channel/ATON/ATONATON Changes	ATON	Changes	2024- 11-06	2024- 11-20	ATON/ATON Changes From: 2024-11-06 To: 2024-11-20 Location: 35.15302° N / 76.01116° W Aid Name: Big Foot Slough Channel Daybeacon 12 LLNR: 29077 Action: RELOCATE TRUB to approx posit 35-09- 07.414N, 076-00- 39.726W	POINT [Latitude: 35.15302, Longitude: -76.01116]

Bivalve Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bivalve Channel Daybeacon 3	24055	STRUCT DEST/TRLB	FD

Bogue Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bogue Inlet Lighted Buoy 1	29495	MISSING	FD
Bogue Inlet Lighted Buoy 3	29515	OFF STATION	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Bogue Inlet Buoy 6	29540	DISCONTINUED	FD
Bogue Inlet Lighted Buoy 7	29550	DISCONTINUED	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector North Carolina, Submerged Lands Act (SLA) - Bogue Inlet/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 10-23	2025- 04-21	Based on ACOE Survey, shoaling of depths of 3 to 4 foot MLW has been identified between Bogue Inlet Buoy 4 (LLNR 29520) and Bogue Inlet Buoy 6 (LLNR 29540).	POLYGON [Latitude: 34.64093, Longitude: -77.10075] [Latitude: 34.64015, Longitude: -77.1002] [Latitude: 34.63967, Longitude: -77.10634] [Latitude: 34.64044, Longitude: -77.10591] [Latitude: 34.64093, Longitude: -77.10075]
Sector North Carolina, Submerged Lands Act (SLA) - Bogue Inlet/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024- 11-05	2025- 05-04	ATON/Federal Discrepancies From: 2024-11-05 To: 2025- 05-04 Location: 34.64039° N / 77.10088° W Aid Name: Bogue Inlet Lighted Buoy 3 LLNR: 29515 Discrepancy Information: Initial Report DTG: 051827Z NOV 2024 Summary: OFF STATION	POINT [Latitude: 34.64039, Longitude: -77.10088]
Sector North Carolina, Submerged Lands Act (SLA) - Bogue Inlet/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024- 11-05	2025- 05-04	ATON/Federal Discrepancies From: 2024-11-05 To: 2025- 05-04 Location: 34.63581° N / 77.07747° W Aid Name: Bogue Inlet Entrance Lighted Whistle Buoy BI LLNR: 730 Discrepancy Information: Initial Report DTG: 051829Z NOV 2024 Summary: LT EXT	POINT [Latitude: 34.63581, Longitude: -77.07747]

Bogue Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bogue Sound Light 4	38770	STRUCT DEST/TRLB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Bogue Sound/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-09-25	2025-03-24	Shoaling has been reported IAW the most recent ACOE survey dated 26 OCT 2020 IVO Causeway Channel Buoy 5A (LLNR 38731) and Causeway Channel Buoy 6A (LLNR 38736). Reported depths of 4 feet MLW encroaching from east side of channel.	POLYGON [Latitude: 34.71466, Longitude: -76.73362] [Latitude: 34.71384, Longitude: -76.73236] [Latitude: 34.71267, Longitude: -76.73375] [Latitude: 34.71363, Longitude: -76.73494] [Latitude: 34.71466, Longitude: -76.73362]
Bogue Sound/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-09-25	2025-07-22	Shoaling has been reported between Bogue Sound Daybeacon 10 (LLNR 38875) and Bogue Sound Daybeacon 14 (LLNR 38895). Survey indicates depths as low as 5FT MLW encountered in channel center and depths as low as 4FT have been reported. Depths close to channel markers may be less. Conditions may change rapidly and mariners are advised to transit the area with caution. The most recent ACOE survey can be found here: https://www.saw.usace.army.mil/missions/navigation/hydrog-surveys/aiww	POLYGON [Latitude: 34.72398, Longitude: -76.83349] [Latitude: 34.7238, Longitude: -76.8292] [Latitude: 34.72319, Longitude: -76.82917] [Latitude: 34.72339, Longitude: -76.83354] [Latitude: 34.72398, Longitude: -76.83349]

Bogue Sound New River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bogue Sound - New River Daybeacon 76	39310	STRUCT DEST/TRUB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Bogue Sound - Bogue Sound New River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 09-25	2025- 05-08	Shoaling has been observed between Bogue Sound - New River Buoy 66B (LLNR 39243) and Bogue Sound - New River Light 66 (LLNR 39245), south of buoy 66B. Shoaling is reported of less than 4FT MLW and extends into the channel.	POLYGON [Latitude: 34.54816, Longitude: -77.32693] [Latitude: 34.54598, Longitude: -77.3183] [Latitude: 34.54646, Longitude: -77.31618] [Latitude: 34.54585, Longitude: -77.31589] [Latitude: 34.54524, Longitude: -77.31833] [Latitude: 34.5476, Longitude: -77.32728] [Latitude: 34.54816, Longitude: -77.32693]
Bogue Sound - Bogue Sound New River/General/Bridges/Construction	General	Bridges	2024- 10-01	2025- 02-28	Mariners are advised that a construction firm, on behalf of U. S. Marine Corps. Base Camp Lejeune, will continue to construct a new bridge to replace the Onslow Beach Swing Bridge across the Atlantic Intracoastal Waterway, mile 240.7, at Camp Lejeune, NC. Construction activities which began in October 2022, are expected to finish in February 2025. During the construction period, outside of the extended closure periods listed below, to facilitate construction and installation of the new bridge superstructure, the new bridge will be maintained in the closed-to-navigation position from 8 a.m. to noon and from 1 p.m. to 5 p.m., and the existing Onslow Beach Swing Bridge, will open on demand, from noon to 1 p.m.; Monday through Friday; excluding Federal holidays, from October 7, 2024, through December 20, 2024. Vessels unable to safely transit the new bridge with the reduced clearances during the non-extended closure periods above from 8 a.m. to noon and from 1 p.m. to 5 p.m., should: (1) adjust their voyage plan, if able, to transit through the new bridge and the existing bridge	POINT [Latitude: 34.57275, Longitude: -77.27176]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>outside of the closure period or from noon to 1 p.m. during the closure period, or (2) if not able to adjust their voyage plan, may transit through the bridges upon arrival, if at least a 24-hour prior notice is given to the onsite project foreman. To facilitate construction of the bascule span (structural steel), the new bridge will remain in the closed-to-navigation position and will not be able to open at any time during the extended bridge closure periods, as reflected below: Primary Closure Timeframe: from 7 a.m. on Monday, November 4, 2024, through 9 p.m. on Thursday, November 7, 2024 from 7 a.m. on Monday, November 18, 2024, through 9 p.m. on Thursday, November 21, 2024 Alternative Closure Timeframe: from 7 a.m. on Tuesday, November 12, 2024, through 9 p.m. on Friday, November 15, 2024 from 7 a.m. on Monday, December 2, 2024, through 9 p.m. on Thursday, December 5, 2024 During all closure periods above, the new bridge will have a vertical clearance of approximately 15 feet above mean high water in the closed position and a horizontal clearance of approximately 20 feet. Vessels that can safely transit through the new bridge with the reduced clearances may do so at any time. At all other times, the existing Onslow Beach Swing Bridge will operate in accordance with Title 33 Code of Federal Regulations (CFR) 117.821(a)(1), and the new bridge will remain open to navigation. To facilitate construction of the new bridge fender system, a work barge will be placed in the navigation</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>channel of the new bridge from 8 a.m. to noon, and 1 p.m. to 5 p.m.; Monday through Friday, excluding Federal holidays from October 7, 2024, through 5 p.m. on December 20, 2024. The work barge will be located in the navigation channel of the new bridge which will reduce the horizontal clearance of the new bridge to approximately 20 feet. Two barges, a support vessel, and crew boat will be operating or stationed in the vicinity of the existing and new bridges. Temporary work platforms will be in place for the duration of construction of the new bridge and demolition of the existing bridge. The work barges, work vessels and bridge tender may be reached on VHF-FM channels 13 and 16, and the onsite project foreman may be contacted at 910-520-1319, when work is in progress or vessels are operating the area. Mariners should navigate the waterway with extreme caution and due regard for prevailing conditions on the waterway.</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Bogue Sound - Bogue Sound New River/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-11-10	2024-12-08	<p>General/Marine Construction (Excluding Bridges)/Dredging Dredge Pipeline Southwind Construction Corporation will conduct hydraulic Dredging in Brown's Inlet Crossing near Camp Lejeune, Onslow County North Carolina. Setup will begin November 13th with Dredging to begin November 16, 2024, with a completion date of December 8, 2024. Work will be conducted 24 hours a day, 7 days a week. Dredge Wilco, workboats Ann Kay and Danny Joe will monitor VHF-FM Channels 13 & 16. Submerged and floating pipeline associated with dredging operation; use extreme caution in the area. Mariners are urged to transit at the slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. Pipeline and vessels will be visibly lit and marked pursuant to Coast Guard regulations. Submerged pipeline will be positioned parallel along the east shoreline of the AIWW thence traversing southerly then easterly to the Onslow Beach Placement Area. For more information, contact Darrell Stewart, 812-868-7006.</p>	<p>LINE [Latitude: 34.60877, Longitude: -77.22827] [Latitude: 34.60868, Longitude: -77.22814] [Latitude: 34.5938, Longitude: -77.24611] [Latitude: 34.59331, Longitude: -77.24595] [Latitude: 34.59307, Longitude: -77.24472] [Latitude: 34.59223, Longitude: -77.24372] [Latitude: 34.59111, Longitude: -77.24292] [Latitude: 34.59005, Longitude: -77.24185] [Latitude: 34.58781, Longitude: -77.2399]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Bogue Sound - Bogue Sound New River/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-11-10	2024-12-08	General/Marine Construction (Excluding Bridges)/Dredging Dredges Area Southwind Construction Corporation will conduct hydraulic Dredging in Brown's Inlet Crossing near Camp Lejeune, Onslow County North Carolina. Setup will begin November 13th with Dredging to begin November 16, 2024, with a completion date of December 8, 2024. Work will be conduct 24 hours a day, 7days a week. Dredge Wilko, workboats Ann Kay and Danny Joe will monitor VHF-FM Channels 13 & 16. Submerged and floating pipeline associated with dredging operation; use extreme caution in the area. Mariners are urged to transit at the slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. Pipeline and vessels will be visibly lit and marked pursuant to Coast Guard regulations. Submerged pipeline will be positioned parallel along the east shoreline of the AIWW thence traversing southerly then easterly to the Onslow Beach Placement Area. For more information, contact Darrell Stewart, 812-868-7006.	POLYGON [Latitude: 34.59939, Longitude: -77.24029] [Latitude: 34.59908, Longitude: -77.23984] [Latitude: 34.59462, Longitude: -77.24521] [Latitude: 34.59494, Longitude: -77.24565] [Latitude: 34.59939, Longitude: -77.24029]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Bogue Sound - Bogue Sound New River/General/Marin Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024- 11-10	2024- 12-08	General/Marine Construction (Excluding Bridges)/Dredging Dredges Area Southwind Construction Corporation will conduct hydraulic Dredging in Brown's Inlet Crossing near Camp Lejeune, Onslow County North Carolina. Setup will begin November 13th with Dredging to begin November 16, 2024, with a completion date of December 8, 2024. Work will be conduct 24 hours a day, 7days a week. Dredge Wilko, workboats Ann Kay and Danny Joe will monitor VHF-FM Channels 13 & 16. Submerged and floating pipeline associated with dredging operation; use extreme caution in the area. Mariners are urged to transit at the slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. Pipeline and vessels will be visibly lit and marked pursuant to Coast Guard regulations. Submerged pipeline will be positioned parallel along the east shoreline of the AIWW thence traversing southerly then easterly to the Onslow Beach Placement Area. For more information, contact Darrell Stewart, 812- 868-7006.	POLYGON [Latitude: 34.61044, Longitude: -77.22689] [Latitude: 34.61019, Longitude: -77.22652] [Latitude: 34.6074, Longitude: -77.22991] [Latitude: 34.60762, Longitude: -77.23026] [Latitude: 34.61044, Longitude: -77.22689]

Brewerton Channel

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Brewerton Lighted Buoy 2B	CHANGE	On or about December 1 the Coast Guard will not replace this lighted buoy with a lighted ice buoy; LIB, of reduced intensity unless when endangered by ice.

Brewerton Channel Eastern Extension

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Brewerton Eastern Extension Lighted Buoy 3	CHANGE	On or about December 1 the Coast Guard will not replace this lighted buoy with a lighted ice buoy; LIB, of reduced intensity unless when endangered by ice.
Brewerton Eastern Extension Lighted Buoy 4	CHANGE	On or about December 1 the Coast Guard will not replace this lighted buoy with a lighted ice buoy; LIB, of reduced intensity unless when endangered by ice.
Brewerton Eastern Extension Lighted Buoy 5	CHANGE	On or about December 1 the Coast Guard will not replace this lighted buoy with a lighted ice buoy; LIB, of reduced intensity unless when endangered by ice.
Brewerton Eastern Extension Lighted Buoy 6	CHANGE	On or about December 1 the Coast Guard will not replace this lighted buoy with a lighted ice buoy; LIB, of reduced intensity unless when endangered by ice.
Brewerton Eastern Extension Lighted Buoy 8	CHANGE	On or about December 1 the Coast Guard will not replace this lighted buoy with a lighted ice buoy; LIB, of reduced intensity unless when endangered by ice.
Brewerton Eastern Extension Lighted Buoy 9	CHANGE	On or about December 1 the Coast Guard will not replace this lighted buoy with a lighted ice buoy; LIB, of reduced intensity unless when endangered by ice.
Brewerton Eastern Extension Lighted Buoy 10	CHANGE	On or about December 1 the Coast Guard will not replace this lighted buoy with a lighted ice buoy; LIB, of reduced intensity unless when endangered by ice.

Broad Bay

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Long Creek - Broad Bay/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024-09-09	2025-03-01	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes Coastal Design & Construction, Inc. will begin oyster reef construction project, starting September 23, 2024. This project will take place in Lynnhaven River, VA Beach, VA. Push Boats & barges will be transiting from the loading location alongside Lesner Wharf near (36°54'20.32"N 76°5'38.49"W) to the project site in Broad Bay via the marked federal navigation channel. Tug: "Capt. Dale" and Push Boat "Linda M" along with various deck barges will be spudded down in the project site in Broad Bay or tied to the bulkhead alongside Lesner Wharf. Reef corners will be marked with 10" Orange Poly Buoys, as required by Virginia Marine Resources Commission for Pre-Con inspection. Tug Linda M will be monitoring VHF Channel 13 & 16. Project is expected to be completed by May 1, 2025. For more information, contact, Eppa Dale Wroten - Superintendent (Marine), Cell: 804-366-0447.	POLYGON [Latitude: 36.90444, Longitude: -76.04084] [Latitude: 36.90439, Longitude: -76.0387] [Latitude: 36.90411, Longitude: -76.03849] [Latitude: 36.9037, Longitude: -76.03827] [Latitude: 36.90327, Longitude: -76.03759] [Latitude: 36.90288, Longitude: -76.0376] [Latitude: 36.9027, Longitude: -76.03875] [Latitude: 36.90283, Longitude: -76.04439] [Latitude: 36.90395, Longitude: -76.04467] [Latitude: 36.9041, Longitude: -76.042] [Latitude: 36.90444, Longitude: -76.04084]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Long Creek - Broad Bay/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-10	2025-01-01	Cottrell Contracting Corporation of Chesapeake, Virginia advises that the Dredge Rockbridge will conduct dredging operations for the Lynnhaven Inlet Federal Navigation Channel, consisting of the Entrance Channel, Mooring and Turning Basin, Side Channel, Broad Bay Channel, and the Narrows Channel. The dredge and attendant equipment will be operating between October 16, 2024 and December 16, 2024. Before approach, the Dredge can be reached via VHF Radio Channels #13 and #16. For emergency, the dredge operator can be contacted at phone number 757-635-2576.	POLYGON [Latitude: 36.90487, Longitude: -76.0848]
						[Latitude: 36.90436, Longitude: -76.08253]
						[Latitude: 36.90468, Longitude: -76.07918]
						[Latitude: 36.90344, Longitude: -76.07211]
						[Latitude: 36.90226, Longitude: -76.06054]
						[Latitude: 36.90211, Longitude: -76.05308]
						[Latitude: 36.90162, Longitude: -76.05307]
						[Latitude: 36.90181, Longitude: -76.06051]
						[Latitude: 36.90301, Longitude: -76.07223]
						[Latitude: 36.90423, Longitude: -76.07917]
						[Latitude: 36.90388, Longitude: -76.08261]
						[Latitude: 36.90435, Longitude: -76.08489]
						[Latitude: 36.90398, Longitude: -76.08676]
						[Latitude: 36.90402, Longitude: -76.08811]
[Latitude: 36.90458, Longitude: -76.08804]						
[Latitude: 36.90443, Longitude: -76.08687]						
[Latitude: 36.90487, Longitude: -76.0848]						
Long Creek - Broad Bay/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-10	2025-01-01	Cottrell Contracting Corporation of Chesapeake, Virginia advises that the Dredge Rockbridge will conduct dredging operations for the Lynnhaven Inlet Federal Navigation Channel, consisting of the Entrance Channel, Mooring and Turning Basin, Side Channel, Broad Bay Channel, and the Narrows Channel. The dredge and attendant equipment will be operating between October 16, 2024 and December 16, 2024. Before approach, the Dredge can be reached via VHF Radio Channels #13 and #16. For emergency, the dredge operator can be contacted at phone number 757-635-2576.	POLYGON [Latitude: 36.89389, Longitude: -76.02378]
						[Latitude: 36.8915, Longitude: -76.01928]
						[Latitude: 36.88838, Longitude: -76.01591]
						[Latitude: 36.88808, Longitude: -76.0163]
						[Latitude: 36.89119, Longitude: -76.01967]
						[Latitude: 36.8936, Longitude: -76.02406]
						[Latitude: 36.89389, Longitude: -76.02378]

Broad Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Broad Creek Channel Daybeacon 4	14975	STRUCT DEST/TRUB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Rappahannock River - Broad Creek/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-19	2025-09-24	Norfolk District Army Corp of Engineers survey of Broad Creek Channel indicates shoaling with least depth of 4-5' at MLLW on the northwest (red) side of channel in vicinity of Broad Creek Channel Daybeacon 2 (LLNR 14970), and on the southeast (green) side of the channel with a least depth of 4' at MLLW in the vicinity of Broad Creek Channel Wreck Light WR3 (LLNR 14973). Mariners are requested use extreme caution when operating in the vicinity.	POLYGON [Latitude: 37.56883, Longitude: -76.31037] [Latitude: 37.56865, Longitude: -76.30986] [Latitude: 37.56503, Longitude: -76.31246] [Latitude: 37.5652, Longitude: -76.31298] [Latitude: 37.56883, Longitude: -76.31037]

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Broad Creek Shoal Buoy 2	CHANGE	On or about December 16 the Coast Guard will change Broad Creek Buoy 2 (LLNR 25535) to Broad Creek Daybeacon 2 and relocate to approximate position: 38 42 38.357N—76 15 31.623W with TR dayboards on pile.

Bush River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bush River Light 9	27363	LT IMCH	PA
Bush River Light A	27367	LT EXT	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Aberdeen Restricted Area - Bush River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-10-07	2025-10-07	ATON/PATON Discrepancies From: 2024-10-07 To: 2025-10-07 Location: 39.435° N / 76.24267° W Aid Name: Bush River Light 9 LLNR: 27363 Discrepancy Information: Initial Report DTG: 071411Z OCT 2024 Summary: LT IMCH	POINT [Latitude: 39.435, Longitude: -76.24267]
Aberdeen Restricted Area - Bush River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-10-07	2025-10-07	ATON/PATON Discrepancies From: 2024-10-07 To: 2025-10-07 Location: 39.43383° N / 76.24681° W Aid Name: Bush River Light A LLNR: 27367 Discrepancy Information: Initial Report DTG: 071402Z OCT 2024 Summary: LT EXT	POINT [Latitude: 39.43383, Longitude: -76.24681]

Buxton Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Buxton Harbor Daybeacon 14	32235	STRUCT DEST/TRUB	FD

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Buxton Harbor Daybeacon 14	CHANGE	The Coast Guard will convert Buxton Harbor Daybeacon 14 (LLNR 32235) to Buxton Harbor Buoy 14 (LLNR 32235) during the month of January 2025.

Cambridge Channel

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Cambridge Channel Lighted Buoy 1	CHANGE	Starting immediately the Coast Guard will begin removing the existing ice conditions "Replace lighted buoy with an unlighted buoy when endangered by ice" and replace; the aid, with a new year-round (ice) buoy for the below listed aids to navigation. The new buoys daytime visibility will be 1.4nm and have a radar range of 1.0nm. The flash characteristic and nominal range will remain unchanged.

Cape Charles City

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cape Charles City Light 1CC	21450	STRUCT DEST/HAZ NAV/TRLB	FD

Cape Fear River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
------	------	--------	----------

NAME	LLNR	STATUS	AID TYPE
Cape Fear River Entrance Channel Lighted Buoy 5	30325	SINKING	FD
Cape Fear River Channel Lighted Buoy 16	30450	LT EXT	FD
Southport Light 1	30455	STRUCT DEST/HAZ NAV/TRLB	FD
Lower Midnight Channel North Range Front Light	30640	STRUCT DEST/REDUCED INT/TRLT	FD
Big Island Upper North Range Front Light	30796	LT EXT	FD
Cape Fear River Turning Basin Light B	30950	STRUCT DEST/TRLB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector North Carolina, Submerged Lands Act (SLA) - Cape Fear River/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-09-24	2025-03-01	Norfolk Dredging company will begin maintenance dredging on the Cape Fear River in areas between Cape Fear River Channel Lighted Buoy 59 (LLNR 30855) and the Wilmington Turning Basin. Bucket dredge BALTIMORE will begin September 27, 2024 with project expected to be completed March 1, 2025. Dredge will be loading Mud Scows, and a Tug will tow them to the Ocean Dredging Material Disposal Site (ODMDS) located offshore at approximate position Lat 33-43-11.516N, 078-02-40.953W. The Dredge BALTIMORE operator will standby on channels #13 and #16 VHF-FM. Traffic should call 60 minutes prior to the expected time of passage. All mariners are requested to stay clear of the dredge, barges, cranes, and tugs. Operators of vessels of all types should be aware that the barges are held in place by cables, attached to anchors some distance away from the equipment. Project will be conducted twenty - four (24) hours per day seven (7) days a week. For further information contact Norfolk Dredging Company at (757) 547-9391.	POLYGON [Latitude: 34.22569, Longitude: -77.95386] [Latitude: 34.22478, Longitude: -77.95135] [Latitude: 34.20461, Longitude: -77.95598] [Latitude: 34.19641, Longitude: -77.95489] [Latitude: 34.17205, Longitude: -77.95745] [Latitude: 34.17202, Longitude: -77.96004] [Latitude: 34.19465, Longitude: -77.9581] [Latitude: 34.2111, Longitude: -77.95978] [Latitude: 34.22569, Longitude: -77.95386]
Sector North Carolina, Submerged Lands Act (SLA) - Cape Fear River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-10	2025-10-10	ATON/Federal Discrepancies From: 2024-10-10 To: 2025-10-10 Location: 33.8115° N / 78.03943° W Aid Name: Cape Fear River Entrance Channel Lighted Buoy 5 LLNR: 30325 Discrepancy Information: Initial Report DTG: 101912Z OCT 2024 Summary: SINKING	POINT [Latitude: 33.8115, Longitude: -78.03943]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector North Carolina, Submerged Lands Act (SLA) - Cape Fear River/General/Bridges/Closure (Scheduled Or Emergency)	General	Bridges	2024- 11-06	2024- 11-17	<p>Mariners are advised that the highway drawbridge - Isabel S. Holmes (US 74/SR 133) Bridge across Northeast Cape Fear River, mile 1.0, at Wilmington, NC and the highway drawbridge - Cape Fear Memorial (US 17/US 421/US 76) Bridge across Cape Fear River, mile 26.8, at Wilmington, NC, will be closed-to-vessels requiring an opening from 6 a.m. to 9 a.m., on Sunday, November 17, 2024, to accommodate the Battleship Half Marathon. The bridges will be able to open for emergencies, if at least a fifteen-minute prior notice is given. Vessels able to pass through the bridges in the closed position may do so at any time. At all other times, the drawbridges will operate in accordance with the operating regulations set out in Title 33 Code of Federal Regulations Part 117.829(a) and Title 33 Code of Federal Regulations Part 117.822, respectively. To avoid delays, mariners should adjust their transits accordingly.</p>	POINT [Latitude: 34.227613, Longitude: -77.952294]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector North Carolina, Submerged Lands Act (SLA) - Cape Fear River/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-11-07	2025-03-31	<p>General/Marine Construction (Excluding Bridges)/Dredging Dredge Submerged Pipeline Marinex Construction, Inc. will commence mobilization operations with the Dredge "Savannah" and equipment the week of November 16th, 2024, for the Village of Baldhead Island Beach Renourishment Project. Equipment and the dredge will be staged to the west side of Battery Island in the Cape Fear River. The crew will work to submerge roughly 9500' of steel line from the Jay Bird shoals crossing the Federal Channel to Baldhead Island in the vicinity of Cape Fear River Entrance Lighted Buoy 13 (LLNR 30373). The submerged line will rest on the river bottom below 44' of elevation in the Channel. The job consists of dredging beach quality sand from Jay Bird Shoals expansion area at the mouth of the Cape Fear River and placing it in South Beach of Baldhead Island. During the week of November 25th, 2024 the Dredge Savannah should commence work and will be operating a 24 hour per day, 7 days per week basis through March 31, 2025.</p>	<p>POLYGON [Latitude: 33.87323, Longitude: -78.01106] [Latitude: 33.87188, Longitude: -78.00879] [Latitude: 33.87148, Longitude: -78.00922] [Latitude: 33.87274, Longitude: -78.01151] [Latitude: 33.87323, Longitude: -78.01106]</p>
Sector North Carolina, Submerged Lands Act (SLA) - Cape Fear River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-11-12	2025-05-11	<p>ATON/Federal Discrepancies From: 2024-11-12 To: 2025-05-11 Location: 34.14474° N / 77.95319° W Aid Name: Big Island Upper North Range Front Light LLNR: 30796 Discrepancy Information: Initial Report DTG: 121418Z NOV 2024 Summary: LT EXT</p>	<p>POINT [Latitude: 34.14474, Longitude: -77.95319]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector North Carolina, Submerged Lands Act (SLA) - Cape Fear River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024- 11-12	2025- 05-11	ATON/Federal Discrepancies From: 2024-11-12 To: 2025- 05-11 Location: 33.90348° N / 78.01785° W Aid Name: Cape Fear River Channel Lighted Buoy 16 LLNR: 30450 Discrepancy Information: Initial Report DTG: 121745Z NOV 2024 Summary: LT EXT	POINT [Latitude: 33.90348, Longitude: -78.01785]
Sector North Carolina, Submerged Lands Act (SLA) - Cape Fear River/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024- 11-07	2025- 03-31	General/Marine Construction (Excluding Bridges)/Dredging Dredge Staging Area Marinex Construction, Inc. will commence mobilization operations with the Dredge "Savannah" and equipment the week of November 16th, 2024, for the Village of Baldhead Island Beach Renourishment Project. Equipment and the dredge will be staged to the west side of Battery Island in the Cape Fear River. The crew will work to submerge roughly 9500' of steel line from the Jay Bird shoals crossing the Federal Channel to Baldhead Island in the vicinity of Cape Fear River Entrance Lighted Buoy 13 (LLNR 30373). The submerged line will rest on the river bottom below 44' of elevation in the Channel. The job consists of dredging beach quality sand from Jay Bird Shoals expansion area at the mouth of the Cape Fear River and placing it in South Beach of Baldhead Island. During the week of November 25th, 2024 the Dredge Savannah should commence work and will be operating a 24 hour per day, 7 days per week basis through March 31, 2025.	POLYGON [Latitude: 33.91136, Longitude: -78.01419] [Latitude: 33.91094, Longitude: -78.01357] [Latitude: 33.90829, Longitude: -78.01539] [Latitude: 33.90547, Longitude: -78.01561] [Latitude: 33.90555, Longitude: -78.01619] [Latitude: 33.90848, Longitude: -78.01602] [Latitude: 33.91136, Longitude: -78.01419]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector North Carolina, Submerged Lands Act (SLA) - Cape Fear River/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-11-07	2025-03-31	<p>General/Marine Construction (Excluding Bridges)/Dredging Dredge Borrow Area Marinex Construction, Inc. will commence mobilization operations with the Dredge "Savannah" and equipment the week of November 16th, 2024, for the Village of Baldhead Island Beach Renourishment Project. Equipment and the dredge will be staged to the west side of Battery Island in the Cape Fear River. The crew will work to submerge roughly 9500' of steel line from the Jay Bird shoals crossing the Federal Channel to Baldhead Island in the vicinity of Cape Fear River Entrance Lighted Buoy 13 (LLNR 30373). The submerged line will rest on the river bottom below 44' of elevation in the Channel. The job consists of dredging beach quality sand from Jay Bird Shoals expansion area at the mouth of the Cape Fear River and placing it in South Beach of Baldhead Island. During the week of November 25th, 2024 the Dredge Savannah should commence work and will be operating a 24 hour per day, 7 days per week basis through March 31, 2025.</p>	<p>POLYGON [Latitude: 33.87488, Longitude: -78.03622] [Latitude: 33.86811, Longitude: -78.02849] [Latitude: 33.86348, Longitude: -78.03557] [Latitude: 33.87034, Longitude: -78.04351] [Latitude: 33.87488, Longitude: -78.03622]</p>
Sector North Carolina, Submerged Lands Act (SLA) - Cape Fear River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-08	2025-04-06	<p>ATON/Federal Discrepancies From: 2024-10-08 To: 2025-04-06 Location: 33.96242° N / 77.94367° W Aid Name: Federal Point Range Rear Light LLNR: 30492 Discrepancy Information: Initial Report DTG: 081044Z OCT 2024 Summary: LT EXT</p>	<p>POINT [Latitude: 33.96242, Longitude: -77.94367]</p>

Cape Fear River Little River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cape Fear River - Little River Daybeacon 5	40055	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Light 7	40060	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Daybeacon 8	40065	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Daybeacon 28	40110	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Daybeacon 36	40130	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Daybeacon 39	40195	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Daybeacon 46	40220	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Light 51	40250	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Daybeacon 57	40270	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Daybeacon 71	40305	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Daybeacon 73	40315	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Light 77	40325	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Light 78	40330	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Daybeacon 80	40335	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Light 83	40350	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Light 85	40360	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Light 93	40385	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Daybeacon 97	40395	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Daybeacon 99	40405	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Light 101	40410	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Daybeacon 109	40430	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Light 111	40435	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Daybeacon 113	40440	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Daybeacon 115	40445	STRUCT DEST/TRUB	FD
Cape Fear River - Little River Light 117	40455	STRUCT DEST/TRLB	FD
Cape Fear River - Little River Light 119	40460	STRUCT DEST/TRLB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape Fear River - Cape Fear River Little River/General/Hazard To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 09-23	2025- 03-22	The Coast Guard has temporally discontinued Lockwoods Folly Inlet Buoy 1 (LLNR 31010) through Lockwoods Folly Inlet Buoy 7 (LLNR 31035) to due shoaling and creating a misleading signal. Lockwoods Folly Inlet Buoy 8 (LLNR 31040) is listed as discrepant, creating a mislead signal. Inlet will be reviewed when dredge operations is completed, ACOE survey is conducted, and safe navigable water depths are identified. See Sector North Carolina MSIB 015-24.	POLYGON [Latitude: 33.92048, Longitude: -78.23549] [Latitude: 33.91482, Longitude: -78.23627] [Latitude: 33.91017, Longitude: -78.22931] [Latitude: 33.90798, Longitude: -78.23311] [Latitude: 33.91269, Longitude: -78.23891] [Latitude: 33.92027, Longitude: -78.23768] [Latitude: 33.92048, Longitude: -78.23549]
Cape Fear River - Cape Fear River Little River/General/Hazard To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 09-24	2025- 07-21	Shoaling has been reported in the ICW in the vicinity of the Swains Cut Bridge, West of Cape Fear River - Little River Light 18 (LLNR 40095).	POLYGON [Latitude: 33.92917, Longitude: -78.17122] [Latitude: 33.92888, Longitude: -78.17117] [Latitude: 33.92881, Longitude: -78.1725] [Latitude: 33.92899, Longitude: -78.17256] [Latitude: 33.92917, Longitude: -78.17122]
Cape Fear River - Cape Fear River Little River/General/Hazard To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 09-24	2025- 07-21	Shoaling has been reported in the ICW in the vicinity of the Swains Cut Bridge, Cape Fear River - Little River Buoy 16A (LLNR 40093) was established to mark shoaling.	POLYGON [Latitude: 33.92539, Longitude: -78.1294] [Latitude: 33.92502, Longitude: -78.12679] [Latitude: 33.92433, Longitude: -78.12685] [Latitude: 33.92475, Longitude: -78.12959] [Latitude: 33.92539, Longitude: -78.1294]
Cape Fear River - Cape Fear River Little River/General/Hazard To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 10-29	2025- 04-27	Shoaling has been reported between Cape Rear River - Little River Lighted Daybeacon 36 (LLNR 40130) and Cape Rear River - Little River Daybeacon 39 (LLNR 40195) in the vicinity of Lockwoods Folly River. Depths of 2-4ft MLLW have been reported.	POLYGON [Latitude: 33.9241, Longitude: -78.21693] [Latitude: 33.92333, Longitude: -78.21552] [Latitude: 33.92305, Longitude: -78.21575] [Latitude: 33.92379, Longitude: -78.21721] [Latitude: 33.9241, Longitude: -78.21693]

--

Carolina Beach Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Carolina Beach Inlet Buoy 4	30280	OFF STA/MSLD SIG	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape Hatteras To Little River Inlet - Carolina Beach Inlet/General/Hazardous To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-09-25	2025-07-12	Significant shoaling has been reported in Carolina Beach Inlet between Carolina Beach Inlet Buoy 1 (LLNR 30265) and Carolina Beach Inlet Buoy 8 (LLNR 30300). Depths of 1'-5' MLW have been reported in most recent ACOE Survey.	POLYGON [Latitude: 34.08343, Longitude: -77.87291] [Latitude: 34.08297, Longitude: -77.86982] [Latitude: 34.07968, Longitude: -77.86227] [Latitude: 34.07877, Longitude: -77.863] [Latitude: 34.08227, Longitude: -77.87133] [Latitude: 34.08227, Longitude: -77.87512] [Latitude: 34.08323, Longitude: -77.87648] [Latitude: 34.08343, Longitude: -77.87291]

Chesapeake Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Horseshoe West Channel Daybeacon 2	12830	DAYMK DMGD	FD
Horseshoe West Channel Daybeacon 2	12830	DBD DMGD	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Chesapeake Bay/General/Miscellaneous	General	Miscellaneous	2024-09-26	2024-12-13	<p>Unmanned Surface Vehicle Testing will take place North of Thimble Shoal Channel, West of the Chesapeake Bay Bridge Tunnel and South of the York River Entrance Channel. Area bound by: N36.986032, W076.123049, N37.016606, W076.233481, N37.142086, W076.194826, N37.094524, W076.120850, N37.052687, W076.089700.</p> <p>Duration of Operations will be during the following dates: 26 AUG - 6 SEP 2024, 3-16 OCT 2024, 2-13 DEC 2024. Vessels involved will be: USV Navy Test Craft, 11 Meter Navy Test Craft, 7 Meter Navy Test Craft and will have at least one escort vessel at all times. Escort vessel will monitor VHF-FM Radio Frequencies Monitored: VHF-FM Ch-16, VHF-FM Ch-82A. Point of Contact: Jayson Bautista 757-492-4946.</p>	<p>POLYGON</p> <p>[Latitude: 37.14208, Longitude: -76.19482]</p> <p>[Latitude: 37.09452, Longitude: -76.12085]</p> <p>[Latitude: 37.05268, Longitude: -76.0897]</p> <p>[Latitude: 36.98603, Longitude: -76.12304]</p> <p>[Latitude: 37.0166, Longitude: -76.23348]</p> <p>[Latitude: 37.14208, Longitude: -76.19482]</p>
Chesapeake Channel - Chesapeake Bay/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-29	2025-04-26	<p>ATON/Federal Discrepancies From: 2024-10-29 To: 2025-04-26 Location: 37.03299° N / 76.26249° W Aid Name: Horseshoe West Channel Daybeacon 2 LLNR: 12830 Discrepancy Information: Initial Report DTG: 291704Z OCT 2024 Summary: DBD DMGD</p>	<p>POINT</p> <p>[Latitude: 37.03299, Longitude: -76.26249]</p>

Chesapeake Bay Entrance

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Ramshorn Channel Warning Daybeacon A	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Ramshorn Channel Warning Daybeacon A	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.

Chesapeake Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Chesapeake Channel Buoy 63A	7445	MISSING	FD
Chesapeake Channel Mid-Channel Lighted Buoy HS	7575	MISSING	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Prices Creek Light 5	7762	STRUCT MISSING	PA
Bay Bridge Marina Light 1	7840	LT IMCH	PA
Bay Bridge Marina Light 2	7845	DAYMK DMGD	PA
Bay Bridge Marina Light 3	7850	LT IMCH	PA
Bay Bridge Marina Light 4	7855	LT EXT	PA
Bay Bridge Marina Light 6	7865	LT IMCH	PA
Queen Ann County Obstruction Buoy A	7980	MISSING	PA
Salt Ponds Light 6	12870	LT EXT	PA

ATON Changes

NAME	ACTION TYPE	DESCRIPTION
Chesapeake Channel Mid-Channel Lighted Buoy CP	RENAME	ATON/ATON Changes From: 2024-10-30 To: 2024-11-13 Location: 38.46974° N / 76.37626° W Aid Name: Chesapeake Channel Mid-Channel Lighted Whistle Buoy CP LLNR: 7665 Sound Signal Removed. Action: RENAME Chesapeake Channel Mid-Channel Lighted Whistle Buoy CP to Chesapeake Channel Mid-Channel Lighted Buoy CP
Fishing Creek - Oyster Creek Light 5	RELOCATE	ATON/ATON Changes From: 2024-11-04 To: 2024-11-18 Location: 38.92711° N / 76.46285° W Aid Name: Fishing Creek - Oyster Creek Light 5 LLNR: 19687.4 Action: RELOCATE/CHANGE Change: From Q G to FL G 4s Relocate: To 38-55-37.581N, 076-27-46.249W
Fishing Creek - Oyster Creek Light 6	RELOCATE	ATON/ATON Changes From: 2024-11-04 To: 2024-11-18 Location: 38.92738° N / 76.46324° W Aid Name: Fishing Creek - Oyster Creek Light 6 LLNR: 19687.5 Action: RELOCATE/CHANGE Change: From Q R to FL R 4s Relocate: To 38-55-38.582N, 076-27-47.677W

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May To Cape Hatteras - Chesapeake Channel/General/Bridges/Inspection	General	Bridges	2024-09-24	2025-05-31	<p>Mariners are advised that an engineering firm, on behalf of Maryland Transportation Authority, will be performing inspections on the US50/US 301 (William P. Lane Memorial) West Bound Bridge across Chesapeake Bay, mile 138.0, and the US50/US 301 (William P. Lane Memorial) East Bound Bridge across Chesapeake Bay, mile 138.1, between Skidmore, MD, and Stevensville, MD. The inspections will be conducted from 7 a.m. to 5 p.m.; Monday-Friday; and from 8 p.m. to 4 a.m.; Sunday-Thursday; from August 31, 2024, through May 31, 2025. Under bridge inspection units, work barges and work vessels will be located in and around the vicinity of the bridges. Work vessels may be reached on VHF-FM channels 13 and 16. During the work hours 7 a.m. to 5 p.m.; Monday-Friday; the project foreman can be reached at 443-564-5958. During the work hours from 8 p.m. to 4 a.m.; Sunday-Thursday; the project foreman can be reached at (410) 375-4233. Mariners should use extreme caution navigating through the area. Information concerning bridge navigational channel clearance reductions will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins.</p>	POINT [Latitude: 38.99165, Longitude: -76.36977]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May To Cape Hatteras - Chesapeake Channel/General/Bridges/Maintenance	General	Bridges	2024-09-26	2025-01-02	US 50/US 301 (William P. Lane Jr. Memorial) East Bound Bridge - Bridge maintenance will be conducted from 6:30 a.m. to 5:30 p.m.; 7 days a week; from March 1, 2023, through December 2024. During work hours, work vessels will be located in and around the vicinity of the bridge. Work vessels may be reached on VHF-FM channel 13. Mariners should use caution navigating through the area. (MT) through the bridge. Mariners should use caution navigating through the area. (MT)	POINT [Latitude: 38.99202, Longitude: -76.37713]
Cape May To Cape Hatteras - Chesapeake Channel/General/Maintenance (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-09-30	2024-12-15	Kokosing Industrial will begin mechanical dredging operations on behalf of Queen Anne's County Department of Parks. Work will commence on or about October 15th, 2024 at Price Creek in Stevensville, Maryland on the Chesapeake Bay. Scows will be loaded in Price Creek and then pushed out to the Chesapeake Bay where they will be transloaded into a different scow and pushed up into Prospect Bay to be unloaded near the Chesapeake Environmental center in between Prospect Bay and Marshy Creek. A barge with an excavator will perform the dredging with the assistance of small push boats, tender tugs, towing tugs, and scows. Vessels and crew will monitor VHF channel 13 during the project execution. Dredging and unloading operations will continue until the estimated completion date of December 15th, 2024.	POLYGON [Latitude: 38.90767, Longitude: -76.36521] [Latitude: 38.90753, Longitude: -76.35551] [Latitude: 38.89461, Longitude: -76.35589] [Latitude: 38.89464, Longitude: -76.36551] [Latitude: 38.90767, Longitude: -76.36521]
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Bridges/Construction	General	Bridges	2024-10-07	2026-08-01	Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be constructing new	POINT [Latitude: 36.9758, Longitude: -76.30092]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>approach bridges to replace the I-64/US 60 (Hampton Roads Beltway) North and South Approach Bridges, across Hampton Roads, at mile 0.0, between Norfolk, VA and Hampton, VA, commonly referred to as the Hampton Roads Bridge-Tunnel (HRBT). Construction activities will begin March 15, 2021, and are expected to continue through November, 2025. Marine construction activity will take place 24-hours per day, seven days a week. The replacement north approach bridge will be a fixed bridge with a horizontal clearance of 80 feet and a vertical clearance of 16 feet above mean high water at position 37° 00' 24.12" N, 76° 19' 18.84" W for the west span and at position 37° 00' 24.48" N, 76° 19' 15.60" W for the east span. The replacement south approach bridge will be a fixed bridge with a horizontal clearance of 100 feet and a vertical clearance of 16 feet above mean high water at position 36° 58' 15.24" N, 76° 18' 03.96" W.</p> <p>Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new approach bridge spans or located within specific Mooring Areas or Safe Harbor locations.</p> <p>Bridge Structures/Work Trestles & Islands - Mariners are advised to maintain a safe</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>distance of 300 feet from all HRBT bridge structures/work trestles, HRBT North Island, and HRBT South Island. Construction managers may establish safe transit corridors through bridge structures/work trestles as construction activity permits. Work trestles will be constructed extending out from the North and South shorelines next to the existing trestles for the duration of the bridge construction to facilitate construction activity. Each pile will be lit by a flashing white light. Hampton Flats Mooring Area - As charted. Changes pending. This area will contain six mooring buoys, lighted with flashing white lights, for the exclusive use of vessels involved in the HRBT Expansion project. The corners of the mooring area are marked with yellow buoys with flashing yellow lights. Mariners should use caution when transiting the area. Phoebus Safe Harbor Area - As charted. Changes pending. This area will only be used by HRBT Expansion project vessels in advance of a severe weather event that requires the vessels to be securely anchored or spudded down in that location. The corners of the safe harbor area are marked with yellow buoys with flashing yellow lights. When utilized, mariners should keep clear of the area. Willoughby Bay Mooring and Safe Harbor Area - As charted. This area contains a straight row of mooring pilings for the exclusive use of vessels involved in the HRBT Expansion project. The two end pilings are marked with a solid red light and each interior piling is marked with</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>a solid yellow light. The perimeter of the mooring and safe harbor area is marked with yellow buoys with flashing yellow lights. Mariners are advised to keep clear of the mooring/safe harbor area.</p> <p>Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the project area. To reach an on-scene manager, contact Shannon Gresham 757-685-3392 or Kareem Myers 757-256-9715. You may also contact Hampton Roads Connector Partners at 757-373- 4799 and/or email MarineOps@hrcpjv.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtexpansion.org.</p>	
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Bridges/Construction	General	Bridges	2024-10-07	2026-08-01	<p>Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be constructing new approach bridges to replace the I-64/US 60 (Hampton Roads Beltway) North and South Approach Bridges, across Hampton Roads, at mile 0.0, between Norfolk, VA and Hampton, VA, commonly referred to as the Hampton Roads Bridge-Tunnel (HRBT). Construction activities will begin March 15, 2021, and are expected to continue through November, 2025. Marine construction activity will take place 24-hours per day, seven days a week. The replacement north approach bridge will be a fixed bridge with a horizontal clearance of 80 feet and a vertical clearance of 16 feet above mean</p>	<p>POINT [Latitude: 36.97639, Longitude: -76.30009]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>high water at position 37° 00' 24.12" N, 76° 19' 18.84" W for the west span and at position 37° 00' 24.48" N, 76° 19' 15.60" W for the east span. The replacement south approach bridge will be a fixed bridge with a horizontal clearance of 100 feet and a vertical clearance of 16 feet above mean high water at position 36° 58' 15.24" N, 76° 18' 03.96" W. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new approach bridge spans or located within specific Mooring Areas or Safe Harbor locations.</p> <p>Bridge Structures/Work Trestles & Islands - Mariners are advised to maintain a safe distance of 300 feet from all HRBT bridge structures/work trestles, HRBT North Island, and HRBT South Island. Construction managers may establish safe transit corridors through bridge structures/work trestles as construction activity permits. Work trestles will be constructed extending out from the North and South shorelines next to the existing trestles for the duration of the bridge construction to facilitate construction activity. Each pile will be lit by a flashing white light. Hampton Flats Mooring Area - As charted. Changes pending. This area will contain six mooring</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>buoys, lighted with flashing white lights, for the exclusive use of vessels involved in the HRBT Expansion project. The corners of the mooring area are marked with yellow buoys with flashing yellow lights. Mariners should use caution when transiting the area. Phoebus Safe Harbor Area - As charted. Changes pending. This area will only be used by HRBT Expansion project vessels in advance of a severe weather event that requires the vessels to be securely anchored or spudded down in that location. The corners of the safe harbor area are marked with yellow buoys with flashing yellow lights. When utilized, mariners should keep clear of the area.</p> <p>Willoughby Bay Mooring and Safe Harbor Area - As charted. This area contains a straight row of mooring pilings for the exclusive use of vessels involved in the HRBT Expansion project. The two end pilings are marked with a solid red light and each interior piling is marked with a solid yellow light. The perimeter of the mooring and safe harbor area is marked with yellow buoys with flashing yellow lights. Mariners are advised to keep clear of the mooring/safe harbor area.</p> <p>Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the project area. To reach an on-scene manager, contact Shannon Gresham 757-685-3392 or Kareem Myers 757-256-9715. You may also contact Hampton Roads Connector Partners at 757-373- 4799 and/or email</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					MarineOps@hrcpjv.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtexpansion.org .	
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024- 09-09	2024- 12-15	Seaward Marine Corp will begin beach renourishment for Chesapeake Beach. Dredge material will be taking from Chesapeake Beach Shoal, approximate position - 36°55'39.47"N, 76°07'04.80"W, Operations will begin on June 15, 2024 and continue until December 15, 2024. Tender Tug, Matty T and SMC Dredge 1, will monitor VHF FM Channel 16, 13, 03. All equipment will be lighted in accordance with regulations. For more information, contact Scott White, Project Manager, 757- 641-2132.	LINE [Latitude: 36.91876, Longitude: -76.12878] [Latitude: 36.90843, Longitude: -76.09441]
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Bridges/Inspection	General	Bridges	2024- 10-29	2024- 12-19	Mariners are advised that an engineering firm, on behalf of Maryland Transportation Authority, will be performing a bridge inspection on the main navigational span of the highway fixed bridge - US 50/US 301 (William P. Lane Memorial) West Bound Bridge across Chesapeake Bay, mile 138.1, near Annapolis, MD. The inspection will be conducted from 9 a.m. to 3 p.m.; Monday-Thursday; from November 4, 2024, through November 7, 2024, from November 18, 2024, through November 21, 2024, and from December 2, 2024, through December 5, 2024, with alternative work dates from December 16, 2024, through December 19, 2024. Multiple under-bridge inspection vehicles (snooper) will be located in and around the vicinity of the bridge. During the	POINT [Latitude: 38.99165, Longitude: -76.36977]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					work hours, the under-bridge inspection vehicles (snooper) will be located underneath the bridge, within the main navigation channel of the bridge which will reduce the vertical clearance of the main navigational channel of the bridge to approximately 177 feet above mean high water. Vessels that can safely transit through the bridge during periods with a reduced vertical clearance may do so at any time. Vessels that are unable to safely transit through the bridge during periods with a reduced vertical clearance may transit through the bridge, if at least a 20-minute prior notice is given to the project foreman. Inspection personnel, equipment and vessels will relocate from the navigable channel, upon request. Work vessels may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (717) 443-5961 or (717) 395-1399. Mariners should use extreme caution navigating through the area.	
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-07	2025-09-11	General/Hazards To Navigation/Shoaling Reported Shoaling has been reported in St. Jerome Creek to a depth of 3 feet at MLW between St. Jerome Creek DBN 3 (18805) and St. Jerome Creek Light 3A (LLNR 18810) and extending to St. Jerome Creek Buoy 4 (LLNR 18812) and St. Jerome Creek Buoy 6 (LLNR 18815). The channel width in the area of Deep Point is reduced to approximately 20 feet wide.	POLYGON [Latitude: 38.1209, Longitude: -76.34153] [Latitude: 38.1177, Longitude: -76.33845] [Latitude: 38.11738, Longitude: -76.33909] [Latitude: 38.12027, Longitude: -76.34154] [Latitude: 38.11908, Longitude: -76.34343] [Latitude: 38.11973, Longitude: -76.34395] [Latitude: 38.1209, Longitude: -76.34153]
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Bridges/Inspection	General	Bridges	2024-11-04	2024-12-23	Mariners are advised that an engineering firm, on behalf of Maryland Transportation Authority, will be performing a bridge inspection on the	POINT [Latitude: 38.99165, Longitude: -76.36977]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>Eastern Channel navigational span of the highway fixed bridge - US 50/US 301 (William P. Lane Memorial) West Bound Bridge across Chesapeake Bay, mile 138.1, near Annapolis, MD. The inspection will be conducted from 9 a.m. to 2:30 p.m.; Monday-Friday; from November 18, 2024, through November 22, 2024, and from December 2, 2024, through December 6, 2024, with alternative work dates from December 9, 2024, through December 19, 2024, and on December 23, 2024. An under-bridge inspection vehicle (snooper) will be located in and around the vicinity of the bridge. During the work hours, the under-bridge inspection vehicle (snooper) will be located underneath the bridge, within the Eastern Channel navigation span of the bridge which will reduce the vertical clearance of the Eastern Channel navigational channel of the bridge to approximately 55 feet above mean high water. Vessels that can safely transit through the bridge during periods with a reduced vertical clearance may do so at any time. Vessels that are unable to safely transit through the bridge during periods with a reduced vertical clearance may transit through the bridge, if at least a 20-minute prior notice is given to the project foreman. Inspection personnel, equipment and vessels will relocate from the navigable channel, upon request. Work vehicles may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (856) 220-1659. Mariners should</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Bridges/Inspection	General	Bridges	2024-11-04	2025-01-17	<p>use extreme caution navigating through the area.</p> <p>Mariners are advised that an engineering firm, on behalf of Maryland Transportation Authority, will be performing a bridge inspection of the main navigational span of the highway fixed bridge - US 50/US 301 (William P. Lane Memorial) East Bound Bridge across Chesapeake Bay, mile 138.0, near Annapolis, MD. The inspection will be conducted from 8 a.m. to 3 p.m.; Monday-Friday; from November 11, 2024, through November 15, 2024, from November 25, 2024, through November 27, 2024, and from December 9, 2024, through December 20, 2024, with alternative work dates from January 6, 2025, through January 17, 2025. A work platform and safety vessel will be located in and around the vicinity of the bridge. During the work hours, the work platform will be located underneath the bridge, within the main navigation channel of the bridge which will reduce the vertical clearance of the main navigational channel of the bridge to approximately 177 feet above mean high water. Vessels that can safely transit through the bridge during periods with a reduced vertical clearance may do so at any time. Vessels that are unable to safely transit through the bridge during periods with a reduced vertical clearance may transit through the bridge, if at least a 30-minute prior notice is given to the project foreman. Inspection personnel, equipment and vessels will relocate from the navigable channel, upon request. Work vessels</p>	POINT [Latitude: 38.99202, Longitude: -76.37713]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (717) 554-2073 or (443) 742-5006. Mariners should use extreme caution navigating through the area.	
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/ATON/ATON Changes	ATON	ATON Changes	2024-11-04	2024-11-18	ATON/ATON Changes From: 2024-11-04 To: 2024-11-18 Location: 38.92738° N / 76.46324° W Aid Name: Fishing Creek - Oyster Creek Light 6 LLNR: 19687.5 Action: RELOCATE/CHANGE Change: From Q R to FL R 4s Relocate: To 38-55-38.582N, 076-27-47.677W	POINT [Latitude: 38.92738, Longitude: -76.46324]
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/ATON/ATON Changes	ATON	ATON Changes	2024-11-04	2024-11-18	ATON/ATON Changes From: 2024-11-04 To: 2024-11-18 Location: 38.92711° N / 76.46285° W Aid Name: Fishing Creek - Oyster Creek Light 5 LLNR: 19687.4 Action: RELOCATE/CHANGE Change: From Q G to FL G 4s Relocate: To 38-55-37.581N, 076-27-46.249W	POINT [Latitude: 38.92711, Longitude: -76.46285]
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/ATON/ATON Changes	ATON	ATON Changes	2024-10-30	2024-11-13	ATON/ATON Changes From: 2024-10-30 To: 2024-11-13 Location: 38.46974° N / 76.37626° W Aid Name: Chesapeake Channel Mid-Channel Lighted Whistle Buoy CP LLNR: 7665 Sound Signal Removed. Action: RENAME Chesapeake Channel Mid-Channel Lighted Whistle Buoy CP to Chesapeake Channel Mid-Channel Lighted Buoy CP	POINT [Latitude: 38.46974, Longitude: -76.37626]
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-11-04	2025-05-03	ATON/PATON Discrepancies From: 2024-11-04 To: 2025-05-03 Location: 38.89847° N / 76.36594° W Aid Name: Prices Creek Light 5 LLNR: 7762 Discrepancy Information: Initial Report DTG: 041249Z NOV 2024 Summary: STRUCT MISSING	POINT [Latitude: 38.89847, Longitude: -76.36594]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-05	2025-06-26	General/Hazards To Navigation/Shoaling Reported Shoaling has been reported in the Entrance Channel to Flag Harbor Yacht Haven in Calvert County, MD. The shoaling is located just outside Flag Harbor Light 1 (LLNR 7671) and Flag Harbor Entrance Light 2 (LLNR 7672). Depth of water is less than 5 Ft at MHW. From: 2024-08-05 To: 2025-06-26 Location: 38.46786° N / 76.46793° W 38.46684° N / 76.46679° W 38.46487° N / 76.46911° W 38.46592° N / 76.4704° W 38.46786° N / 76.46793° W	POLYGON [Latitude: 38.46786, Longitude: -76.46793] [Latitude: 38.46684, Longitude: -76.46679] [Latitude: 38.46487, Longitude: -76.46911] [Latitude: 38.46592, Longitude: -76.4704] [Latitude: 38.46786, Longitude: -76.46793]
Sector Virginia, Submerged Land Act (SLA) - Chesapeake Channel/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-19	2025-11-12	General/Hazards To Navigation/Shoaling Reported A recent NOAA survey identified shoaling to a depth of 8 ft at MLW in Back River between Back River Channel Daybeacon 6 (LLNR 12930) and Back River Channel Light 5 (LLNR 12925). From: 2024-08-19 To: 2025-11-12 Location: 37.10929° N / 76.27912° W 37.10917° N / 76.27617° W 37.10681° N / 76.27059° W 37.10581° N / 76.27156° W 37.10769° N / 76.27633° W 37.10833° N / 76.2792° W 37.10929° N / 76.27912° W	POLYGON [Latitude: 37.10929, Longitude: -76.27912] [Latitude: 37.10917, Longitude: -76.27617] [Latitude: 37.10681, Longitude: -76.27059] [Latitude: 37.10581, Longitude: -76.27156] [Latitude: 37.10769, Longitude: -76.27633] [Latitude: 37.10833, Longitude: -76.2792] [Latitude: 37.10929, Longitude: -76.27912]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May To Cape Hatteras - Chesapeake Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024- 08-14	2025- 01-01	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes The Maryland Department of Natural Resources Artificial Reef Program will be placing concrete bridge sections at the Hackett Point artificial reef site, approximately 1 mile east of Hackett Point, Anne Arundel County. On deployment days there will be a crane and material barge spudded down at or around 38° 59.403' N, 76° 24.032' W. The Maryland DNR Artificial Reef Coordinator will be on site to monitor the deployment and can be reached at Michael.Malpezzi@maryland.gov. Deployment will be continue until the end of the year. From: 2024-08-14 To: 2025- 01-01 Location: 38.99342° N / 76.40282° W 38.99083° N / 76.39697° W 38.98504° N / 76.40196° W 38.98796° N / 76.40797° W 38.99342° N / 76.40282° W	POLYGON [Latitude: 38.99342, Longitude: -76.40282] [Latitude: 38.99083, Longitude: -76.39697] [Latitude: 38.98504, Longitude: -76.40196] [Latitude: 38.98796, Longitude: -76.40797] [Latitude: 38.99342, Longitude: -76.40282]
Cape May To Cape Hatteras - Chesapeake Channel/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 08-19	2025- 02-15	General/Hazards To Navigation/Shoaling Reported Shoaling has been reported to 1-2 feet extending 50 yards channel ward from Horn Harbor Lighted Buoy 8 (LLNR 14487). From: 2024- 08-19 To: 2025-02-15 Location: 37.34894° N / 76.26677° W 37.348° N / 76.26618° W 37.3478° N / 76.26671° W 37.34875° N / 76.26722° W 37.34894° N / 76.26677° W	POLYGON [Latitude: 37.34894, Longitude: -76.26677] [Latitude: 37.348, Longitude: -76.26618] [Latitude: 37.3478, Longitude: -76.26671] [Latitude: 37.34875, Longitude: -76.26722] [Latitude: 37.34894, Longitude: -76.26677]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May To Cape Hatteras - Chesapeake Channel/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 08-15	2025- 10-14	General/Hazards To Navigation/Shoaling Reported Shoaling has been Reported to a depth of 2-3ft at mean low water in the channel of Mattawoman Creek between Mattawoman Creek Light 1MC (LLNR 21580) and Mattawoman Creek Light 2 (LLNR 21585). Mariners are advised to transit the area with caution. From: 2024-08-15 To: 2025- 10-14 Location: 37.39454° N / 75.99135° W 37.39343° N / 75.98867° W 37.38823° N / 75.9928° W 37.38955° N / 75.99549° W 37.39454° N / 75.99135° W	POLYGON [Latitude: 37.39454, Longitude: -75.99135] [Latitude: 37.39343, Longitude: -75.98867] [Latitude: 37.38823, Longitude: -75.9928] [Latitude: 37.38955, Longitude: -75.99549] [Latitude: 37.39454, Longitude: -75.99135]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May To Cape Hatteras - Chesapeake Channel/General/Bridges/Construction	General	Bridges	2024- 09-09	2025- 03-08	<p>General/Bridges/Construction From: 2024-09-09 To: 2025-03-08 Location: 36.96868° N / 76.11449° W 36.96809° N / 76.11013° W 36.96204° N / 76.11202° W 36.96304° N / 76.11689° W 36.96868° N / 76.11449° W</p> <p>Chesapeake Tunnel Joint Venture will continue Tug, Crane, and Barge operations near the existing tunnel protection berms for Islands 1 and 2. Work will not impede the navigational channel. A crane barge may be held in place by way of spuds, a six-point anchoring system or made fast to several steel mooring piles. Buoys will be attached to the anchors so that they may be moved as the crane barge advances. Buoys will be illuminated at night by one second flashing white lights and the barges will be illuminated by steady white lights on all corners. The steel piles will be illuminated at night by white lights. The steel piles and trestle will be positioned west of Island #1 approximately 125 feet and extending north of the fishing pier approximately 1000 feet. The ROBERT T and ANGELINA AUTUMN will be on VHF-FM 13 and 16.</p>	<p>POLYGON [Latitude: 36.96868, Longitude: -76.11449] [Latitude: 36.96809, Longitude: -76.11013] [Latitude: 36.96204, Longitude: -76.11202] [Latitude: 36.96304, Longitude: -76.11689] [Latitude: 36.96868, Longitude: -76.11449]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May To Cape Hatteras - Chesapeake Channel/General/Bridges/Construction	General	Bridges	2024-09-09	2025-03-08	<p>General/Bridges/Construction From: 2024-09-09 To: 2025-03-08 Location: 36.96868° N / 76.11449° W 36.96809° N / 76.11013° W 36.96204° N / 76.11202° W 36.96304° N / 76.11689° W 36.96868° N / 76.11449° W</p> <p>Chesapeake Tunnel Joint Venture will continue Tug, Crane, and Barge operations near the existing tunnel protection berms for Islands 1 and 2. Work will not impede the navigational channel. A crane barge may be held in place by way of spuds, a six-point anchoring system or made fast to several steel mooring piles. Buoys will be attached to the anchors so that they may be moved as the crane barge advances. Buoys will be illuminated at night by one second flashing white lights and the barges will be illuminated by steady white lights on all corners. The steel piles will be illuminated at night by white lights. The steel piles and trestle will be positioned west of Island #1 approximately 125 feet and extending north of the fishing pier approximately 1000 feet. The ROBERT T and ANGELINA AUTUMN will be on VHF-FM 13 and 16.</p>	<p>POLYGON [Latitude: 36.98527, Longitude: -76.10702] [Latitude: 36.98468, Longitude: -76.10266] [Latitude: 36.97863, Longitude: -76.10455] [Latitude: 36.97963, Longitude: -76.10942] [Latitude: 36.98527, Longitude: -76.10702]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May To Cape Hatteras - Chesapeake Channel/General Events/Regatta (Race)	General	Marine Events	2024-09-10	2024-11-27	<p>General/Marine Events/Regatta (Race) From: 2024-09-10 To: 2024-11-27 Location: 36.96274° N / 76.17952° W 36.94705° N / 76.18151° W 36.94694° N / 76.19737° W 36.96274° N / 76.17952° W The Broad Bay Sailing Association is sponsoring the Little Creek Races Wednesday Night Series on April 3, 2024 running until November 27, 2024 in Southern Chesapeake Bay, off the shores of Norfolk and Virginia Beach, VA. The sailboats will begin transiting to the racing area at 4:30 p.m. Mariners are requested to use caution when transiting the area.</p>	<p>POLYGON [Latitude: 36.96274, Longitude: -76.17952] [Latitude: 36.94705, Longitude: -76.18151] [Latitude: 36.94694, Longitude: -76.19737] [Latitude: 36.96274, Longitude: -76.17952]</p>
Cape May To Cape Hatteras - Chesapeake Channel/General Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-09-10	2025-12-31	<p>General/Hazards To Navigation/Shoaling Reported From: 2024-09-10 To: 2025-12-31 Location: 37.39818° N / 75.98102° W 37.39739° N / 75.98043° W 37.39458° N / 75.98874° W 37.39355° N / 75.99011° W 37.39213° N / 75.99042° W 37.38809° N / 75.99231° W 37.38948° N / 75.9942° W 37.39527° N / 75.99035° W 37.39818° N / 75.98102° W Shoaling has been located in Mattawoman Creek VA. Lowest depth found 3' at high tide from Mattawoman Creek Light 1MC (LLNR 21580) to west of Mattawoman Creek Light 3 (LLNR 21590). VA BNM 006-20. Chart 12225</p>	<p>POLYGON [Latitude: 37.39818, Longitude: -75.98102] [Latitude: 37.39739, Longitude: -75.98043] [Latitude: 37.39458, Longitude: -75.98874] [Latitude: 37.39355, Longitude: -75.99011] [Latitude: 37.39213, Longitude: -75.99042] [Latitude: 37.38809, Longitude: -75.99231] [Latitude: 37.38948, Longitude: -75.9942] [Latitude: 37.39527, Longitude: -75.99035] [Latitude: 37.39818, Longitude: -75.98102]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May To Cape Hatteras - Chesapeake Channel/General/Bridges/Inspection	General	Bridges	2024- 09-24	2025- 05-31	<p>Mariners are advised that an engineering firm, on behalf of Maryland Transportation Authority, will be performing inspections on the US50/US 301 (William P. Lane Memorial) West Bound Bridge across Chesapeake Bay, mile 138.0, and the US50/US 301 (William P. Lane Memorial) East Bound Bridge across Chesapeake Bay, mile 138.1, between Skidmore, MD, and Stevensville, MD. The inspections will be conducted from 7 a.m. to 5 p.m.; Monday-Friday; and from 8 p.m. to 4 a.m.; Sunday-Thursday; from August 31, 2024, through May 31, 2025. Under bridge inspection units, work barges and work vessels will be located in and around the vicinity of the bridges. Work vessels may be reached on VHF-FM channels 13 and 16. During the work hours 7 a.m. to 5 p.m.; Monday-Friday; the project foreman can be reached at 443-564-5958. During the work hours from 8 p.m. to 4 a.m.; Sunday-Thursday; the project foreman can be reached at (410) 375-4233. Mariners should use extreme caution navigating through the area. Information concerning bridge navigational channel clearance reductions will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins.</p>	POINT [Latitude: 38.99202, Longitude: -76.37713]

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
USN Aerial Gunnery Area Lighted Buoy C	CHANGE	Starting immediately the Coast Guard will begin removing the existing ice conditions "Replace lighted buoy with an unlighted buoy when endangered by ice" and replace; the aid, with a new year-round (ice) buoy for the below listed aids to navigation. The new buoys daytime visibility will be 1.4nm and have a radar range of 1.0nm. The flash characteristic and nominal range will remain unchanged.
USN Aerial Gunnery Area Lighted Buoy C	CHANGE	Starting immediately the Coast Guard will begin removing the existing ice conditions "Replace lighted buoy with an unlighted buoy when endangered by ice" and replace; the aid, with a new year-round (ice) buoy for the below listed aids to navigation. The new buoys daytime visibility will be 1.4nm and have a radar range of 1.0nm. The flash characteristic and nominal range will remain unchanged.
USN Aerial Gunnery Area Lighted Buoy D	CHANGE	Starting immediately the Coast Guard will begin removing the existing ice conditions "Replace lighted buoy with an unlighted buoy when endangered by ice" and replace; the aid, with a new year-round (ice) buoy for the below listed aids to navigation. The new buoys daytime visibility will be 1.4nm and have a radar range of 1.0nm. The flash characteristic and nominal range will remain unchanged.
USN Aerial Gunnery Area Lighted Buoy D	CHANGE	Starting immediately the Coast Guard will begin removing the existing ice conditions "Replace lighted buoy with an unlighted buoy when endangered by ice" and replace; the aid, with a new year-round (ice) buoy for the below listed aids to navigation. The new buoys daytime visibility will be 1.4nm and have a radar range of 1.0nm. The flash characteristic and nominal range will remain unchanged.

Chester River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Chester River Channel Buoy 16	26705	LT EXT	FD

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
------	-------------	-------------

NAME	ACTION TYPE	DESCRIPTION
Chester River Lighted Buoy 6	CHANGE	On or about December 2, 2024 the Coast Guard will establish new year-round (ice) buoy for Lighted Buoy 6 in the Chester River. The new buoy will have a daytime visibility of 1.5nm and a radar range of 1.5nm. The flash characteristics and nominal ranges will remain unchanged.
Chester River Channel Lighted Buoy 9	CHANGE	On or about December 2, 2024 the Coast Guard will establish new year-round (ice) buoy for Lighted Buoy 9 in the Chester River. The new buoy will have a daytime visibility of 1.5nm and a radar range of 1.5nm. The flash characteristics and nominal ranges will remain unchanged.
Chester River Channel Lighted Buoy 12	CHANGE	On or about December 2, 2024 the Coast Guard will establish new year-round (ice) buoy for Lighted Buoy 12 in the Chester River. The new buoy will have a daytime visibility of 1.5nm and a radar range of 1.5nm. The flash characteristics and nominal ranges will remain unchanged.

Chickahominy River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Chickahominy River Dam Light A	12195	LT EXT	PA
Chickahominy River Dam Light B	12195.1	LT EXT	PA

--

Chincoteague Channel

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector Virginia, Submerged Land Act (SLA) - Chincoteague Channel/General Zones/Space Launches & Recovery	General	Safety Zones	2024-11-01	2024-11-24	<p>The Launch Director, National Aeronautics and Space Administration - Wallops Flight Facility, Wallops Island, Virginia, has advised that the area in the Atlantic Ocean within the existing Danger Zone off Wallops Island and Chincoteague Inlet (depicted as 334.130) as shown on National Ocean Service Chart, will be hazardous to navigation because of a rocket launch during the periods and times. The test windows are: Primary: November 19, 2024 from 07:45 to November 20, 2024, 01:00 AM. Alternate: November 20, 2024 from 07:45 to November 21, 2024, 01:00 AM. Alternate: November 21, 2024 from 07:45 to November 22, 2024, 01:00 AM. Alternate: November 22, 2024 from 07:45 to November 23, 2024, 01:00 AM. Alternate: November 23, 2024 from 07:45 to November 24, 2024, 01:00 AM. Public ship avoidance area are in effect and bound by: 22.7 nautical miles hazard area approximately 20.7 nautical miles east of Pad RLLC2 at center point position 37-44.19N /75-04.19W. . During the launch window, contact Wallops Plot via Marine Band (VHF) 12 and 22, or land line 757-824-1685. Outside the launch window, contact Surveillance Coordinator (SC) Jordan West 757-824-2949 or Launch Director John Dickerson 757-894-2094.</p>	<p>POLYGON [Latitude: 38.0552, Longitude: -75.0356] [Latitude: 38.0138, Longitude: -74.6601] [Latitude: 37.5521, Longitude: -74.1202] [Latitude: 37.2588, Longitude: -73.6811] [Latitude: 37.0629, Longitude: -73.8272] [Latitude: 37.5024, Longitude: -75.0847] [Latitude: 37.575, Longitude: -75.3465] [Latitude: 37.646, Longitude: -75.4901] [Latitude: 37.8184, Longitude: -75.5165] [Latitude: 37.8382, Longitude: -75.5202] [Latitude: 37.855, Longitude: -75.5075] [Latitude: 37.8613, Longitude: -75.4694] [Latitude: 37.8665, Longitude: -75.4543] [Latitude: 37.8829, Longitude: -75.41] [Latitude: 37.9201, Longitude: -75.322] [Latitude: 38.0552, Longitude: -75.0356]</p>

Chowan River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Chowan River Light 16	31835	STRUCT DEST/TRLB	FD

Clam Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Clam Creek Junction Lighted Buoy CC	1240	OFF STA	FD

Core Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Harkers Island Straits Light 3	29364	DAYMK DMGD	FD
Harkers Island Straits Daybeacon 11	29378	STRUCT DEST/TRUB	FD
Nelson Bay Light 1	34560	LT EXT	FD

Crab Alley Bay

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Eastern Bay - Crab Alley Bay/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 08-07	2025- 09-11	General/Hazards To Navigation/Shoaling Reported Hazard to navigation - there has been a report of shoaling in Crab Alley Bay approximately 50 yards northwest of Crab Alley Bay Buoy 6, (LLNR 26300), and 200 yards south of Crab Alley Bay Daybeacon 7, (LLNR 26305), in approximate position: 38-55.78n, 076- 17.58w to a depth of 2ft at mean low water.	POLYGON [Latitude: 38.93175, Longitude: -76.29353] [Latitude: 38.93148, Longitude: -76.29134] [Latitude: 38.92901, Longitude: -76.2919] [Latitude: 38.92934, Longitude: -76.29422] [Latitude: 38.93175, Longitude: -76.29353]

Crab Alley Little Creek

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Crab Alley - Little Creek Buoy 4	DISCONTINUE	Buoy 4 will be removed on or about December 1, 2024 d; as scheduled, but not replaced April 1.
Crab Alley - Little Creek Daybeacon 6	CHANGE	Daybeacon 6 will be changed to Warning Daybeacon A with NW dayboards worded "Danger Shoal" until removed.
Crab Alley - Little Creek Daybeacon 8	CHANGE	Daybeacon 8 will be changed to Warning Daybeacon B with NW dayboards worded "Danger Shoal" until removed.

Croatan Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Manns Harbor Canal Light 1	31920	STRUCT DEST	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Pamlico Sound - Croatan Sound/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-24	2025-10-24	ATON/Federal Discrepancies From: 2024-10-24 To: 2025-10-24 Location: 35.90717° N / 75.76684° W Aid Name: Manns Harbor Canal Light 1 LLNR: 31920 Discrepancy Information: Initial Report DTG: 241540Z OCT 2024 Summary: STRUCT DEST	POINT [Latitude: 35.90717, Longitude: -75.76684]

Currituck Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Currituck Sound Research Platform C	31241.2	LT EXT/STRUCT DMGD	FD

Curtis Bay

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Thomas Cove Mooring Buoy A	20882	BUOY DMGD	PA
Thomas Cove Mooring Buoy B	20883	BUOY DMGD	PA
Hess Lighted Mooring Buoy	20930	LT EXT	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Fort Mchenry Channel - Curtis Bay/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024-09-09	2025-06-30	<p>General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-09-09 To: 2025-06-30 Location: 39.20081° N / 76.57445° W 39.19847° N / 76.57272° W 39.19827° N / 76.57221° W 39.1973° N / 76.57284° W 39.20057° N / 76.57501° W 39.20081° N / 76.57445° W Pier, bulkhead, and dolphin construction and repair will begin January 15, 2024 along the U.S. Coast Guard Yard's waterfront located on Curtis Creek, Maryland, 2401 Hawkins Point Road, Baltimore, Anne Arundel County, Maryland. [Latitude: 39.197419; Longitude: -76.570247]. The project is expected to end on June 30, 2025. Associated on-water construction equipment/vessels include a 30-50T capacity Whirley, two 50x120 material barges, two work floats, two push/work skiffs, an ICE 216 vibratory hammer, and a Delmag D46 Diesel impact hammer will used in the vicinity of the project.</p>	<p>POLYGON [Latitude: 39.20081, Longitude: -76.57445] [Latitude: 39.19847, Longitude: -76.57272] [Latitude: 39.19827, Longitude: -76.57221] [Latitude: 39.1973, Longitude: -76.57284] [Latitude: 39.20057, Longitude: -76.57501] [Latitude: 39.20081, Longitude: -76.57445]</p>

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Curtis Bay Lighted Buoy 6	CHANGE	On or about November 11, 2024 the Coast Guard will remove the seasonal ice condition "Replace with an unlighted buoy if endangered by ice."
Curtis Bay Lighted Buoy 12	CHANGE	On or about November 11, 2024 the Coast Guard will remove the seasonal ice condition "Replace with an unlighted buoy if endangered by ice."

Deep Creek

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Pocomoke Sound - Deep Creek/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-09-10	2025-12-31	General/Hazards To Navigation/Shoaling Reported From: 2024-09-10 To: 2025-12-31 Location: 37.79645° N / 75.74917° W 37.79564° N / 75.74816° W 37.78242° N / 75.74993° W 37.7819° N / 75.74988° W 37.77694° N / 75.74799° W 37.77176° N / 75.75027° W 37.77162° N / 75.75023° W 37.7716° N / 75.7506° W 37.77701° N / 75.74833° W 37.78212° N / 75.75023° W 37.78965° N / 75.74916° W 37.79505° N / 75.7485° W 37.79593° N / 75.74886° W 37.79633° N / 75.74935° W 37.79645° N / 75.74917° W U.S. Army Corps Survey on 19 Sep 19 indicated a least depth of 1.2' MLW within the channel limits. From Deep Creek Channel Daybeacon 12 (LLNR 22225) to Deep Creek Channel Daybeacon 14 (LLNR 22230) least depth of 6.3' in center of channel, 5.8' on green side of channel, and 4.5' on red side of channel. From Deep Creek Channel Daybeacon 14 to Deep Creek Channel Light 15 (LLNR 22235) least depth of 5.0' In center of channel, 3.0' on green side of channel, 3.8' on red side of Channel. From Deep Creek Channel Light 15 to Deep Creek Channel Daybeacon 16 (LLNR 22240) least depth of 4.4' in center of channel, 3.2' on green side of channel, and 4.1' on red side of channel. From Deep	POLYGON [Latitude: 37.79645, Longitude: -75.74917] [Latitude: 37.79564, Longitude: -75.74816] [Latitude: 37.78242, Longitude: -75.74993] [Latitude: 37.7819, Longitude: -75.74988] [Latitude: 37.77694, Longitude: -75.74799] [Latitude: 37.77176, Longitude: -75.75027] [Latitude: 37.77162, Longitude: -75.75023] [Latitude: 37.7716, Longitude: -75.7506] [Latitude: 37.77701, Longitude: -75.74833] [Latitude: 37.78212, Longitude: -75.75023] [Latitude: 37.78965, Longitude: -75.74916] [Latitude: 37.79505, Longitude: -75.7485] [Latitude: 37.79593, Longitude: -75.74886] [Latitude: 37.79633, Longitude: -75.74935] [Latitude: 37.79645, Longitude: -75.74917]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					Creek Channel Daybeacon 16 to Deep Creek Channel Daybeacon 17 (LLNR 22245) least depth of 3.6' in center of Channel, 0.2' on green side of channel, and 2.6' on red side of channel. Chart 12207	

Delaware Bay Main Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Brown Shoal Light	1535	LT EXT/RAC INOP	FD
Elbow of Cross Ledge Light	1600	LT EXT/SS INOP	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Delaware Bay - Delaware Bay Main Channel/General/Hazardal To Navigation/Shoaling Reported		Hazards To Navigation	2024- 08-26	2025- 01-28	General/Hazards To Navigation/Shoaling Reported There have been multiple reports of excessive shoaling in the Delaware Bay, in the vicinity of the southern portion Crow Shoal, in approximate position latitude 38°57'25.2"N, longitude 075°00'06.4"W, and extending south approximately 1,500 yards. Mariners are advised to use extreme caution when transiting this area and avoid it if possible. From: 2024- 08-26 To: 2025-01-28 Location: 38.95685° N / 75.00115° W 38.94439° N / 75.00054° W 38.94434° N / 75.002° W 38.95682° N / 75.00304° W 38.95685° N / 75.00115° W	POLYGON [Latitude: 38.95685, Longitude: -75.00115] [Latitude: 38.94439, Longitude: -75.00054] [Latitude: 38.94434, Longitude: -75.002] [Latitude: 38.95682, Longitude: -75.00304] [Latitude: 38.95685, Longitude: -75.00115]

Delaware River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Delaware River Light 2 (2)	2490	LT IMCH	FD
Reedy Island Range Front Light	2580	LT EXT	FD
Reedy Island Range Rear Light	2585	LT EXT	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Artificial Island Terminal Lighted Buoy 2	2523	MISSING	PA
Artificial Island Terminal Lighted Buoy 3	2523.2	MISSING	PA
Artificial Island Terminal Lighted Buoy 6	2523.6	MISSING	PA
Artificial Island Terminal Lighted Buoy 6	2523.6	MISSING	PA
Artificial Island Terminal Lighted Buoy 7	2523.8	MISSING	PA
South Jersey Dock Light A	3570	LT EXT	PA
South Jersey Light B	3575	LT EXT	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Liston Range - Delaware River/General/Bridges/Maintenance	General	Bridges	2024-09-26	2024-12-31	<p>Delaware River - Benjamin Franklin Bridge - Bridge maintenance will be performed from July 27, 2020, through December 31, 2024. For the duration of the project, the preferred navigation channel and bridge navigational lighting normally situated over the 410-foot Federal project channel will be shifted to the east approximately 205 feet. The Federal Project channel will remain fully open to traffic; however, the vertical clearance of the channel has temporarily decreased based on the planned scaffolding system (work platform) to be installed. The scaffolding system will be installed over the entire length of the bridge, as detailed below. Preferred Navigation Channel: A 410-foot scaffolding (work platform) system, with five 82-foot independent work zones, will be installed extending below the bridge approximately 10 inches (.83 feet), thereby reducing the vertical clearance of the bridge within the preferred navigation channel by approximately 10 inches (.83 feet). When in use, a single 82-foot work zone portion of the 410-foot scaffolding (work platform) system will be extended below the bridge approximately 18.5 inches (1.54 feet), thereby reducing the vertical clearance of the bridge within the work zone by approximately 18.5 inches (1.54 feet). The single 82-foot work zone portion of the 410-foot scaffolding (work platform) system in use will be lifted to extend below the bridge approximately</p>	POINT [Latitude: 39.95315, Longitude: -75.13434]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>10 inches (.83 feet), thereby reducing the vertical clearance of the bridge within the preferred navigation channel by approximately 10 inches (.83 feet), if at least 48-hour notice is given to Eric.Dovak@Skanska.com. Outside the Preferred Navigation Channel: Scaffolding will extend below the bridge approximately two feet from the west boundary of the Federal project channel to the center of the Federal project channel (west boundary of preferred navigation channel) and from the east boundary of the preferred navigation channel toward the east abutment approximately 385 feet. West of the west boundary of the Federal project and east of the position approximately 385 feet east of the east boundary of the preferred navigation channel, scaffolding will extend below the bridge approximately three feet. A safety boat will be in the vicinity of the bridge during bridge maintenance, which may be reached via VHF FM channel 13. Mr. Eric Dovak, contractor's representative, may be reached at Eric.Dovak@Skanska.com or (347) 860-2399. Mariners are advised to exercise caution when transiting the area. (HP)</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Eagle Point - Delaware River/General/Bridges/Maintenance	General	Bridges	2024-11-12	2025-01-17	<p>General/Bridges/Maintenance Bridge Name: United States 130 Bridge Mariners are advised that an engineering firm, on behalf of New Jersey Department of Transportation, will be performing maintenance on the US 130 (Crown Point Road) Bridge across Oldmans Creek, mile 3.1, at Nortonville, NJ. The maintenance will be conducted from 6 a.m. to 5 p.m.; Monday-Saturday; from November 18, 2024, through January 17, 2025. Work scaffolding will be located on and around the vicinity of the bridge. During the duration of the maintenance period, the work scaffolding will be located underneath and in the navigational channel of the bridge which will reduce the vertical clearance of the bridge to approximately 1 foot. The project foreman can be reached at (856) 498-8107 or (856) 398-0996. Mariners should use extreme caution navigating through the area.</p>	POINT [Latitude: 39.78489, Longitude: -75.40679]
Liston Range - Delaware River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-10-09	2025-10-09	<p>ATON/PATON Discrepancies From: 2024-10-09 To: 2025-10-09 Location: 39.47503° N / 75.54726° W Aid Name: Artificial Island Terminal Lighted Buoy 7 LLNR: 2523.8 Discrepancy Information: Initial Report DTG: 091241Z OCT 2024 Summary: MISSING</p>	POINT [Latitude: 39.47503, Longitude: -75.54726]
Liston Range - Delaware River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-10-15	2025-10-15	<p>ATON/PATON Discrepancies From: 2024-10-15 To: 2025-10-15 Location: 39.47329° N / 75.55351° W Aid Name: Artificial Island Terminal Lighted Buoy 3 LLNR: 2523.2 Discrepancy Information: Initial Report DTG: 151139Z OCT 2024 Summary: MISSING</p>	POINT [Latitude: 39.47329, Longitude: -75.55351]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Liston Range - Delaware River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024- 10-15	2025- 10-14	ATON/PATON Discrepancies From: 2024-10-15 To: 2025- 10-15 Location: 39.47207° N / 75.54631° W Aid Name: Artificial Island Terminal Lighted Buoy 6 LLNR: 2523.6 Discrepancy Information: Initial Report DTG: 151104Z OCT 2024 Summary: MISSING	POINT [Latitude: 39.47207, Longitude: -75.54631]
Liston Range - Delaware River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024- 10-15	2025- 10-15	ATON/PATON Discrepancies From: 2024-10-15 To: 2025- 10-15 Location: 39.47361° N / 75.54825° W Aid Name: Artificial Island Terminal Lighted Buoy 5 LLNR: 2523.4 Discrepancy Information: Initial Report DTG: 151104Z OCT 2024 Summary: MISSING	POINT [Latitude: 39.47361, Longitude: -75.54825]
Liston Range - Delaware River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024- 10-15	2025- 10-15	ATON/PATON Discrepancies From: 2024-10-15 To: 2025- 10-15 Location: 39.47132° N / 75.55828° W Aid Name: Artificial Island Terminal Lighted Buoy 2 LLNR: 2523 Discrepancy Information: Initial Report DTG: 151143Z OCT 2024 Summary: MISSING	POINT [Latitude: 39.47132, Longitude: -75.55828]

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Fisher Point Range Front Light	RELOCATE	ATON/Advanced Notice of Change Ballard Marine Construction will begin Fisher Point Range Project to rebuild the ranges. Project is expected to start on July 8, 2024 and continue to January 1, 2025. Several barges will be in the vicinity and all marine equipment will monitor VHF - CH 13, 16, & 79. Hours of operation will be Monday thru Saturday from 0600-1800. Mariners are requested to use caution and reduce wake when transiting the area. From: 2024-08-14 To: 2025-01-01 Location: 39.97786° N / 75.07054° W Aid Name: Fisher Point Range Front Light LLNR: 3625 Action: RELOCATE
Fisher Point Range Rear Light	RELOCATE	ATON/Advanced Notice of Change Ballard Marine Construction will begin Fisher Point Range Project to rebuild the ranges. Project is expected to start on July 8, 2024 and continue to January 1, 2025. Several barges will be in the vicinity and all marine equipment will monitor VHF - CH 13, 16, & 79. Hours of operation will be Monday thru Saturday from 0600-1800. Mariners are requested to use caution and reduce wake when transiting the area. From: 2024-08-14 To: 2025-01-01 Location: 39.97806° N / 75.06902° W Aid Name: Fisher Point Range Rear Light LLNR: 3630 Action: RELOCATE

Delaware River Main Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
New Castle Range Rear Light	2735	LT EXT	FD
Delaware River Lighted Buoy 40	3120	LT EXT	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Dupont Chambers Diffuser Warning Lighted Buoy A	2973	MISSING	PA
Dupont-Edgemoor Warning Buoy D	3090.1	MISSING	PA
Chester Transmission East Lights (4)	3225	LT EXT/SS INOP	PA
Thompson Point Intake Light	3305	LT EXT	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Delaware River - Delaware River Main Channel/General/Bridges/Construction	General	Bridges	2024-08-14	2027-07-12	<p>General/Bridges/Construction</p> <p>Mariners are advised that a construction firm, on behalf of Pennsylvania Department of Transportation, will be constructing a new bridge to replace the SR 420 (Wanamaker Avenue) Bridge, over Darby Creek, mile 1.3, between Prospect Park Borough, Delaware County, PA and Tinicum Township, Delaware County, PA. Construction activities will begin on March 11, 2024, and are expected to finish on July 12, 2027. Work will be on-going from 6 a.m. to 6 p.m.; Monday-Saturday. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. A tug, a material barge, manlift barges, and support vessels will be operating or stationed in the vicinity of the existing and new bridge structures. For the duration of the construction period, cofferdams will be located within the navigational channel of the bridge reducing the horizontal clearance of the bridge to approximately 45 feet of horizontal clearance. During the work hours, two forty-foot manlift barges and one forty-foot material barge may be located within the reduced navigational channel of the existing and new bridge structures providing access for demolition/construction activities. Vessels may safely transit through the bridge during the work hours if at least a two-hour prior</p>	POINT [Latitude: 39.876448, Longitude: -75.304584]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>notice is given to the R.E. Pierson Construction Company. R.E. Pierson Construction Company tug and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the area. The PennDOT Construction Manager may be contacted at (610) 476-7874 and P.E. Pierson Construction Company may be contacted at (609) 743-1617 or (609) 364-7105 or 609-743-7134. Project information may be found at https://www.penndot.pa.gov/RegionalOffices/district-6/ConstructionsProjectsAndRoadwork/DelawareCounty/Pages/420-(Wanamaker-Ave.)-Darby-Creek-Bridge-Replacement.aspx . From: 2024-08-14 To: 2027-07-12 Location: 39.876448° N / 75.304584° W Bridge Name: SR 420 (NB) Bridge</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Delaware River - Delaware River Main Channel/General/Bridges/Construction	General	Bridges	2024-09-09	2025-08-31	<p>General/Bridges/Construction From: 2024-09-09 To: 2025-08-31 Location: 39.68899° N / 75.51807° W Bridge Name: 295 Highway Southbound Bridge Mariners are advised that a construction company, on behalf of Delaware River Port Authority, started construction of the bridge collision protection system at the Delaware Memorial Bridge, over Delaware River, mile 68.9, at New Castle, DE. Construction activities began July 2023, and are expected to finish August 2025. Work will be ongoing from 7:00 a.m. to 5:30 p.m.; Monday-Saturday. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Barges will be on scene 24/7 and will be located outside the navigation channel. Temporary work platforms will be in place for the duration of construction of the bridge collision protection system. The waterway will remain open to navigation. Work vessels may be reached on VHF-FM channel 13 and 16. Mariners should use caution navigating through the area.</p>	POINT [Latitude: 39.68899, Longitude: -75.51807]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Delaware River - Delaware River Main Channel/General/Bridges/Construction	General	Bridges	2024-09-09	2025-08-31	<p>General/Bridges/Construction From: 2024-09-09 To: 2025-08-31 Location: 39.68899° N / 75.51807° W Bridge Name: 295 Highway Southbound Bridge</p> <p>Mariners are advised that a construction company, on behalf of Delaware River Port Authority, started construction of the bridge collision protection system at the Delaware Memorial Bridge, over Delaware River, mile 68.9, at New Castle, DE. Construction activities began July 2023, and are expected to finish August 2025. Work will be ongoing from 7:00 a.m. to 5:30 p.m.; Monday-Saturday. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Barges will be on scene 24/7 and will be located outside the navigation channel. Temporary work platforms will be in place for the duration of construction of the bridge collision protection system. The waterway will remain open to navigation. Work vessels may be reached on VHF-FM channel 13 and 16. Mariners should use caution navigating through the area.</p>	POINT [Latitude: 39.68866, Longitude: -75.51819]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Delaware River - Delaware River Main Channel/General/Bridges/Maintenance	General	Bridges	2024-09-26	2025-04-01	Mariners are advised that an engineering firm, will be performing maintenance on the Commodore Barry Bridge over Delaware River, mile 81.4, in Chester, PA. Maintenance will be from 7:00 a.m. to 3:30 p.m.; Monday through Friday; from September 25, 2024, through April 01, 2025. During work hours work platforms will used on the top and bottom chords, reducing the vertical clearance of the bridge by approximately 3 feet to approximately 178 feet above mean high water. The contractor can be contacted by phone (609) 685-3417. All mariners should use caution when transiting the area.	POINT [Latitude: 39.827997, Longitude: -75.370962]
Delaware River - Delaware River Main Channel/General/Maintenance (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-17	2025-03-15	Cottrell Contracting Corporation of Chesapeake, Virginia advises that the Dredge Lexington will be conducting maintenance dredging of the Marcus Hook range and anchorage. Dredging will approximately be from November 1st, 2024, to March 15, 2025. During Dredging operations coordinate with USCG Sector Delaware Bay Command center for Marcus Hook anchorage reservations. The dredge will monitor VHF channels 13 & 16.	POLYGON [Latitude: 39.82409, Longitude: -75.38102] [Latitude: 39.82242, Longitude: -75.37922] [Latitude: 39.8216, Longitude: -75.38059] [Latitude: 39.81041, Longitude: -75.38762] [Latitude: 39.79599, Longitude: -75.41736] [Latitude: 39.79535, Longitude: -75.43354] [Latitude: 39.78655, Longitude: -75.45065] [Latitude: 39.78295, Longitude: -75.45525] [Latitude: 39.78547, Longitude: -75.45822] [Latitude: 39.80765, Longitude: -75.41409] [Latitude: 39.82409, Longitude: -75.38102]
Delaware River - Delaware River Main Channel/General/Safety Zones/COPT Restrictions	General	Safety Zones	2024-10-17	2025-03-15	The Captain of the Port (COTP), Sector Delaware Bay, is establishing two safety zones to facilitate the Philadelphia to Sea Maintenance Dredging. Maintenance dredging will be conducted in Marcus Hook Range and Marcus Hook Anchorage (No. 7) on the Delaware River from November 11, 2024, through approximately March	POLYGON [Latitude: 39.82409, Longitude: -75.38102] [Latitude: 39.82242, Longitude: -75.37922] [Latitude: 39.8216, Longitude: -75.38059] [Latitude: 39.81041, Longitude: -75.38762] [Latitude: 39.79599, Longitude: -75.41736] [Latitude: 39.79535, Longitude: -75.43354] [Latitude: 39.78655, Longitude: -75.45065] [Latitude: 39.78295, Longitude: -75.45525] [Latitude: 39.78547, Longitude: -75.45822]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION [Latitude: 39.80763, Longitude: -75.45822] [Latitude: 39.82409, Longitude: -75.41409] [Latitude: 39.82409, Longitude: -75.38102]
					<p>15, 2025. Safety zone one includes all the waters within a 250-yard radius of the dredge LEXINGTON and all associated dredge equipment operating in or around Marcus Hook Range. Safety zone two includes all the waters of Marcus Hook Anchorage (No. 7) found in 33 CFR 110.157 (a) (8). Vessels wishing to transit through safety zones one and/or two may do so if they can make satisfactory passing arrangements with the dredge LEXINGTON, in accordance with the Inland Navigational Rules in 33 Code of Federal Regulations Subchapter E via VHF-FM channel 13 at least one hour prior to arrival. Vessels desiring to anchor within Marcus Hook Anchorage must obtain permission from the COTP at least 24 hours in advance, at (215) 271-4807. The COTP will permit one vessel at a time on a "first come, first served" basis, and will be directed to the open portion of the anchorage, with preference given to those vessels greater than 650 feet in overall length. The maritime public will be notified of any changes to vessel traffic patterns or availability of Marcus Hook Anchorage via Marine Safety Information Bulletin and Broadcast Notice to Mariners. Normally, Marcus Hook Anchorage is a 48-hour anchorage; however, vessels will not be permitted to occupy the anchorage beyond 12 hours during this time.</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Delaware River - Delaware River Main Channel/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024- 11-12	2025- 05-11	ATON/Federal Discrepancies From: 2024-11-12 To: 2025- 05-11 Location: 39.77818° N / 75.46264° W Aid Name: Delaware River Lighted Buoy 40 LLNR: 3120 Discrepancy Information: Initial Report DTG: 121420Z NOV 2024 Summary: LT EXT	POINT [Latitude: 39.77818, Longitude: -75.46264]

Delaware River To St Georges Bridges

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Chesapeake and Delaware Canal Junction Lighted Buoy CD	2745	OFF STA	FD

Durant Point

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Durant Point Lighted Buoy 2	32320	MISSING	FD
Oliver Reef Light	32340	STRUCT DEST/TRLB	FD

Eagle Point

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Mifflin Range - Eagle Point/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-11-06	2025-01-31	<p>Location of Unloader Barge. Lake Michigan Contractors and the dredge ER Adams will be adjacent to Fort Mifflin, PA in the Delaware River with scows LMC 231, and LMC 232 conducting dredging operations at the Fort Mifflin Docks beginning on November 15 until January 31, 2024. The scows will be transporting spoil materials to the Fort Mifflin Disposal Area #3 to be pumped upland with the barge LMC Unloader #8. The barge LMC Unloader #8 will be stationed alongside the containment area outside the channel near the green Schuylkill River entrance channel marker #1. The dredge can be contacted on VHF-FM channels 13 and 16. Mariners are requested to review the DREDGING and MARINE CAUTIONS notice at the beginning of this section. Mariners are requested to stay clear of the dredges, dump scows, and attendant plant. Exercise extreme caution when approaching, passing, and leaving the dredge and unloading area. Mariners are reminded to strictly comply with Inland Rules of the Road.</p>	<p>POLYGON [Latitude: 39.88142, Longitude: -75.19963] [Latitude: 39.8811, Longitude: -75.19922] [Latitude: 39.88061, Longitude: -75.20006] [Latitude: 39.88095, Longitude: -75.20046] [Latitude: 39.88142, Longitude: -75.19963]</p>

Eastern Bay

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Eastern Bay Lighted Buoy 2A	26010	TRLB	FD
Eastern Bay Buoy 3	26045	TRUB	FD
Eastern Bay Lighted Buoy 4	26050	TRLB	FD
Eastern Bay Buoy 6	26070	TRUB	FD
Eastern Bay Buoy 8	26075	TRLB	FD
Eastern Bay Buoy 9	26080	TRUB	FD
Eastern Bay Lighted Buoy 11	26085	TRLB	FD
Eastern Bay Buoy 10	26090	TRUB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
ATON/Temporary Changes	ATON	Temporary Changes	2024-11-12	2025-05-11	ATON/Temporary Changes From: 2024-11-12 To: 2025-05-11 Location: 38.87151° N / 76.24579° W Aid Name: Eastern Bay Buoy 6 LLNR: 26070 Temporary Aid Change Information: Status: TRUB	POINT [Latitude: 38.87151, Longitude: -76.24579]
Chesapeake Channel - Eastern Bay/ATON/Temporary Changes	ATON	Temporary Changes	2024-11-12	2025-05-11	ATON/Temporary Changes From: 2024-11-12 To: 2025-05-11 Location: 38.84244° N / 76.23068° W Aid Name: Eastern Bay Buoy 8 LLNR: 26075 Temporary Aid Change Information: Status: TRLB	POINT [Latitude: 38.84244, Longitude: -76.23068]
Chesapeake Channel - Eastern Bay/ATON/Temporary Changes	ATON	Temporary Changes	2024-11-12	2025-05-11	ATON/Temporary Changes From: 2024-11-12 To: 2025-05-11 Location: 38.82654° N / 76.22104° W Aid Name: Eastern Bay Buoy 10 LLNR: 26090 Temporary Aid Change Information: Status: TRUB	POINT [Latitude: 38.82654, Longitude: -76.22104]
ATON/Temporary Changes	ATON	Temporary Changes	2024-11-12	2025-05-11	ATON/Temporary Changes From: 2024-11-12 To: 2025-05-11 Location: 38.87643° N / 76.25138° W Aid Name: Eastern Bay Lighted Buoy 4 LLNR: 26050 Temporary Aid Change Information: Status: TRLB	POINT [Latitude: 38.87643, Longitude: -76.25138]
Chesapeake Channel - Eastern Bay/ATON/Temporary Changes	ATON	Temporary Changes	2024-11-12	2025-05-11	ATON/Temporary Changes From: 2024-11-12 To: 2025-05-11 Location: 38.83151° N / 76.22912° W Aid Name: Eastern Bay Buoy 9 LLNR: 26080 Temporary Aid Change Information: Status: TRUB	POINT [Latitude: 38.83151, Longitude: -76.22912]
Chesapeake Channel - Eastern Bay/ATON/Temporary Changes	ATON	Temporary Changes	2024-11-12	2025-05-11	ATON/Temporary Changes From: 2024-11-12 To: 2025-05-11 Location: 38.86123° N / 76.28246° W Aid Name: Eastern Bay Buoy 3 LLNR: 26045 Temporary Aid Change Information: Status: TRUB	POINT [Latitude: 38.86123, Longitude: -76.28246]
Chesapeake Channel - Eastern Bay/ATON/Temporary Changes	ATON	Temporary Changes	2024-11-12	2025-05-11	ATON/Temporary Changes From: 2024-11-12 To: 2025-05-11 Location: 38.83012° N / 76.21967° W Aid Name: Eastern Bay Lighted Buoy 11 LLNR: 26085 Temporary Aid Change Information: Status: TRLB	POINT [Latitude: 38.83012, Longitude: -76.21967]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Eastern Bay/ATON/Temporary Changes	ATON	Temporary Changes	2024- 11-12	2025- 05-11	ATON/Temporary Changes From: 2024- 11-12 To: 2025-05-11 Location: 38.8426° N / 76.30361° W Aid Name: Eastern Bay Lighted Buoy 2A LLNR: 26010 Temporary Aid Change Information: Status: TRLB	POINT [Latitude: 38.8426, Longitude: -76.30361]

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Eastern Bay Lighted Buoy 2A	CHANGE	On or about November 18, 2024 the Coast Guard will make the following change in Eastern Bay: Change: Lighted Buoy 2A (LLNR 26010) to Light 2A and relocate to approximate position: 38 50 32.1937N—76 18 18.234W. A temporary lighted buoy (TRLB) maybe established prior to the new light being established. The new light will have TR dayboards on pile and a 4 second flashings red light with a 4nm nominal range.
Eastern Bay Buoy 3	CHANGE	On or about November 18, 2024 the Coast Guard will make the following change in Eastern Bay: Change: Buoy 3 (LLNR 26045) to Daybeacon 3 and relocate to approximate position: 38 51 41 399N—76 16 57.297W with SG dayboards on pile. A temporary unlighted buoy (TRUB) maybe established prior to the new daybeacon being established. The new daybeacon will have SG dayboards on pile.
Eastern Bay Lighted Buoy 4	CHANGE	On or about November 18, 2024 the Coast Guard will make the following change in Eastern Bay Change Lighted Buoy 4 (LLNR 26050) to Light 4 and relocate to approximate position: 38 52 30.608N—76 15 13.052W. A temporary lighted buoy (TRLB) maybe established prior to the new light being established. The new light will have TR dayboards on pile and a 4 second flashing red light with a 4nm nominal range.
Eastern Bay Lighted Buoy 4	CHANGE	Starting immediately the Coast Guard will begin removing the existing ice conditions “Replace lighted buoy with an unlighted buoy when endangered by ice” and replace; the aid, with a new year-round (ice) buoy for the below listed aids to navigation. The new buoys daytime visibility will be 1.4nm and have a radar range of 1.0nm. The flash characteristic and nominal range will remain unchanged.
Eastern Bay Buoy 6	CHANGE	On or about November 18, 2024 the Coast Guard will make the following change in Eastern Bay Change Buoy 6 (LLNR 260070) and relocate to approximate position:38 52 15.425N—76 14 46.155W with TR dayboards on pile. A temporary unlighted buoy (TRUB) maybe established prior to the new daybeacon being established.
Eastern Bay Buoy 8	CHANGE	On or about November 18, 2024 the Coast Guard will make the following change in Eastern Bay Change Buoy 8 (LLNR 26075) to Light 8 and relocate to approximate position:38 50 38.526N—76 13 47.455W A temporary lighted buoy (TRLB) maybe established prior to the new light being established. The new light will have TR dayboards on pile and a 4 second flashings red light with a 4nm nominal range.
Eastern Bay Buoy 9	CHANGE	On or about November 18, 2024 the Coast Guard will make the following change in Eastern Bay Change Buoy 9 (LLNR 26080) to Daybeacon 9 and relocate to approximate position: 38 49 57.050N—76 13 49.191W with SG dayboards on pile. A temporary unlighted buoy (TRUB) maybe established prior to the new daybeacon being established.
Eastern Bay Lighted Buoy 11	CHANGE	On or about November 18, 2024 the Coast Guard will make the following change in Eastern Bay Change Lighted Buoy 11 LLNR 26085) to Light 11 and relocate to approximate position: 38 49 49.476—76 13 10.711W. A temporary lighted buoy (TRLB) maybe established prior to the new light being established. The new light will have SG dayboards on pile and a 4 second flashing green light with a 4nm nominal range.
Eastern Bay Buoy 10	CHANGE	On or about November 18, 2024 the Coast Guard will make the following change in Eastern Bay Change Buoy 10 (LLNR 26090) to Daybeacon 10 and relocate to approximate position: 38 49 34.024N—76 13 13.074W with TR dayboards. A temporary unlighted buoy (TRUB) maybe established prior to the new daybeacon being established.

Eastham Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Eastham Creek Daybeacon 7	33090	STRUCT DEST/TRUB	FD

Elizabeth River

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Elizabeth River Lighted Buoy 1ER	9445	RELOCATED FOR DREDGING	FD
Elizabeth River Lighted Buoy 3	9465	RELOCATED FOR DREDGING	FD
Elizabeth River Lighted Buoy 5	9470	RELOCATED FOR DREDGING	FD
Elizabeth River Lighted Buoy 7	9475	RELOCATED FOR DREDGING	FD
Elizabeth River Lighted Buoy 9	9515	RELOCATED FOR DREDGING	FD
Elizabeth River Lighted Buoy 10	9520	RELOCATED FOR DREDGING	FD
Elizabeth River Lighted Buoy 11	9525	RELOCATED FOR DREDGING	FD
Elizabeth River Lighted Buoy 12	9530	RELOCATED FOR DREDGING	FD
Elizabeth River Lighted Buoy 14	9540	DISCONTINUED FOR DREDGING	FD
Elizabeth River Lighted Buoy 18	9600	RELOCATED FOR DREDGING	FD
Elizabeth River Lighted Buoy 20	9620	TRLB	FD
Elizabeth River Lighted Buoy 20	9620	RELOCATED FOR DREDGING	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Elizabeth River/General/Bridges/Maintenance	General	Bridges	2024-09-19	2024-12-30	<p>Mariners are advised that an engineering firm, on behalf of Virginia Department of Transportation, will be performing bridge maintenance on the I-264 (Berkley) Bridge, across the Elizabeth River-Eastern Branch, mile 0.4, at Norfolk, VA. The maintenance which began July 2023, will continue to be conducted from 7 a.m. to 3:30 p.m.; 7 days a week; through December 31, 2024. A 40-foot crane barge and a 25-foot tug will be located in and around the vicinity of the bridge. During the work hours, the crane barge will be located in the navigational channel, adjacent to the fender system, which will reduce the horizontal clearance of the bridge to approximately 100 feet. Vessels that can safely transit through the bridge during periods with a reduced horizontal clearance may do so at any time. Vessels that cannot safely transit through the bridge during periods with a reduced horizontal clearance may safely transit through the bridge, if at least a thirty-minute prior notice is given to the bridge tender. Maintenance personnel, equipment and vessels will relocate from the moveable span and navigable channel, upon request. Work vessels may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (757) 846-0501 or (703) 499-7121. Mariners should use extreme caution navigating through the area.</p>	POINT [Latitude: 36.84161, Longitude: -76.28616]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Elizabeth River/General/Bridges/Maintenance	General	Bridges	2024- 09-19	2024- 12-30	<p>Mariners are advised that an engineering firm, on behalf of Virginia Department of Transportation, will be performing bridge maintenance on the I-264 (Berkley) Bridge, across the Elizabeth River-Eastern Branch, mile 0.4, at Norfolk, VA. The maintenance which began July 2023, will continue to be conducted from 7 a.m. to 3:30 p.m.; 7 days a week; through December 31, 2024. A 40-foot crane barge and a 25-foot tug will be located in and around the vicinity of the bridge. During the work hours, the crane barge will be located in the navigational channel, adjacent to the fender system, which will reduce the horizontal clearance of the bridge to approximately 100 feet. Vessels that can safely transit through the bridge during periods with a reduced horizontal clearance may do so at any time. Vessels that cannot safely transit through the bridge during periods with a reduced horizontal clearance may safely transit through the bridge, if at least a thirty-minute prior notice is given to the bridge tender. Maintenance personnel, equipment and vessels will relocate from the moveable span and navigable channel, upon request. Work vessels may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (757) 846-0501 or (703) 499-7121. Mariners should use extreme caution navigating through the area.</p>	POINT [Latitude: 36.84168, Longitude: -76.28643]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Elizabeth River/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-09-24	2025-03-23	<p>General/Marine Construction (Excluding Bridges)/Dredging From: 2024-09-24 To: 2025-03-23 Location: 36.96003° N / 76.33257° W 36.9592° N / 76.32651° W 36.95692° N / 76.32697° W 36.95771° N / 76.33262° W 36.96003° N / 76.33257° W Norfolk Dredging company will begin maintenance dredging on Norfolk Navy Base Piers, Norfolk, Virginia. Bucket dredge VIRGINIAN will begin dredging operations at the Norfolk Navy Base inside the Pier 12 and Pier 14 approaches 700 feet south of Elizabeth River Lighted Buoy7 (LLNR 9475) on approximately April 10, 2024. The Dredge will be loading Mud Scows, and a Tug will tow them to the Norfolk Ocean Disposal Site (NODS) located offshore at Lat 36 57 17 N / Long 075 37 25 W. The dredge will be working between Pier 2 and Pier 14, including pier approaches until further notice. The Dredge VIRGINIAN Operator will standby on channels #13 and #16 VHF-FM. Traffic should call 60 minutes prior to the expected time of passage. All mariners are requested to stay clear of the dredge, barges, cranes, and tugs. Operators of vessels of all types should be aware that the barges are held in place by cables, attached to anchors some distance away from the equipment. Project will be conducted twenty - four (24) hours per day seven (7) days a week. For further information contact Norfolk Dredging Company at (757) 547-9391.</p>	<p>POLYGON [Latitude: 36.96003, Longitude: -76.33257] [Latitude: 36.9592, Longitude: -76.32651] [Latitude: 36.95692, Longitude: -76.32697] [Latitude: 36.95771, Longitude: -76.33262] [Latitude: 36.96003, Longitude: -76.33257]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Elizabeth River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024-10-21	2024-12-15	Seaward marine will begin Oyster Reef Construction in the Eastern Branch of the Elizabeth River, in approximate position: 36-52-51.19N, 076-19-29.96W. Project will begin August 22, 2024 to December 15, 2024. Kathie D and Tending Tug Robert T will monitor VHF channels 16,13,03 or cell # 757-418-2033.	POLYGON [Latitude: 36.88238, Longitude: -76.32508] [Latitude: 36.88217, Longitude: -76.32392] [Latitude: 36.88082, Longitude: -76.32465] [Latitude: 36.88099, Longitude: -76.32577] [Latitude: 36.88238, Longitude: -76.32508]

Elk River Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Elk River Channel Lighted Buoy 11	9005	LT EXT	FD
Oldfield Point Range Rear Light	9030	LT EXT	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Upper Chesapeake Channel - Elk River	ATON	Federal Discrepancies	2024-10-22	2025-04-20	ATON/Federal Discrepancies From: 2024-10-22 To: 2025-04-20 Location: 39.51943° N / 75.89952° W Aid Name: Oldfield Point Range Rear Light LLNR: 9030 Discrepancy Information: Initial Report DTG: 222018Z OCT 2024 Summary: LT EXT	POINT [Latitude: 39.51943, Longitude: -75.89952]

Ferry Bar Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Masonville Dike Warning Light D	21223.3	LT EXT	PA

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Ferry Bar Lighted Buoy 1FB	CHANGE	On or about November 11, 2024 the Coast Guard will remove the seasonal ice condition "Replace with an unlighted buoy if endangered by ice."
Ferry Bar Lighted Buoy 6	CHANGE	On or about November 11, 2024 the Coast Guard will remove the seasonal ice condition "Replace with an unlighted buoy if endangered by ice."
Ferry Bar Lighted Buoy 7	CHANGE	On or about November 11, 2024 the Coast Guard will remove the seasonal ice condition "Replace with an unlighted buoy if endangered by ice."
Ferry Bar Channel Junction Buoy FB	DISCONTINUE	On or about November 4, 2024 the Coast Guard will discontinue Ferry Bar Channel Junction Buoy FB (LLNR 21275).
Ferry Bar Channel Junction Buoy FB	DISCONTINUE	On or about November 4, 2024 the Coast Guard will discontinue Ferry Bar Channel Junction Buoy FB (LLNR 21275).

Fire Island To Sea Girt

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Fire Island To Sea Girt/General/Bridges/Maintenance	General	Bridges	2024- 09-26	2025- 02-01	CR 18 (Ocean Avenue) Bridge - Bridge maintenance of the bridge fender system will be conducted from 7 a.m. to 3:30 p.m.; Monday-Friday; from September 3, 2024, through February 1, 2025. A crane barge and work boat will be located in and around the vicinity of the bridge. During the duration of the maintenance period the crane barge will be located within the navigational channel and will reduce the horizontal clearance of the bridge to approximately 70 feet. Vessels that can safely transit through the bridge during periods with a reduced horizontal clearance may do so at any time. Work vessels may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (201) 232-0617. Mariners should use extreme caution navigating through the area. (MT)	POINT [Latitude: 40.18752, Longitude: -74.01023]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector Delaware Bay, Submerged Land Act (SLA) - Fire Island To Sea Girt/General/Threatened And Endangered Species Advisory (TESS Advisory)/Marine Wildlife Migration		Threatened And Endangered Species Advisory (TESS Advisory)	2024-11-10	2024-11-22	NOAA Fisheries announces a voluntary vessel speed restriction zone under the Right Whale Slow Zones NOAA requests mariners to route around this zone or transit through it at ten knots or less. Program is currently in effect in the following areas: The Southeast of New York NY Slow Zone Area is bounded by: 40 Degrees 02 Minutes North, 39 Degrees 25 Minutes North, 071 Degrees 53 Minutes West, 072 Degrees 41 Minutes West. Expires September 8, 2024. The Southeast of New York NY Slow Zone Area is bounded by: 40 Degrees 20 Minutes North, 39 Degrees 44 Minutes North, 071 Degrees 54 Minutes West, 072 Degrees 41 Minutes West. Expires August 31, 2024. The Southeast of Atlantic City Slow Zone area is bounded by: 39 Degrees 49 Minutes North, 39 Degrees 08 Minutes North, 072 Degrees 18 Minutes West, 073 Degrees 10 Minutes West. Expires September 17, 2024. For more information, consult the U.S. Coast Pilot. MSR arrival reports can be sent via TELEX number 48156090 or email to rightwhale.msr@noaa.gov . NOAA's updated Compliance guide for Right Whale Ship Strike Reduction Rules is located at: HTTPS://WWW.FISHERIES.NOAA.GOV/NATIONAL/ENDANGERE SPECIES- CONSERVATION/REDUCING- VESSEL-STRIKES- NORTH-ATLANTIC- RIGHT-WHALES.	

Fort Mchenry Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Fort McHenry Limited Access Channel Lighted Buoy 5	null	Status Unreported	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sparrows Point Bulkhead Light A	20600	LT EXT	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Francis Scott Key Memorial Buoy	8245	RELOCATED	FD
Fort McHenry Limited Access Channel Lighted Buoy 4	null	DISCONTINUED	FD
Fort McHenry Limited Access Channel Lighted Buoy 2C	null	DISCONTINUED	FD
Fort McHenry Limited Access Channel Lighted Buoy 4A	null	DISCONTINUED	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Patapsco River - Fort Mchenry Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024-09-09	2025-07-31	<p>General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-09-09 To: 2025-07-31 Location: 39.25177° N / 76.57795° W 39.25162° N / 76.57749° W 39.24911° N / 76.57949° W 39.2492° N / 76.58004° W 39.25177° N / 76.57795° W McLean Contracting Company will conduct pier replacement on pier 4 in the Fairfield Marine Terminal from July 2023 to July 2025. Work will be conducted 24hours a day, 7 days a week until complete. Up to 4 crane barges and as well as numerous material barges will be moored around the pier. All assist boats will monitor VHF-FM 74.</p>	<p>POLYGON [Latitude: 39.25177, Longitude: -76.57795] [Latitude: 39.25162, Longitude: -76.57749] [Latitude: 39.24911, Longitude: -76.57949] [Latitude: 39.2492, Longitude: -76.58004] [Latitude: 39.25177, Longitude: -76.57795]</p>
Patapsco River - Fort Mchenry Channel/General/Bridges/Construction	General	Bridges	2024-11-06	2024-12-10	<p>General/Bridges/Construction/Proposals Bridge Name: Francis Scott Key Bridge All interested parties are notified that an application was received on August 30, 2024, from the Maryland Transportation Authority (MDTA) by the Commander, Fifth Coast Guard District, for approval of the location and plans for replacement of a collapsed fixed highway bridge over a navigable waterway of the United States. Patapsco River, mile 5.2, between Baltimore County and Baltimore City, MD. The purpose of the proposed project is to replace the collapsed Francis Scott Key Bridge with a new fixed cable-stay bridge (Francis Scott Key Bridge) on the same alignment and within the existing right-of-way. The remnants of the existing bridge will be</p>	<p>POINT [Latitude: 39.21851, Longitude: -76.52616]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>removed down to or below two feet below the existing mudline and down to or below one foot below the existing ground line. The new bridge will meet current interstate highway design standards and provide for the needs of land transportation and the reasonable needs of navigation. To facilitate bridge construction, work trestles will be installed from the shoreline on each approach to the location of the main piers adjacent to the main (navigation) span of the bridge. All vessels will be required to transit the bridge in the main navigation span and no vessels will be permitted to transit beneath the work trestles. The collapsed fixed bridge had a horizontal clearance of 800 feet and a vertical clearance of 185 feet above mean high. The replacement bridge will be a fixed bridge with a horizontal clearance of 800 feet centered on the Federal Navigation Channel; 1,100 feet between the areas of proposed pier protection surrounding the main piers adjacent to the Federal Navigation Channel and a vertical clearance of 230.9 feet above mean high water. A copy of Public Notice D05PN-09-2024, which describes the proposal in detail, can be obtained by calling (571) 607-8298 or by viewing at https://www.navcen.uscg.gov/?pageName=pnBridges. Comments on this proposal should be forwarded to the address in the notice no later than December 7, 2024.</p>	

Frisco Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Frisco Approach Light 4	32295	STRUCT DEST/TRLB	FD
Frisco Channel Daybeacon 8	32305	STRUCT DEST/HAZ NAV/TRLB	FD

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Frisco Approach Light 4	CHANGE	The Coast Guard will convert Frisco Approach Light 4 (LLNR 32295) changed to Frisco Approach Lighted Buoy 4 (LLNR 32295) FL R 6s, during the month of January 2025.
Frisco Channel Daybeacon 8	CHANGE	The Coast Guard will convert Frisco Channel Daybeacon 8 (LLNR 32305) changed to Frisco Channel Lighted Wreck Buoy WR 8, Q R (LLNR 32305), during the month of January 2025.

Germantown Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Germantown Bay Daybeacon 5	32765	STRUCT DEST/TRUB	FD

Great Bridge To Albemarle Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Great Bridge to Albemarle Sound Daybeacon 76	37490	STRUCT DEST/TRLB	FD
Great Bridge to Albemarle Sound Daybeacon 91	37535	STRUCT DEST	FD
Great Bridge to Albemarle Sound Daybeacon 101	37565	STRUCT DEST/TRLB	FD
Great Bridge to Albemarle Sound Warning Daybeacon	37595	STRUCT DEST/HAZ NAV/TRLB	FD
Great Bridge to Albemarle Sound Daybeacon 140	37700	STRUCT DEST/HAZ NAV/TRLB	FD
Great Bridge to Albemarle Sound Light 149	37730	DAYMK MISSING	FD
Great Bridge to Albemarle Sound Light 165	37790	STRUCT DEST/TRLB	FD

NAME	LLNR	STATUS	AID TYPE
Great Bridge to Albemarle Sound Buoy 171	37815	MISSING	FD
Great Bridge to Albemarle Sound Buoy 171	37815	MISSING	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Great Bridge To Albemarle Sound/General/Bridges/Maintenance	General	Bridges	2024-09-26	2026-05-31	<p>Deep Creek Bridge – Bridge construction which began in September 2023, is expected to be finished in September 2026. Sheet pile cofferdams to support installation of the new bridge bascule span and rest piers will be installed behind the existing/proposed fender system outside the navigable channel. No restrictions will be placed in the navigation channel, except during several planned full closures to be scheduled between the fall of 2024 and spring of 2026. Construction equipment on scene includes excavators, crane barges, land cranes, and other construction equipment. Communications with the bridge tender will be maintained on VHF-FM channel 13. Detailed information will be provided via updated local notice to mariners, broadcast notice to mariners, and/or marine safety information bulletins. Vessels should use caution when transiting the area. (HP)</p>	POINT [Latitude: 36.74109, Longitude: -76.34489]
Great Bridge To Albemarle Sound/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-10	2025-10-10	<p>ATON/Federal Discrepancies From: 2024-10-10 To: 2024-10-24 Location: 36.46949° N / 75.98923° W Aid Name: Great Bridge to Albemarle Sound Daybeacon 91 LLNR: 37535 Discrepancy Information: Initial Report DTG: 101626Z OCT 2024 Summary: STRUCT DEST</p>	POINT [Latitude: 36.46949, Longitude: -75.98923]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Great Bridge To Albemarle Sound/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-11-12	2025-05-11	ATON/Federal Discrepancies From: 2024-11-12 To: 2025-05-11 Location: 36.15332° N / 75.89183° W Aid Name: Great Bridge to Albemarle Sound Buoy 171 LLNR: 37815 Discrepancy Information: Initial Report DTG: 121801Z NOV 2024 Summary: MISSING	POINT [Latitude: 36.15332, Longitude: -75.89183]

Great Egg Harbor Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Great Egg Harbor Inlet Lighted Buoy 5	1285	SINKING / OFF STATION	FD
Great Egg Harbor Inlet Buoy 7	1288	MISSING	FD
Great Egg Harbor Inlet Buoy 9	1291	OFF STA	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector Delaware Bay, Submerged Land Act (SLA) - Great Egg Harbor Inlet/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-01	2025-10-15	General/Hazards To Navigation/Shoaling Reported Shoaling has been observed between Great Egg Harbor Inlet Buoy 7 (LLNR 1288) and the charted location of Buoy 9 (LLNR 1291) with a MLW depth of 4ft in the channel. See DB BNM 0062-24. From: 2024-08-01 To: 2025-10-15 Location:	POLYGON [Latitude: 39.3069, Longitude: -74.54459] [Latitude: 39.29993, Longitude: -74.53446] [Latitude: 39.29461, Longitude: -74.54235] [Latitude: 39.30192, Longitude: -74.55214] [Latitude: 39.3069, Longitude: -74.54459] 39.3069° N / 74.54459° W 39.29993° N / 74.53446° W 39.29461° N / 74.54235° W 39.30192° N / 74.55214° W 39.3069° N / 74.54459° W

Great Machipongo Channel

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Great Machipongo Channel Lighted Wreck Buoy WR3	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing the wreckage this aid is marking in the Virginia Inside Passage.
Great Machipongo Channel Lighted Wreck Buoy WR10	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing the wreckage this aid is marking in the Virginia Inside Passage.

Great Machipongo Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Great Machipongo Inlet Buoy 2	6805	OFF STA	FD
Great Machipongo Inlet Buoy 3	6810	MISSING	FD
Great Machipongo Inlet Lighted Buoy 4	6815	MISSING	FD

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Virginia Inside Passage Junction Daybeacon GV	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Great Machipongo Inlet Buoy 13	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing the wreckage this aid is marking in the Virginia Inside Passage.
Great Machipongo Inlet North Channel Warning Daybeacon A	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.

Great Wicomico River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Warehouse Creek Daybeacon 2	16336.02	DBD DMGD	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Great Wicomico River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-10-28	2025-10-28	ATON/PATON Discrepancies From: 2024-10-28 To: 2025-10-28 Location: 37.84458° N / 76.32004° W Aid Name: Warehouse Creek Daybeacon 2 LLNR: 16336.02 Discrepancy Information: Initial Report DTG: 281144Z OCT 2024 Summary: DBD DMGD	POINT [Latitude: 37.84458, Longitude: -76.32004]

Gunpowder River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Upper Gunpowder River Buoy 11	27275	OFF STA	PA
Upper Gunpowder River Buoy 12	27280	OFF STA	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Upper Chesapeake Channel - Gunpowder River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-10-07	2025-10-07	ATON/PATON Discrepancies From: 2024-10-07 To: 2025-10-07 Location: 39.34448° N / 76.2984° W Aid Name: APG Watson Creek Warning Buoy A LLNR: Not Provided Discrepancy Information: Initial Report DTG: 071424Z OCT 2024 Summary: MISSING	POINT [Latitude: 39.34448, Longitude: -76.2984]
ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-10-07	2025-10-07	ATON/PATON Discrepancies From: 2024-10-07 To: 2025-10-07 Location: 39.34457° N / 76.30141° W Aid Name: APG Watson Creek Warning Buoy C LLNR: Not Provided Discrepancy Information: Initial Report DTG: 071429Z OCT 2024 Summary: MISSING	POINT [Latitude: 39.34457, Longitude: -76.30141]
Upper Chesapeake Channel - Gunpowder River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-10-07	2025-10-07	ATON/PATON Discrepancies From: 2024-10-07 To: 2025-10-07 Location: 39.34455° N / 76.29986° W Aid Name: APG Watson Creek Warning Buoy B LLNR: Not Provided Discrepancy Information: Initial Report DTG: 071428Z OCT 2024 Summary: MISSING	POINT [Latitude: 39.34455, Longitude: -76.29986]
Upper Chesapeake Channel - Gunpowder River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-10-28	2025-10-28	ATON/PATON Discrepancies From: 2024-10-28 To: 2025-10-28 Location: 39.39546° N / 76.34915° W Aid Name: Mariner Point Park Channel Buoy 1 / 2190NAV1 LLNR: Not Provided Discrepancy Information: Initial Report DTG: 281730Z OCT 2024 Summary: MISSING	POINT [Latitude: 39.39546, Longitude: -76.34915]
Upper Chesapeake Channel - Gunpowder River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-10-28	2025-10-28	ATON/PATON Discrepancies From: 2024-10-28 To: 2025-10-28 Location: 39.39577° N / 76.34884° W Aid Name: Mariner Point Park Channel Buoy 3 / 2192NAV3 LLNR: Not Provided Discrepancy Information: Initial Report DTG: 281732Z OCT 2024 Summary: MISSING	POINT [Latitude: 39.39577, Longitude: -76.34884]

Hampton River

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Hampton River/General/Bridges/Modification	General	Bridges	2024-09-13	2026-12-31	<p>General/Bridges/Modification</p> <p>From: 2024-09-13 To: 2026-12-31 Location: 37.03145° N / 76.33731° W</p> <p>Mariners are advised that an engineering firm, on behalf of Virginia Department of Transportation, will be performing construction on the I-64 Westbound Bridge over Hampton River and the East Branch of the Hampton River, and I-64 Eastbound Bridge over the Hampton River and I-64 Eastbound Bridge over the East Branch of the Hampton River, mile 1.2, at Hampton, VA. Construction began on March 4, 2024, and will continue through December 31, 2026, Monday through Saturday, from 6 a.m. to 6 p.m., daily. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Construction includes widening and repairs of the I-64 Westbound Bridge, and replacement of I-64 Eastbound bridges. Work activities include pile driving, concrete bent cap construction, erection of precast concrete girders, superstructure deck placements, structural steel erection and removal of existing structures. To facilitate bridge construction, temporary work trestles will be constructed alongside the existing bridges (Westbound and then Eastbound), and crane barges, material barges and work</p>	POINT [Latitude: 37.03145, Longitude: -76.33731]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					boats will be stationed and/or operating in the vicinity of the bridges and navigational channel. The work trestle in the vicinity of Hampton Spit has a removable trestle span. Vessels intended transit to or from Hampton Spit may do so, if at least 24-hours notice is given to the project foremen. Work vessels and barges may be reached on VHF-FM channel 13 and 16. The project foreman may be reached at (757) 639-5179 or (252) 312-4876. Mariners should use extreme caution when navigating through the area.	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Hampton River/General/Bridges/Modification	General	Bridges	2024- 09-26	2026- 12-31	<p>I-64 Westbound Bridge, I-64 Eastbound Bridges - Bridge construction began on March 4, 2024, and will continue through December 31, 2026, Monday through Saturday, from 6 a.m. to 6 p.m., daily. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Construction includes widening and repairs of the I-64 Westbound Bridge, and replacement of I-64 Eastbound bridges. Work activities include pile driving, concrete bent cap construction, erection of precast concrete girders, superstructure deck placements, structural steel erection and removal of existing structures. To facilitate bridge construction, temporary work trestles will be constructed alongside the existing bridges (Westbound and then Eastbound), and crane barges, material barges and work boats will be stationed and/or operating in the vicinity of the bridges and navigational channel. The work trestle in the vicinity of Hampton Spit has a removable trestle span. Vessels intended transit to or from Hampton Spit may do so, if at least 24-hour notice is given to the project foremen. Work vessels barges may be reached on VHF-FM channel 13 and 16. The project foreman may be reached at (757) 639-5179 or (252) 312-4876. Mariners should use extreme caution when navigating through the area. (HP)</p>	POINT [Latitude: 37.0313, Longitude: -76.33706]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Hampton River/General/Bridges/Modification	General	Bridges	2024- 09-26	2026- 12-31	<p>I-64 Westbound Bridge, I-64 Eastbound Bridges - Bridge construction began on March 4, 2024, and will continue through December 31, 2026, Monday through Saturday, from 6 a.m. to 6 p.m., daily. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Construction includes widening and repairs of the I-64 Westbound Bridge, and replacement of I-64 Eastbound bridges. Work activities include pile driving, concrete bent cap construction, erection of precast concrete girders, superstructure deck placements, structural steel erection and removal of existing structures. To facilitate bridge construction, temporary work trestles will be constructed alongside the existing bridges (Westbound and then Eastbound), and crane barges, material barges and work boats will be stationed and/or operating in the vicinity of the bridges and navigational channel. The work trestle in the vicinity of Hampton Spit has a removable trestle span. Vessels intended transit to or from Hampton Spit may do so, if at least 24-hour notice is given to the project foremen. Work vessels barges may be reached on VHF-FM channel 13 and 16. The project foreman may be reached at (757) 639-5179 or (252) 312-4876. Mariners should use extreme caution when navigating through the area. (HP)</p>	POINT [Latitude: 37.03099, Longitude: -76.337011]

Harkers Island East Channel

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Barden Inlet - Core Sound/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 09-25	2025- 09-25	Wilmington District USACE Survey of 12 Mar 2020 has identified significant shoaling IVO Harker's Island in The Straights. Depths as low as 4ft MLW were found between Harkers Island Straits Light 14 (LLNR 29382) and Harkers Island Straits Light 15 (LLNR 29384).	POLYGON [Latitude: 34.71884, Longitude: -76.55221] [Latitude: 34.71624, Longitude: -76.54329] [Latitude: 34.71529, Longitude: -76.54368] [Latitude: 34.71788, Longitude: -76.55263] [Latitude: 34.71884, Longitude: -76.55221]

Harts Island Channel

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sandy Point To Susquehanna River (Chart 12273) - Harts Island Channel/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 08-08	2025- 05-24	General/Hazards To Navigation/Shoaling Reported Harts Island Channel with depths of 2.0-4.0 feet were observed extending into the channel in vicinity of Harts Island Channel Daybeacon 3 (LLNR 27010). Navigation of the area requires extreme caution.	POLYGON [Latitude: 39.22982, Longitude: -76.39631] [Latitude: 39.22691, Longitude: -76.39574] [Latitude: 39.22686, Longitude: -76.39679] [Latitude: 39.22979, Longitude: -76.39728] [Latitude: 39.22982, Longitude: -76.39631]

Hatteras Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hatteras Inlet Channel Buoy 12B	28733.1	OFF STATION/MSLD SIG	FD
Hatteras Inlet Channel Light 21	28770	STRUCT DEST/TRUB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector North Carolina, Submerged Lands Act (SLA) - Hatteras Inlet/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024- 11-04	2025- 05-03	ATON/Federal Discrepancies From: 2024-11-04 To: 2025- 05-03 Location: 35.20438° N / 75.7315° W Aid Name: Hatteras Inlet Channel Buoy 12B LLNR: 28733.1 Discrepancy Information: Initial Report DTG: 041243Z NOV 2024 Summary: OFF STATION/MSLD SIG	POINT [Latitude: 35.20438, Longitude: -75.7315]

Herring Bay

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
South Herrington Harbour Range Rear Light	19350	REDUCED INT	PA

Honga River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Muddy Hook Cove Channel Daybeacon 2	24480	STRUCT DEST/TRLB	FD
Middle Island Bridge West Channel Wreck Daybeacon WR1W	24515	STRUCT DEST/TRUB	FD

Horn Harbor

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Horn Harbor/ATON/ATON Changes	ATON	ATON Changes	2024-10-29	2025-04-27	ATON/ATON Changes From: 2024-10-29 To: 2025-04-27 Location: 37.33765° N / 76.2593° W Aid Name: Horn Harbor Warning Daybeacon A LLNR: 14450 Action: RELOCATED and RENAMED to Horn Harbor Lighted Wreck Light WR2, Q R, 4nm. in approx posit 37-20- 15.211N, 076-15- 33.265W	POINT [Latitude: 37.33765, Longitude: -76.2593]

Hoskins Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hoskins Creek Light 1HC	15600	DAYMK DMGD/STRUCT DMGD	FD
Hoskins Creek Range Rear Light	15610	LT IMCH	FD

Indian River Channel

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Indian River Inlet - Indian River Channel/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-05	2025-11-07	<p>General/Hazards To Navigation/Shoaling Reported Extreme Shoaling has occurred in the channel on the Indian River from Indian River Channel Daybeacon 64 (LLNR 4551.23) to Indian River Channel Daybeacon 70 (LLNR 4551.23) near Millsboro, DE. This area is inaccessible at low tide and faces a severe hazard to safety. All navigation in this area should use caution as much of the channel has shoaled in with less than 1' MLW average.</p> <p>From: 2024-08-05 To: 2025-11-07 Location: 38.59107° N / 75.27681° W 38.59102° N / 75.27576° W 38.58842° N / 75.27703° W 38.58717° N / 75.27716° W 38.58634° N / 75.27641° W 38.58688° N / 75.2736° W 38.58668° N / 75.27192° W 38.58618° N / 75.27205° W 38.58634° N / 75.27342° W 38.58569° N / 75.27651° W 38.58722° N / 75.2778° W 38.58868° N / 75.27759° W 38.5904° N / 75.27681° W 38.59107° N / 75.27681° W</p>	<p>POLYGON [Latitude: 38.59107, Longitude: -75.27681] [Latitude: 38.59102, Longitude: -75.27576] [Latitude: 38.58842, Longitude: -75.27703] [Latitude: 38.58717, Longitude: -75.27716] [Latitude: 38.58634, Longitude: -75.27641] [Latitude: 38.58688, Longitude: -75.2736] [Latitude: 38.58668, Longitude: -75.27192] [Latitude: 38.58618, Longitude: -75.27205] [Latitude: 38.58634, Longitude: -75.27342] [Latitude: 38.58569, Longitude: -75.27651] [Latitude: 38.58722, Longitude: -75.2778] [Latitude: 38.58868, Longitude: -75.27759] [Latitude: 38.5904, Longitude: -75.27681] [Latitude: 38.59107, Longitude: -75.27681]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Indian River Inlet - Indian River Channel/General Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-09-09	2025-03-01	<p>General/Marine Construction (Excluding Bridges)/Dredging From: 2024-09-09 To: 2025-03-01 Location: 38.59027° N / 75.27685° W 38.59015° N / 75.27603° W 38.58834° N / 75.27687° W 38.58725° N / 75.27704° W 38.58628° N / 75.27616° W 38.58683° N / 75.27283° W 38.58614° N / 75.27275° W 38.58634° N / 75.27341° W 38.58567° N / 75.2765° W 38.58722° N / 75.27768° W 38.58873° N / 75.27749° W 38.59027° N / 75.27685° W</p> <p>Delaware Department of Natural Resources (DNREC) will begin dredging operations in the Indian River Channel between Indian River Channel Daybeacon 64 (LLNR 4551.23) and Indian River Channel Daybeacon 70 (LLNR 4551.31), near Millsboro, DE, starting on July 1, 2024, and continuing until March 1, 2025. The dredge work hours will be Monday through Thursday, from 6 a.m. to 3 p.m. This dredging project is to help mitigate extreme shoaling in the area at low tide. The dredge, associated vessels, and equipment will be in the navigation channel and will remain in the navigation channel for the duration of the project. For more information mariners can contact Kathleen Bergin, the project point of contact, at (302) 739-9453. Mariners are urged to use extreme caution when transiting the area and avoid the area at low tide.</p>	<p>POLYGON [Latitude: 38.59027, Longitude: -75.27685] [Latitude: 38.59015, Longitude: -75.27603] [Latitude: 38.58834, Longitude: -75.27687] [Latitude: 38.58725, Longitude: -75.27704] [Latitude: 38.58628, Longitude: -75.27616] [Latitude: 38.58683, Longitude: -75.27283] [Latitude: 38.58614, Longitude: -75.27275] [Latitude: 38.58634, Longitude: -75.27341] [Latitude: 38.58567, Longitude: -75.2765] [Latitude: 38.58722, Longitude: -75.27768] [Latitude: 38.58873, Longitude: -75.27749] [Latitude: 38.59027, Longitude: -75.27685]</p>

Indian River Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Indian River Inlet Buoy 11	4400	OFF STA	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector Delaware Bay, Submerged Land Act (SLA) - Indian River Inlet/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-11-05	2025-03-31	<p>The dredge TRIUMPH will begin dredging operations in Indian River Inlet, west of the Charles W. Cullen Memorial Bridge near Bethany Beach, DE, starting on November 11, 2024, and continuing until March 31, 2025. The borrow area where the dredging will occur is located between approximate position 38°36.48' N, 075°04.05' W, and 38°36.43' N, 075°04.74' W, to include the navigational channel. The dredge, associated vessels, and equipment will be in and around the navigation channel and a section of floating dredge pipeline will be attached to the dredge and will be marked. The work hours for the dredge will be 24 hours a day, 7 days a week. The dredge TRIUMPH can be contacted via VHF radio channels 13 and 16. Mariners are requested to contact the dredge TRIUMPH prior to transiting the area to make passing arrangements. Mariners are urged to use extreme caution when transiting the area.</p>	<p>POLYGON [Latitude: 38.60869, Longitude: -75.07186] [Latitude: 38.60856, Longitude: -75.06703] [Latitude: 38.60716, Longitude: -75.06729] [Latitude: 38.60649, Longitude: -75.0695] [Latitude: 38.60686, Longitude: -75.07523] [Latitude: 38.6061, Longitude: -75.07953] [Latitude: 38.60805, Longitude: -75.07684] [Latitude: 38.60869, Longitude: -75.07186]</p>

Isle Of Wight Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Isle of Wight Bay Lighted Wreck Buoy WR13	4870	LT EXT	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Ocean City Inlet - Isle Of Wight Bay/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024- 11-07	2025- 05-06	<p>ATON/Federal Discrepancies From: 2024-11-07 To: 2025- 05-06 Location: 38.36731° N / 75.09024° W Aid Name: Isle of Wight Bay Lighted Wreck Buoy WR13 LLNR: 4870 Discrepancy Information: Initial Report DTG: 071530Z NOV 2024 Summary: LT EXT</p>	POINT [Latitude: 38.36731, Longitude: -75.09024]
Ocean City Inlet - Isle Of Wight Bay/General/Bridges/Temp Deviation	General	Bridges	2024- 10-31	2025- 03-17	<p>Mariners are advised that the US 50 (Harry W. Kelley Memorial) Bridge, over Isle of Wight (Sinepuxent) Bay, mile 0.5, at Ocean City, MD, will be maintained in the closed-to-navigation position to facilitate bridge maintenance. The bridge will remain in the closed-to- navigation position from 6 a.m. on January 2, 2025, through 6 p.m. on March 17, 2025. The bridge will not be able to open for emergencies. The navigation channel directly under the bridge will also be closed to navigation due to the presence of a permanently moored work barge under the bridge. The on-site maintenance team can be contacted via VHF-FM channel 13 or via telephone at (302) 632-9506. At all other times, the drawbridge will operate in accordance with the operating regulations set out in Title 33 Code of Federal Regulations Part 117.559. Mariners should adjust their transits accordingly and should use caution when transiting the area.</p>	POINT [Latitude: 38.33313, Longitude: -75.09353]

James River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
James River Channel Light 122	12605	STRUCT DEST/HAZ NAV/TRLB	FD
James River Channel Light 168	12795	STRUCT DEST/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Seaward Marine Lighted Mooring Buoy A	11307	MISSING	PA
James River Oyster Sanctuary Daybeacon NMT	11564	DAYMK IMCH	PA
James River Oyster Sanctuary Daybeacon NTH	11564.1	DAYMK MISSING/STRUCT DMGD	PA
Surry Power Station Daybeacon 2	11800	STRUCT DEST	PA
Surry Power Station Daybeacon 5	11810	DAYMK MISSING	PA
Surry Power Station Daybeacon 9	11820	STRUCT DEST	PA
Virginia Power Groin Light A	12055	LT EXT	PA
Virginia Power Groin Light B	12060	LT EXT	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - James River/General/Marine Construction (Excluding Bridges)/Boring and Core Samples	General	Marine Construction (Excluding Bridges)	2024-09-13	2025-08-01	A pipeline installation project began on or about August 1, 2023 and is expected to continue through August 2025. The former temporary work platform has been de-constructed and removed from the south side of the federal shipping channel and federally maintained anchorage area. However, a few remnant mooring and goal-post piles will be in place through December 6, 2024 (approximate center at latitude/longitude 36.948626°N, 076.419579°W, ¼ of a mile west of the Monitor-Merrimac Memorial Bridge Tunnel). On or about September 1, 2024 and continuing through August 2025, approximately 17,970 feet of new pipeline will be installed beneath the bottom of the James River by marine trenching operations from the south side of the federal shipping channel and federally maintained anchorage area to the Suffolk shoreline along a non-linear path, between latitudes/longitudes 36.948626°N, 076.419579°W and 36.904509°N, 076.431395°W. Pipe installations will be conducted using a "train", consisting of four (4) individual barges in succession and moving in unison, including: two (2) trench excavation barges; one (1) pipe laying barge; and, one (1) trench restoration barge. Under normal conditions, it is expected the "train" will progress at the average rate of approximately 100 feet per day, with marine trenching, pipe installation and backfill efforts taking approximately 210 days to complete, including allowances	LINE [Latitude: 36.94862, Longitude: -76.41957] [Latitude: 36.9045, Longitude: -76.43139]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>for adverse weather conditions. Additional barges will be required for the delivery and storage of pipe and other construction materials. Each individual barge associated with these operations are expected to be approximately 60 feet in width and 180 feet in length, and will be individually equipped with four (4) 360-degree visible white warning lights, one (1) light at each corner. Mariners are advised to avoid crossing, and use caution while transiting in proximity to, the "train". At no time will this construction project affect, interfere with, obstruct, nor otherwise adversely impact marine traffic in the federal navigation channel or federally maintained anchorage area. Tug, barge and other vessel operations associated with these construction activities will monitor VHFFM channels 13 and 16 when work is in progress, or when vessels are operating in the project area. To reach an on-scene manager, contact Tommy Worten 813-957-7000. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Updated project information can be obtained from https://www.hrsd.com/boat-harbor-underwater-transmission-pipe-installation.</p>	
Chesapeake Channel - James River/General/Bridges/Construction	General	Bridges	2024-10-07	2026-08-01	<p>Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be constructing new approach bridges to replace the I-64/US 60 (Hampton Roads Beltway) North and South Approach Bridges, across Hampton Roads, at mile 0.0, between</p>	<p>POINT [Latitude: 37.00748, Longitude: -76.32162]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>Norfolk, VA and Hampton, VA, commonly referred to as the Hampton Roads Bridge-Tunnel (HRBT). Construction activities will begin March 15, 2021, and are expected to continue through November, 2025. Marine construction activity will take place 24-hours per day, seven days a week. The replacement north approach bridge will be a fixed bridge with a horizontal clearance of 80 feet and a vertical clearance of 16 feet above mean high water at position 37° 00' 24.12" N, 76° 19' 18.84" W for the west span and at position 37° 00' 24.48" N, 76° 19' 15.60" W for the east span. The replacement south approach bridge will be a fixed bridge with a horizontal clearance of 100 feet and a vertical clearance of 16 feet above mean high water at position 36° 58' 15.24" N, 76° 18' 03.96" W. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new approach bridge spans or located within specific Mooring Areas or Safe Harbor locations.</p> <p>Bridge Structures/Work Trestles & Islands - Mariners are advised to maintain a safe distance of 300 feet from all HRBT bridge structures/work trestles, HRBT North Island, and HRBT South Island. Construction managers may</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>establish safe transit corridors through bridge structures/work trestles as construction activity permits. Work trestles will be constructed extending out from the North and South shorelines next to the existing trestles for the duration of the bridge construction to facilitate construction activity. Each pile will be lit by a flashing white light.</p> <p>Hampton Flats Mooring Area - As charted. Changes pending. This area will contain six mooring buoys, lighted with flashing white lights, for the exclusive use of vessels involved in the HRBT Expansion project. The corners of the mooring area are marked with yellow buoys with flashing yellow lights. Mariners should use caution when transiting the area.</p> <p>Phoebus Safe Harbor Area - As charted. Changes pending. This area will only be used by HRBT Expansion project vessels in advance of a severe weather event that requires the vessels to be securely anchored or spudded down in that location. The corners of the safe harbor area are marked with yellow buoys with flashing yellow lights. When utilized, mariners should keep clear of the area.</p> <p>Willoughby Bay Mooring and Safe Harbor Area - As charted. This area contains a straight row of mooring pilings for the exclusive use of vessels involved in the HRBT Expansion project. The two end pilings are marked with a solid red light and each interior piling is marked with a solid yellow light. The perimeter of the mooring and safe harbor area is marked with yellow buoys with flashing yellow lights. Mariners are advised to keep clear</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>of the mooring/safe harbor area. Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the project area. To reach an on-scene manager, contact Shannon Gresham 757-685-3392 or Kareem Myers 757-256-9715. You may also contact Hampton Roads Connector Partners at 757-373- 4799 and/or email MarineOps@hrcpjv.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtexpansion.org.</p>	
Chesapeake Channel - James River/General/Bridges/Construction	General	Bridges	2024-10-07	2026-08-01	<p>Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be constructing new approach bridges to replace the I-64/US 60 (Hampton Roads Beltway) North and South Approach Bridges, across Hampton Roads, at mile 0.0, between Norfolk, VA and Hampton, VA, commonly referred to as the Hampton Roads Bridge-Tunnel (HRBT). Construction activities will begin March 15, 2021, and are expected to continue through November, 2025. Marine construction activity will take place 24-hours per day, seven days a week. The replacement north approach bridge will be a fixed bridge with a horizontal clearance of 80 feet and a vertical clearance of 16 feet above mean high water at position 37° 00' 24.12" N, 76° 19' 18.84" W for the west span and at position 37° 00' 24.48" N, 76° 19' 15.60" W for the east span. The</p>	POINT [Latitude: 37.00732, Longitude: -76.32199]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>replacement south approach bridge will be a fixed bridge with a horizontal clearance of 100 feet and a vertical clearance of 16 feet above mean high water at position 36° 58' 15.24" N, 76° 18' 03.96" W.</p> <p>Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new approach bridge spans or located within specific Mooring Areas or Safe Harbor locations.</p> <p>Bridge Structures/Work Trestles & Islands - Mariners are advised to maintain a safe distance of 300 feet from all HRBT bridge structures/work trestles, HRBT North Island, and HRBT South Island. Construction managers may establish safe transit corridors through bridge structures/work trestles as construction activity permits. Work trestles will be constructed extending out from the North and South shorelines next to the existing trestles for the duration of the bridge construction to facilitate construction activity. Each pile will be lit by a flashing white light. Hampton Flats Mooring Area - As charted. Changes pending. This area will contain six mooring buoys, lighted with flashing white lights, for the exclusive use of vessels involved in the HRBT Expansion project. The corners of the mooring area are marked with yellow</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>buoys with flashing yellow lights. Mariners should use caution when transiting the area. Phoebus Safe Harbor Area - As charted. Changes pending. This area will only be used by HRBT Expansion project vessels in advance of a severe weather event that requires the vessels to be securely anchored or spudded down in that location. The corners of the safe harbor area are marked with yellow buoys with flashing yellow lights. When utilized, mariners should keep clear of the area.</p> <p>Willoughby Bay Mooring and Safe Harbor Area - As charted. This area contains a straight row of mooring pilings for the exclusive use of vessels involved in the HRBT Expansion project. The two end pilings are marked with a solid red light and each interior piling is marked with a solid yellow light. The perimeter of the mooring and safe harbor area is marked with yellow buoys with flashing yellow lights. Mariners are advised to keep clear of the mooring/safe harbor area.</p> <p>Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the project area. To reach an on-scene manager, contact Shannon Gresham 757-685-3392 or Kareem Myers 757-256-9715. You may also contact Hampton Roads Connector Partners at 757-373- 4799 and/or email MarineOps@hrcpjm.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - James River/General/Bridges/Construction	General	Bridges	2024- 10-07	2026- 08-01	<p>may be found at https://hrbtexpansion.org.</p> <p>Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be constructing new approach bridges to replace the I-64/US 60 (Hampton Roads Beltway) North and South Approach Bridges, across Hampton Roads, at mile 0.0, between Norfolk, VA and Hampton, VA, commonly referred to as the Hampton Roads Bridge-Tunnel (HRBT). Construction activities will begin March 15, 2021, and are expected to continue through November, 2025. Marine construction activity will take place 24-hours per day, seven days a week. The replacement north approach bridge will be a fixed bridge with a horizontal clearance of 80 feet and a vertical clearance of 16 feet above mean high water at position 37° 00' 24.12" N, 76° 19' 18.84" W for the west span and at position 37° 00' 24.48" N, 76° 19' 15.60" W for the east span. The replacement south approach bridge will be a fixed bridge with a horizontal clearance of 100 feet and a vertical clearance of 16 feet above mean high water at position 36° 58' 15.24" N, 76° 18' 03.96" W. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new approach bridge spans or located</p>	POINT [Latitude: 36.97098, Longitude: -76.30117]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>within specific Mooring Areas or Safe Harbor locations.</p> <p>Bridge Structures/Work Trestles & Islands - Mariners are advised to maintain a safe distance of 300 feet from all HRBT bridge structures/work trestles, HRBT North Island, and HRBT South Island.</p> <p>Construction managers may establish safe transit corridors through bridge structures/work trestles as construction activity permits. Work trestles will be constructed extending out from the North and South shorelines next to the existing trestles for the duration of the bridge construction to facilitate construction activity. Each pile will be lit by a flashing white light.</p> <p>Hampton Flats Mooring Area - As charted. Changes pending. This area will contain six mooring buoys, lighted with flashing white lights, for the exclusive use of vessels involved in the HRBT Expansion project. The corners of the mooring area are marked with yellow buoys with flashing yellow lights. Mariners should use caution when transiting the area.</p> <p>Phoebus Safe Harbor Area - As charted. Changes pending. This area will only be used by HRBT Expansion project vessels in advance of a severe weather event that requires the vessels to be securely anchored or spudded down in that location. The corners of the safe harbor area are marked with yellow buoys with flashing yellow lights.</p> <p>When utilized, mariners should keep clear of the area.</p> <p>Willoughby Bay Mooring and Safe Harbor Area - As charted. This area contains a straight row of mooring pilings</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>for the exclusive use of vessels involved in the HRBT Expansion project. The two end pilings are marked with a solid red light and each interior piling is marked with a solid yellow light. The perimeter of the mooring and safe harbor area is marked with yellow buoys with flashing yellow lights. Mariners are advised to keep clear of the mooring/safe harbor area.</p> <p>Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the project area. To reach an on-scene manager, contact Shannon Gresham 757-685-3392 or Kareem Myers 757-256-9715. You may also contact Hampton Roads Connector Partners at 757-373- 4799 and/or email MarineOps@hrnpjv.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtexpansion.org.</p>	<p>POINT [Latitude: 37.27535, Longitude: -77.0492]</p>
Chesapeake Channel - James River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-10	2025-10-10		

Jarvis Creek

Light List Corrections

NAME	LLNR	AID TYPE	ACTION TYPE	ACTION DATE
Jarvis Creek Daybeacon 2	16145	FD	D	2024-11-08
Jarvis Creek Daybeacon 3	16150	FD	D	2024-11-08
Prentice Creek Entrance Daybeacon 1	16155	FD	D	2024-11-08
Prentice Creek Daybeacon 2	16160	FD	D	2024-11-08

Kent Island Narrows North Approach

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chester River - Kent Island Narrows North Approach/General/ To Navigation/Shoaling Reported	Hazards	Hazards To Navigation	2024- 08-08	2025- 10-07	General/Hazards To Navigation/Shoaling Reported A USACE survey has identified shoaling to a depth of four feet in the Kent Island Narrows North Approach within the channel boundaries between Kent Island Narrows North Approach Light 2KN (LLNR 26415) and Kent Island Narrows North Approach Light 8 (LLNR 26435). Mariners are urged to use caution when transiting the area.	POLYGON [Latitude: 38.98781, Longitude: -76.24525] [Latitude: 38.97947, Longitude: -76.23933] [Latitude: 38.9782, Longitude: -76.24199] [Latitude: 38.97931, Longitude: -76.24289] [Latitude: 38.98027, Longitude: -76.24178] [Latitude: 38.98721, Longitude: -76.24706] [Latitude: 38.98781, Longitude: -76.24525]

Knapps Narrows West Channel

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Knapps Narrows West Channel/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 08-07	2025- 08-07	General/Hazards To Navigation/Shoaling Reported Shoaling has been observed in the Knapps Narrow West Channel within the channel boundaries between Knapps Narrow West Channel Daybeacon 3 (LLNR 25925) and Knapps Narrow West Channel Daybeacon 5 (LLNR 25931) to a depth of 3 foot at mean low water.	POLYGON [Latitude: 38.72225, Longitude: -76.34363] [Latitude: 38.72175, Longitude: -76.33861] [Latitude: 38.72071, Longitude: -76.33876] [Latitude: 38.72118, Longitude: -76.34384] [Latitude: 38.72225, Longitude: -76.34363]

Lake Conoy

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake Conoy Warning Daybeacon C	16565	STRUCT DEST/HAZ NAV	PA

Lenoxville Point

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Core Sound - Lenoxville Point/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 09-25	2025- 08-11	Aids to Navigation in Lenoxville Point have been relocated to mark best available water. Shoaling still exists in the channel in vicinity of Lenoxville Point Buoy 1L (LLNR 34757) through Lenoxville Point Buoy 3 (LLNR 34760) and channel remains very narrow. Users of waterways should observe new route of channel and new locations of shoaling which can be viewed on US Army Corps of Engineers Hydrographic Survey - Taylor's Creek East.	POLYGON [Latitude: 34.70723, Longitude: -76.61745] [Latitude: 34.7071, Longitude: -76.61466] [Latitude: 34.70585, Longitude: -76.61494] [Latitude: 34.70601, Longitude: -76.6177] [Latitude: 34.70723, Longitude: -76.61745]

Little Creek Harbor

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Little Creek Harbor/General Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-25	2025-01-01	W3 Marine and the dredges MOBRO 112, MOBRO 114, and MOBRO 1003 will be conducting dredging operations at Little Creek Entrance Channel, inbound/outbound channel in the vicinity of Little Creek Naval Base beginning on October 28th 2024 until December 28th 2024. The dredge can be contacted on VHF-FM channels 13 and 16. Mariners are requested to review the DREDGING and MARINE CAUTIONS notice at the beginning of this section. Mariners are requested to stay clear of the dredges, dumpscows, and attendant plant. Exercise extreme caution when approaching, passing, and leaving the dredge area.	POLYGON [Latitude: 36.93008, Longitude: -76.17585] [Latitude: 36.92188, Longitude: -76.17583] [Latitude: 36.92183, Longitude: -76.17696] [Latitude: 36.92945, Longitude: -76.1773] [Latitude: 36.93008, Longitude: -76.17585]

Little Egg Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Little Egg Inlet Lighted Buoy 2	1105	MISSING	FD
Little Egg Inlet Lighted Buoy 10	1131	OFF STA	FD

Little Wicomico River

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Little Wicomico River/General/Hazards To Navigation/General/Reported	General	Hazards To Navigation	2024-08-19	2025-04-01	General/Hazards To Navigation/Shoaling Reported Shoaling has been reported in Little Wicomico River within the channel Boundaries between Little Wicomico River Light 4 (LLNR 16355) to the south approximately 75 yards towards Little Wicomico River Light 5 (LLNR 16360) to reported depths of three feet at mean low water. From: 2024-08-19 To: 2025-04-01 Location:	POLYGON [Latitude: 37.89046, Longitude: -76.23546] [Latitude: 37.88984, Longitude: -76.23518] [Latitude: 37.88954, Longitude: -76.23618] [Latitude: 37.89018, Longitude: -76.23656] [Latitude: 37.89046, Longitude: -76.23546] 37.89046° N / 76.23546° W 37.88984° N / 76.23518° W 37.88954° N / 76.23618° W 37.89018° N / 76.23656° W 37.89046° N / 76.23546° W
Chesapeake Channel - Little Wicomico River/General/Hazards To Navigation/General/Reported	General	Hazards To Navigation	2024-11-04	2025-11-13	Severe shoaling, as low as 2ft MLW in places within the Pier Jetties, of the Little Wicomico River, VA, have been reported.	POLYGON [Latitude: 37.89044, Longitude: -76.23583] [Latitude: 37.88981, Longitude: -76.23537] [Latitude: 37.88748, Longitude: -76.24146] [Latitude: 37.88822, Longitude: -76.24202] [Latitude: 37.89044, Longitude: -76.23583]

Lockwoods Folly Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lockwoods Folly Inlet Buoy 8	31040	MSLD SIG	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Lockwoods Folly Inlet Lighted Buoy 1	31010	DISCONTINUED FOR DREDGING	FD
Lockwoods Folly Inlet Lighted Buoy 2	31015	DISCONTINUED FOR DREDGING	FD
Lockwoods Folly Inlet Buoy 3	31020	DISCONTINUED FOR DREDGING	FD
Lockwoods Folly Inlet Buoy 4	31025	DISCONTINUED FOR DREDGING	FD
Lockwoods Folly Inlet Buoy 5	31027	DISCONTINUED FOR DREDGING	FD
Lockwoods Folly Inlet Buoy 6	31030	DISCONTINUED FOR DREDGING	FD
Lockwoods Folly Inlet Buoy 7	31035	DISCONTINUED FOR DREDGING	FD

Lockwoods Folly River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lockwoods Folly River Daybeacon 7	40160	STRUCT DEST/TRUB	FD

Long Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Long Creek Buoy 4	10161	OFF STATION	FD
Long Creek Buoy 6	10163	OFF STATION	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Lynnhaven Inlet - Long Creek/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-10	2025-01-01	Cottrell Contracting Corporation of Chesapeake, Virginia advises that the Dredge Rockbridge will conduct dredging operations for the Lynnhaven Inlet Federal Navigation Channel, consisting of the Entrance Channel, Mooring and Turning Basin, Side Channel, Broad Bay Channel, and the Narrows Channel. The dredge and attendant equipment will be operating between October 16, 2024 and December 16, 2024. Before approach, the Dredge can be reached via VHF Radio Channels #13 and #16. For emergency, the dredge operator can be contacted at phone number 757-635-2576.	POLYGON [Latitude: 36.90688, Longitude: -76.09048] [Latitude: 36.90679, Longitude: -76.0888] [Latitude: 36.90637, Longitude: -76.08753] [Latitude: 36.90466, Longitude: -76.08507] [Latitude: 36.90453, Longitude: -76.08562] [Latitude: 36.90601, Longitude: -76.08769] [Latitude: 36.90641, Longitude: -76.08884] [Latitude: 36.90649, Longitude: -76.0902] [Latitude: 36.90688, Longitude: -76.09048]
Lynnhaven Inlet - Long Creek/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-11-12	2025-05-11	ATON/Federal Discrepancies From: 2024-11-12 To: 2025-05-11 Location: 36.90648° N / 76.08887° W Aid Name: Long Creek Buoy 4 LLNR: 10161 Discrepancy Information: Initial Report DTG: 121754Z NOV 2024 Summary: OFF STATION	POINT [Latitude: 36.90648, Longitude: -76.08887]
Lynnhaven Inlet - Long Creek/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-11-12	2025-05-11	ATON/Federal Discrepancies From: 2024-11-12 To: 2025-05-11 Location: 36.90607° N / 76.08772° W Aid Name: Long Creek Buoy 6 LLNR: 10163 Discrepancy Information: Initial Report DTG: 121754Z NOV 2024 Summary: OFF STATION	POINT [Latitude: 36.90607, Longitude: -76.08772]

Longport Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Longport Channel Buoy 1	1295	MISSING	FD
Longport Channel Buoy 2	1300	OFF STA	FD
Longport Channel Buoy 7	1317	MISSING	FD
Longport Channel Buoy 8	1318	MISSING	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Great Egg Harbor Inlet - Longport Channel/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-24	2025-04-22	ATON/Federal Discrepancies From: 2024-10-24 To: 2025-04-22 Location: 39.30616° N / 74.53932° W Aid Name: Longport Channel Buoy 1 LLNR: 1295 Discrepancy Information: Initial Report DTG: 241850Z OCT 2024 Summary: MISSING	POINT [Latitude: 39.30616, Longitude: -74.53932]

Lynnhaven Inlet

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Lynnhaven Inlet/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-13	2025-02-09	General/Hazards To Navigation/Shoaling Reported Army Corp of Engineer Survey has indicated shoaling between Lynnhaven Inlet Light 4 (LLNR 10138) and Lynnhaven Inlet Daybeacon 6 (LLNR 10145) on the western side of the channel extending into the Channel with a minimum depth of 2 feet. From: 2024-08-13 To: 2025-02-09 Location: 36.91374° N / 76.09141° W	POLYGON [Latitude: 36.91374, Longitude: -76.09141] [Latitude: 36.9137, Longitude: -76.09082] [Latitude: 36.90997, Longitude: -76.09165] [Latitude: 36.91001, Longitude: -76.09216] [Latitude: 36.91374, Longitude: -76.09141]
Chesapeake Channel - Lynnhaven Inlet/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-13	2025-02-09	General/Hazards To Navigation/Shoaling Reported Army Corp of Engineer Survey has indicated shoaling between Lynnhaven Inlet Light 1L (LLNR 10130) and Lynnhaven Inlet Light 3 (LLNR 10136) on the east side of the channel extending into the channel with the Minimum depth of 6.8 feet. From: 2024-08-13 To: 2025-02-09 Location: 36.91846° N / 76.08974° W	POLYGON [Latitude: 36.91846, Longitude: -76.08974] [Latitude: 36.91842, Longitude: -76.08912] [Latitude: 36.91379, Longitude: -76.08985] [Latitude: 36.91398, Longitude: -76.09065] [Latitude: 36.91846, Longitude: -76.08974]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Lynnhaven Inlet/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-10	2025-01-01	Cottrell Contracting Corporation of Chesapeake, Virginia advises that the Dredge Rockbridge will conduct dredging operations for the Lynnhaven Inlet Federal Navigation Channel, consisting of the Entrance Channel, Mooring and Turning Basin, Side Channel, Broad Bay Channel, and the Narrows Channel. The dredge and attendant equipment will be operating between October 16, 2024 and December 16, 2024. Before approach, the Dredge can be reached via VHF Radio Channels #13 and #16. For emergency, the dredge operator can be contacted at phone number 757-635-2576.	POLYGON [Latitude: 36.91912, Longitude: -76.09044] [Latitude: 36.91912, Longitude: -76.08945] [Latitude: 36.90723, Longitude: -76.09185] [Latitude: 36.90719, Longitude: -76.09066] [Latitude: 36.90501, Longitude: -76.0887] [Latitude: 36.90428, Longitude: -76.08936] [Latitude: 36.90422, Longitude: -76.09129] [Latitude: 36.90628, Longitude: -76.09287] [Latitude: 36.91912, Longitude: -76.09044]

Manasquan Inlet

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Manasquan Inlet/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-26	2025-02-25	General/Hazards To Navigation/Shoaling Reported U.S. Coast Guard Sector Delaware Bay is notifying mariners of shoaling on the green side of the channel in Manasquan Inlet. The shoaling extends approximately 75 feet from the south jetty towards the navigational channel. Mariners are advised to use caution when transiting the area. From: 2024-08-26 To: 2025-02-25	POLYGON [Latitude: 40.10247, Longitude: -74.03474] [Latitude: 40.10071, Longitude: -74.03147] [Latitude: 40.10044, Longitude: -74.03161] [Latitude: 40.10217, Longitude: -74.03504] [Latitude: 40.10247, Longitude: -74.03474]
Sector Delaware Bay, Submerged Land Act (SLA) - Manasquan Inlet/General/Miscellaneous	General	Miscellaneous	2024-09-22	2024-11-17	A salvage operation of a sunken vessel in the Atlantic Ocean, approximately 850 yards from the shoreline of Point Pleasant Beach, and approximately 1,000 yards south of Manasquan Inlet is scheduled to occur between October 27, 2024, and November 17, 2024. The salvage operation will take approximately 7 days to complete once started. A crane barge will be anchored in approximate position latitude 40°05'32.3"N, longitude 74°01'28.4"W. Once the salvage operation begins, and while the crane barge is on scene, Coast Guard Sector Delaware Bay has established 500-yard safety zone around the crane barge. All mariners are required to remain 500 yards away from the crane barge and transit the area with caution.	POINT [Latitude: 40.09496, Longitude: -74.02835]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector Delaware Bay, Submerged Land Act (SLA) - Manasquan Inlet/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-07	2025-02-03	General/Hazards To Navigation/Shoaling Reported U.S. Coast Guard Sector Delaware Bay is notifying mariners of extreme shoaling on the southern portion of Manasquan Inlet. Mariners are advised to use extreme caution when transiting Manasquan Inlet.	POLYGON [Latitude: 40.10426, Longitude: -74.03668] [Latitude: 40.1007, Longitude: -74.02992] [Latitude: 40.0999, Longitude: -74.03061] [Latitude: 40.10356, Longitude: -74.03743] [Latitude: 40.10426, Longitude: -74.03668]

Manasquan River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Manasquan River Light 9	34965	DAYMK MISSING	FD
Manasquan River Daybeacon 8	34970	STRUCT DEST/HAZ NAV/TRLB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Manasquan Inlet - Manasquan River/General/Bridges/Maintenance	General	Bridges	2024-08-14	2024-12-31	<p>General/Bridges/Maintenance</p> <p>Mariners are advised that an engineering firm, on behalf of New Jersey Department of Transportation, will be performing maintenance on the highway drawbridge - SR 35 (Route 35/Churchill) Bridge, over New Jersey Intracoastal Waterway (NJICW), Manasquan River, mile 1.1, between Brielle and Point Pleasant Beach, NJ. Bridge fender system maintenance will be conducted from 6 a.m. to 4 p.m.; Monday-Saturday; from July 1, 2024, through December 31, 2025. A 60-foot crane barge, a 40-foot material barge, and work vessels will be located in and around the vicinity of the bridge. During the duration of the maintenance period, the 40-foot material barge will be located adjacent to the bridge fender system within the navigational channel reducing the horizontal clearance of the bridge to approximately 45 feet of horizontal clearance. Vessels that can safely transit through the bridge during periods with a reduced horizontal clearance may do so at any time. Work vessels may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (908) 618-6313. Mariners should use extreme caution navigating through the area. From: 2024-08-14 To: 2024-12-31 Location: 40.104° N / 74.05334° W Bridge Name: SR 35 Bridge</p>	POINT [Latitude: 40.104, Longitude: -74.05334]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Manasquan Inlet - Manasquan River/General/Bridges/Maintenance	General	Bridges	2024- 09-26	2025- 12-31	SR 35 (Route 35/Churchill) Bridge - Bridge fender system maintenance will be conducted from 6 a.m. to 4 p.m.; Monday-Saturday; from July 1, 2024, through December 31, 2025. A 60-foot crane barge, a 40-foot material barge, and work vessels will be located in and around the vicinity of the bridge. During the duration of the maintenance period, the 40-foot material barge will be located adjacent to the bridge fender system within the navigational channel reducing the horizontal clearance of the bridge to approximately 45 feet of horizontal clearance. Vessels that can safely transit through the bridge during periods with a reduced horizontal clearance may do so at any time. Work vessels may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (908) 618-6313. Mariners should use extreme caution navigating through the area. (MT)	POINT [Latitude: 40.104, Longitude: -74.05334]

Mantua Creek

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
-------	----------	-----------------	---------------	-------------	-------------	----------

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Mifflin Range - Mantua Creek/General/Bridges/ Deviation	General Bridges/Temp	Bridges	2024- 10-21	2025- 01-31	<p>Mariners are advised that an engineering firm, on behalf of the New Jersey Department of Transportation, will be performing maintenance on the highway drawbridge – SR 44 (Crown Point Road) Bridge across Mantua Creek, mile 1.7, near Paulsboro, NJ, from 6 a.m. to 5 p.m., Monday-Friday; from November 1, 2024, through January 31, 2025. During the maintenance period, to facilitate bridge maintenance of the bridge lift span, the bridge will be maintained in the closed-to-navigation position and will remain in the closed position 24 hours a day; 7 days a week; from November 1, 2024, through December 31, 2024. Work scaffolding will be located in and around the vicinity of the bridge. During duration of the closure period, the work scaffolding will be located underneath and in the navigational channel of the bridge and will reduce the vertical clearance of the bridge to approximately 1 foot. The bridge will not be able to open for emergencies. There is no immediate alternative route for vessels unable to pass through the bridge in the closed position. At all other times, the drawbridge will operate in accordance with the operating regulations set out in Title 33 Code of Federal Regulations Part 117.729 (b). The project foreman can be reached at (856) 498-8107 or (856) 398-0996. Mariners should adjust their transits accordingly and should use extreme caution when transiting the area.</p>	POINT [Latitude: 39.83132, Longitude: -75.23608]

Masonboro Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Masonboro Inlet Buoy 3	30160	OFF STA	FD

Maurice River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Maurice River Buoy 2	1705	OFF STA	FD

Middle River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Norman Creek Daybeacon 2	27150	DBD DEST	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Upper Chesapeake Channel - Middle River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-11-05	2025-05-04	<p>ATON/Federal Discrepancies From: 2024-11-05 To: 2025-05-04 Location: 39.3057° N / 76.41796° W Aid Name: Norman Creek Daybeacon 2 LLNR: 27150 Discrepancy Information: Initial Report DTG: 051232Z NOV 2024 Summary: DBD DEST</p>	POINT [Latitude: 39.3057, Longitude: -76.41796]
Upper Chesapeake Channel - Middle River/General/Bridges/Rehabilitation	General	Bridges	2024-10-01	2025-02-01	<p>TRACY BLVD BRIDGE- The bascule span of the bridge will be secured in the closed-to-navigation position from 1 October, 2024 until 31 January, 2025, for bridge rehabilitation. When closed the bridge provides 16' of vertical clearance at high water. Vessels that can transit the bridge while closed can continue to do so at any time. For further information, contact the Coast Guard Bridge Office at (510) 437-3461 or via email at D11Bridges@uscg.mil.</p>	POINT [Latitude: 37.81997, Longitude: -121.44974]

Mifflin Range

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Delaware River Main Channel - Mifflin Range/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-11-06	2025-01-31	<p>Lake Michigan Contractors and the dredge ER Adams will be adjacent to Fort Mifflin, PA in the Delaware River with scows LMC 231, and LMC 232 conducting dredging operations at the Fort Mifflin Docks beginning on November 15 until January 31, 2024. The scows will be transporting spoil materials to the Fort Mifflin Disposal Area #3 to be pumped upland with the barge LMC Unloader #8. The barge LMC Unloader #8 will be stationed alongside the containment area outside the channel near the green Schuylkill River entrance channel marker #1. The dredge can be contacted on VHF-FM channels 13 and 16. Mariners are requested to review the DREDGING and MARINE CAUTIONS notice at the beginning of this section. Mariners are requested to stay clear of the dredges, dump scows, and attendant plant. Exercise extreme caution when approaching, passing, and leaving the dredge and unloading area. Mariners are reminded to strictly comply with Inland Rules of the Road.</p>	<p>POLYGON [Latitude: 39.87616, Longitude: -75.20833] [Latitude: 39.87514, Longitude: -75.20724] [Latitude: 39.87362, Longitude: -75.21018] [Latitude: 39.87464, Longitude: -75.211] [Latitude: 39.87616, Longitude: -75.20833]</p>

Milford Haven

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Milford Haven East - Milford Haven/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-21	2025-01-15	Seaward Marine Corp will begin dredge and seawall project in Milford Haven East Channel and Haven Beach beginning on March 20, 2024. Tug Seaward 4 & 7 will work with SMC Dredge 1 and barge Kathie D. All equipment will monitor VHF FM CH 16, 13, 03. Project is expected to be completed by January 15, 2025.	POLYGON [Latitude: 37.46957, Longitude: -76.2687] [Latitude: 37.46638, Longitude: -76.24981] [Latitude: 37.45965, Longitude: -76.25003] [Latitude: 37.46531, Longitude: -76.27159] [Latitude: 37.46957, Longitude: -76.2687]

Milford Haven East

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Milford Haven East Channel Light 1	14560	STRUCT DEST	PA
Milford Haven East Channel Light 3	14565	LT EXT/STRUCT DMGD	PA
Milford Haven East Channel Lighted Buoy 4A	14585	OFF STA	PA
Milford Haven East Channel Danger Light 6	14595	LT IMCH	PA

Mill Creek Patuxent River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Mill Creek (Patuxent River) Daybeacon 7	18965	STRUCT DEST/TRLB	PA

Morehead City Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Fort Macon Creek Warning Light	29430	STRUCT DEST/TRLB	FD

Morehead City Harbor Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Morehead City Harbor Channel Turning Basin Daybeacon B	38629	STRUCT DEST/TRUB	FD

Nandua Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Nandua Creek Channel Warning Daybeacon G	21800	DAYMK MISSING / INACCESSIBLE	FD

Nansemond River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Nansemond River Channel Daybeacon 23	11115	STRUCT DEST/TRLB	FD

Nanticoke River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Nanticoke River Channel Light 6	23980	STRUCT DMGD	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Wicomico River Honga, Nanticoke And Fishing Bay - Nanticoke River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 08-05	2025- 07-23	General/Hazards To Navigation/Shoaling Reported Shoaling has been reported in the immediate vicinity of Nanticoke River Cut Light 4 (LLNR 23995) at the mouth of Nanticoke Harbor, extending approximately 30ft into the channel. Water depths have been found as low as 2ft at low water.	POLYGON [Latitude: 38.2707, Longitude: -75.91437] [Latitude: 38.2704, Longitude: -75.91211] [Latitude: 38.26992, Longitude: -75.9122] [Latitude: 38.27021, Longitude: -75.91449] [Latitude: 38.2707, Longitude: -75.91437]

Nassawadox Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Nassawadox Creek Warning Daybeacon J	21667	STRUCT DEST/TRUB	FD
Nassawadox Creek Danger Buoy K	21670	OFF STA	FD

Naval Boat Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Naval Boat Channel Light 10	10655	LT EXT	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Naval Boat Channel/General/Marine Events/Regatta (Race)	General	Marine Events	2024- 09-10	2024- 11-24	General/Marine Events/Regatta (Race) From: 2024-09-10 To: 2024-11-24 Location: 36.96416° N / 76.30215° W 36.95846° N / 76.2935° W 36.95686° N / 76.27393° W 36.95851° N / 76.30497° W 36.96416° N / 76.30215° W The Broad Bay Sailing Association is sponsoring the Willoughby Racers Thursday Races on April 4 running until November 24, 2024 in Willoughby Bay, Norfolk VA. The sailboats will begin transiting to the racing area at 6:00 p.m. Mariners are requested to use caution when transiting the area.	POLYGON [Latitude: 36.96416, Longitude: -76.30215] [Latitude: 36.95846, Longitude: -76.2935] [Latitude: 36.95686, Longitude: -76.27393] [Latitude: 36.95851, Longitude: -76.30497] [Latitude: 36.96416, Longitude: -76.30215]

Neuse River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Neuse River Channel Daybeacon 45	34065	DAYMK MISSING	FD
Neuse River Channel Daybeacon 50	34115	STRUCT DEST/TRUB	FD

New Jersey Intracoastal Waterway

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
New Jersey Intracoastal Waterway Daybeacon 37	35110	STRUCT DEST/TRLB	FD
New Jersey Intracoastal Waterway Buoy 116A	35467	OFF STA/TRUB	FD
New Jersey Intracoastal Waterway Lighted Buoy 120	35480	OFF STA	FD
New Jersey Intracoastal Waterway Junction Lighted Buoy LEI	35485	MISSING	FD
New Jersey Intracoastal Waterway Lighted Buoy 181	35740	LT EXT/BUOY DMGD	FD
New Jersey Intracoastal Waterway Buoy 249	35975	MISSING	FD
New Jersey Intracoastal Waterway Light 260	36000	STRUCT DEST/HAZ NAV/TRLB	FD
New Jersey Intracoastal Waterway Daybeacon 385	36427	STRUCT DMGD	FD
New Jersey Intracoastal Waterway Light 461	36665	STRUCT MISSING/TRLB/HAZ NAV	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ship Channel Buoy 3	1335	SINKING	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General/Hazards To Navigation/Shoaling Reported	General/Hazards To Navigation	Hazards To Navigation	2024-08-01	2025-11-18	General/Hazards To Navigation/Shoaling Reported Shoaling has been observed between Little Egg Inlet Buoy 1 (LLNR 1100) and Little Egg Inlet Buoy 4 (LLNR 1115). Shoaling has encroached channel ward in between the aids. Minimal depths observed at low tide 4ft. From: 2024-08-01 To: 2025-11-18 Location: 39.48647° N / 74.29743° W	POLYGON [Latitude: 39.48647, Longitude: -74.29743] [Latitude: 39.47315, Longitude: -74.26688] [Latitude: 39.46216, Longitude: -74.27546] [Latitude: 39.47759, Longitude: -74.30713] [Latitude: 39.48647, Longitude: -74.29743]
Cape May Inlet - New Jersey Intracoastal Waterway/General/Hazards To Navigation/Shoaling Reported	General/Hazards To Navigation	Hazards To Navigation	2024-08-01	2025-05-15	General/Hazards To Navigation/Shoaling Reported Shoaling has been observed between Great Egg Harbor Inlet Buoy 7 (LLNR 1288) and the charted location of Buoy 9 (LLNR 1291) with a MLW depth of 4ft in the channel. See DB BNM 0062-24. From: 2024-08-01 To: 2025-05-15 Location: 39.50418° N / 74.30899° W	POLYGON [Latitude: 39.50418, Longitude: -74.30899] [Latitude: 39.48676, Longitude: -74.30049] [Latitude: 39.48385, Longitude: -74.31045] [Latitude: 39.5016, Longitude: -74.3186] [Latitude: 39.50418, Longitude: -74.30899]
Cape May Inlet - New Jersey Intracoastal Waterway/General/Marine Construction (Excluding Bridges)/Dredging	General/Marine Construction (Excluding Bridges)	Marine Construction (Excluding Bridges)	2024-08-27	2025-04-30	General/Marine Construction (Excluding Bridges)/Dredging Dredge staging area for : Great Lakes Dredge and Dock Co. LLC is working on a beach nourishment project. Hopper dredge "Liberty Island" will include dredging operations on the coast of Long Beach Island, New Jersey. Dredged material will be transported through a 30" diameter pipe from the dredge to five (5) different beach fill areas. Material from one borrow area: D1 BA	POLYGON [Latitude: 39.39174, Longitude: -74.42698] [Latitude: 39.39024, Longitude: -74.42467] [Latitude: 39.38929, Longitude: -74.42134] [Latitude: 39.38842, Longitude: -74.42204] [Latitude: 39.38995, Longitude: -74.4266] [Latitude: 39.39174, Longitude: -74.42698]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey	General	Marine Construction	2024- 09-03	2025- 04-30	<p>located about 2-3 miles offshore of Long Beach Island, approximate center point 39-40-06.913N, 074-05-25.360W. See proposed subline locations for Holgate, Beach Haven, North Beach Haven, Harvey Cedars & Lovelady's Beaches on Long Beach Island. GLDD continues to maintain the northwest waterside staging areas on the northeast side of Absecon Inlet in Atlantic City where rafted pipeline and equipment will be stored until towed to the Barnegat Inlet Staging Area. The survey vessel and crew transfer vessel Saginaw River will traverse between the work areas and the Inlets throughout duration of the project. Other equipment on scene can include Booster Jack, Anchor Barges 111 & 116, Derrick 66, Crew Boat Saginaw River, Crew Boat St. Johns River, Tug Cavalier State, Tug Sherena B Cheramie, Tug Caspian Dawn. Operations will begin September 1, 2024 to April 30, 2025 and will be conducted 24 hours per day, 7 days per week. All vessels can be contract on VHF-FM 13 and 16. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. From: 2024-08-27 To: 2025-04-30 Location: 39.39174° N / 74.42698° W 39.39024° N / 74.42467° W 39.38929° N / 74.42134° W 39.38842° N / 74.42204° W 39.38995° N / 74.4266° W 39.39174° N / 74.42698° W</p>	<p>LINE [Latitude: 39.6898, Longitude:</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION [Latitude: 39.69403, Longitude: -74.12545] -74.13897]
Intracoastal Waterway/General/Marine Construction (Excluding Bridges)/Dredging					<p>(Excluding Bridges)/Dredging Dredge Subline: Great Lakes Dredge and Dock Co. LLC is working on a beach nourishment project. Hopper dredge "Liberty Island" will include dredging operations on the coast of Long Beach Island, New Jersey. Dredged material will be transported through a 30" diameter pipe from the dredge to five (5) different beach fill areas. Material from one borrow area: D1 BA located about 2-3 miles offshore of Long Beach Island, approximate center point 39-40-06.913N, 074-05-25.360W. See proposed subline locations for Holgate, Beach Haven, North Beach Haven, Harvey Cedars & Lovelady's Beaches on Long Beach Island. GLDD continues to maintain the northwest waterside staging areas on the northeast side of Absecon Inlet in Atlantic City where rafted pipeline and equipment will be stored until towed to the Barnegat Inlet Staging Area. The survey vessel and crew transfer vessel Saginaw River will traverse between the work areas and the Inlets throughout duration of the project. Other equipment on scene can include Booster Jack, Anchor Barges 111 & 116, Derrick 66, Crew Boat Saginaw River, Crew Boat St. Johns River, Tug Cavalier State, Tug Sherena B Cheramie, Tug Caspian Dawn.</p> <p>Operations will begin September 1, 2024 to April 30, 2025 and will be conducted 24 hours per day, 7 days per week. All vessels can be contract on VHF-FM 13 and 16. Mariners are urged to transit at their slowest safe speed to</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					minimize wake and proceed with caution after passing arrangements have been made. From: 2024-09-03 To: 2025-04-30 Location: 39.6898° N / 74.12545° W 39.69403° N / 74.13897° W	
Cape May Inlet - New Jersey Intracoastal Waterway/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-09-03	2025-04-30	General/Marine Construction (Excluding Bridges)/Dredging Dredge Subline: Great Lakes Dredge and Dock Co. LLC is working on a beach nourishment project. Hopper dredge "Liberty Island" will include dredging operations on the coast of Long Beach Island, New Jersey. Dredged material will be transported through a 30" diameter pipe from the dredge to five (5) different beach fill areas. Material from one borrow area: D1 BA located about 2-3 miles offshore of Long Beach Island, approximate center point 39-40-06.913N, 074-05-25.360W. See proposed subline locations for Holgate, Beach Haven, North Beach Haven, Harvey Cedars & Lovelady's Beaches on Long Beach Island. GLDD continues to maintain the northwest waterside staging areas on the northeast side of Absecon Inlet in Atlantic City where rafted pipeline and equipment will be stored until towed to the Barnegat Inlet Staging Area. The survey vessel and crew transfer vessel Saginaw River will traverse between the work areas and the Inlets throughout duration of the project. Other equipment on scene can include Booster Jack, Anchor Barges 111 & 116, Derrick 66, Crew Boat Saginaw River, Crew Boat St. Johns River, Tug Cavalier State, Tug Sherena B	LINE [Latitude: 39.72365, Longitude: -74.09967] [Latitude: 39.72467, Longitude: -74.12275]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>Cheremie, Tug Caspian Dawn. Operations will begin September 1, 2024 to April 30, 2025 and will be conducted 24 hours per day, 7 days per week. All vessels can be contract on VHF-FM 13 and 16. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. From: 2024-09-03 To: 2025-04-30 Location: 39.72365° N / 74.09967° W 39.72467° N / 74.12275° W</p>	
Cape May Inlet - New Jersey Intracoastal Waterway/General/Bridges/Modification	General	Bridges	2024-09-19	2025-04-25	<p>Mariners are advised that an engineering firm, will be installing junction boxes, conduit, wire and decorative lighting fixtures on the New Jersey State Route 52 Bridge over Beach Thorofare and Ship Channel, mile 1.0, Egg Harbor Township, NJ. Maintenance will be from September 11, 2024, through April 25, 2025. Work will not be performed over the waterways and will not reduce the vertical and horizontal clearance of the navigational channel. The manager of field operations can be contacted by phone (609) 685-6674. All mariners should use caution when transiting the area.</p>	POINT [Latitude: 39.305815, Longitude: -74.59701]
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-03	2025-10-03	<p>ATON/Federal Discrepancies From: 2024-10-03 To: 2024-10-17 Location: 38.9992° N / 74.83656° W Aid Name: New Jersey Intracoastal Waterway Light 461 LLNR: 36665 Discrepancy Information: Initial Report DTG: 031713Z OCT 2024 Summary: STRUCT MISSING/TRLB Temporary Response DTG: 031714Z OCT 2024 Temporary Response: TLB</p>	POINT [Latitude: 38.9992, Longitude: -74.83656]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024-10-15	2024-12-31	Kokosing Industrial will begin installing a submerged power cable from Berkley Township to Seaside Park Borough, NJ across Barnegat Bay. Project will take approximately 4 weeks and will be completed between November 1, 2024 and December 31, 2024. Several barges, a push boat and work boat will be used. All vessels will monitor VHF-FM 13 and 16. All vessels are required to remain 1500ft away from construction vessels.	LINE [Latitude: 39.92006, Longitude: -74.11005] [Latitude: 39.91399, Longitude: -74.08564]
Cape May Inlet - New Jersey Intracoastal Waterway/General Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-15	2025-01-30	Dredge Area: The dredge D-15, of Mobile Dredging and Video Pipe, Inc., will be performing dredging operations in Traders Cove Marina, in Mantoloking, NJ, beginning on October 23, 2024, and continue until January 30, 2025. All dredging operations will take place within Traders Cove Marina, but 9,000 feet of pipeline will run north of the marina along Gunners Ditch to the discharge location in Edwin B. Forsythe National Wildlife Refuge marsh. The pipeline will be marked with buoys and lights. The dredge D-15 can be contacted via VHF radio channels 13 and 72. Mariners are urged to transit the area with caution. Permit numbers for the above project: US Army Corps of Engineers: CENAP-OP-R-2017-00755-86 NJ DEP Watershed: 1506-21-0030.1 NJ DEP Watershed: LUP2100001	POLYGON [Latitude: 40.04268, Longitude: -74.05818] [Latitude: 40.04156, Longitude: -74.05628] [Latitude: 40.04082, Longitude: -74.05653] [Latitude: 40.04225, Longitude: -74.0593] [Latitude: 40.04268, Longitude: -74.05818]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	Hazards	Hazards To Navigation	2024- 07-24	2025- 07-23	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Light 233 (LLNR 35905) and New Jersey Intracoastal Waterway Daybeacon 234 (LLNR 35910) based on ACOE Survey August 24, 2023. From: 2024-07- 24 To: 2025-07-23 Location: 39.32904° N / 74.53788° W	POLYGON [Latitude: 39.32904, Longitude: -74.53788] [Latitude: 39.32851, Longitude: -74.53747] [Latitude: 39.32615, Longitude: -74.54147] [Latitude: 39.32653, Longitude: -74.54185] [Latitude: 39.32904, Longitude: -74.53788] 39.32851° N / 74.53747° W 39.32615° N / 74.54147° W 39.32653° N / 74.54185° W 39.32904° N / 74.53788° W
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	Hazards	Hazards To Navigation	2024- 07-29	2025- 05-14	General/Hazards To Navigation/Shoaling Reported Shoaling reported developing in the vicinity of New Jersey Intracoastal Waterway Junction Lighted Buoy LEI (LLNR 35485). From: 2024-07-29 To: 2025- 05-14 Location:	POLYGON [Latitude: 39.50532, Longitude: -74.31137] [Latitude: 39.50499, Longitude: -74.30972] [Latitude: 39.50284, Longitude: -74.31071] [Latitude: 39.50326, Longitude: -74.31229] [Latitude: 39.50532, Longitude: -74.31137] 39.50532° N / 74.31137° W 39.50499° N / 74.30972° W 39.50284° N / 74.31071° W 39.50326° N / 74.31229° W 39.50532° N / 74.31137° W
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	Hazards	Hazards To Navigation	2024- 07-24	2025- 10-01	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Daybeacon 245 (LLNR 35945) and New Jersey Intracoastal Waterway Buoy 246 (LLNR 35955) based on ACOE Survey August 24, 2023. From: 2024-07-24 To: 2025-10-01 Location:	POLYGON [Latitude: 39.30956, Longitude: -74.56104] [Latitude: 39.30956, Longitude: -74.56018] [Latitude: 39.30461, Longitude: -74.55855] [Latitude: 39.30433, Longitude: -74.55926] [Latitude: 39.30956, Longitude: -74.56104] 39.30956° N / 74.56104° W 39.30956° N / 74.56018° W 39.30461° N / 74.55855° W 39.30433° N / 74.55926° W 39.30956° N / 74.56104° W

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	Hazards To Navigation		2024-07-24	2025-08-12	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Buoy 419 (LLNR 36520) and New Jersey Intracoastal Waterway Daybeacon 429 (LLNR 36550) based on ACOE Survey June 25, 2024. From: 2024-07- 24 To: 2025-08-12 Location: 39.04532° N / 74.77873° W	POLYGON [Latitude: 39.04532, Longitude: -74.77873] [Latitude: 39.04486, Longitude: -74.77863] [Latitude: 39.04468, Longitude: -74.78051] [Latitude: 39.04193, Longitude: -74.78239] [Latitude: 39.04275, Longitude: -74.78796] [Latitude: 39.0416, Longitude: -74.79115] [Latitude: 39.0419, Longitude: -74.7915] [Latitude: 39.04311, Longitude: -74.78799] [Latitude: 39.04236, Longitude: -74.78306] [Latitude: 39.04363, Longitude: -74.78216] [Latitude: 39.04505, Longitude: -74.78095] [Latitude: 39.04532, Longitude: -74.77873]
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	Hazards To Navigation		2024-07-24	2025-08-01	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Daybeacon 207 (LLNR 35830) and New Jersey Intracoastal Waterway Daybeacon 209 (LLNR 35835) based on ACOE Survey July 11, 2023. From: 2024-07-24 To: 2025-08-01 Location: 39.35996° N / 74.4499° W 39.35975° N / 74.44967° W 39.35807° N / 74.45279° W 39.3583° N / 74.453° W 39.35996° N / 74.4499° W	POLYGON [Latitude: 39.35996, Longitude: -74.4499] [Latitude: 39.35975, Longitude: -74.44967] [Latitude: 39.35807, Longitude: -74.45279] [Latitude: 39.3583, Longitude: -74.453] [Latitude: 39.35996, Longitude: -74.4499]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General To Navigation/Shoaling Reported	Hazards To Navigation	Hazards To Navigation	2024-07-24	2025-03-01	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Daybeacon 129 (LLNR 35530) and New Jersey Intracoastal Waterway Lighted Buoy 130A (LLNR 35536) based on ACOE Survey May 13, 2024. From: 2024-07-24 To: 2025-03-01 Location: 39.50252° N / 74.34417° W	POLYGON [Latitude: 39.50252, Longitude: -74.34417] [Latitude: 39.50208, Longitude: -74.34278] [Latitude: 39.49962, Longitude: -74.34539] [Latitude: 39.50016, Longitude: -74.34677] [Latitude: 39.50252, Longitude: -74.34417] 39.50208° N / 74.34278° W 39.49962° N / 74.34539° W 39.50016° N / 74.34677° W 39.50252° N / 74.34417° W
Cape May Inlet - New Jersey Intracoastal Waterway/General To Navigation/Shoaling Reported	Hazards To Navigation	Hazards To Navigation	2024-08-01	2025-08-19	General/Hazards To Navigation/Shoaling Reported Shoaling has been reported between New Jersey Intracoastal Waterway Daybeacon 159 (LLNR 35640) and New Jersey Intracoastal Waterway Light 160 (LLNR 35645). At low tide, area is impassable.	POLYGON [Latitude: 39.45097, Longitude: -74.39171] [Latitude: 39.44776, Longitude: -74.39136] [Latitude: 39.44772, Longitude: -74.39223] [Latitude: 39.45096, Longitude: -74.39253] [Latitude: 39.45097, Longitude: -74.39171]
Cape May Inlet - New Jersey Intracoastal Waterway/General To Navigation/Shoaling Reported	Hazards To Navigation	Hazards To Navigation	2024-07-24	2025-06-19	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Buoy 263 (LLNR 36007) and New Jersey Intracoastal Waterway Buoy 263A (LLNR 36009) based on ACOE Survey June 4, 2024. From: 2024-07-24 To: 2025-06-19 Location: 39.27929° N / 74.59812° W	POLYGON [Latitude: 39.27929, Longitude: -74.59812] [Latitude: 39.27876, Longitude: -74.59667] [Latitude: 39.27754, Longitude: -74.59991] [Latitude: 39.27811, Longitude: -74.60046] [Latitude: 39.27929, Longitude: -74.59812] 39.27876° N / 74.59667° W 39.27754° N / 74.59991° W 39.27811° N / 74.60046° W 39.27929° N / 74.59812° W

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	General/ Hazards	Hazards To Navigation	2024- 07-24	2025- 06-19	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Buoy 263 (LLNR 36007) and New Jersey Intracoastal Waterway Buoy 263A (LLNR 36009) based on ACOE Survey June 4, 2024. From: 2024- 07-24 To: 2025-06-19 Location: 39.27929° N / 74.59812° W 39.27876° N / 74.59667° W 39.27754° N / 74.59991° W 39.27811° N / 74.60046° W 39.27929° N / 74.59812° W	POLYGON [Latitude: 39.27929, Longitude: -74.59812] [Latitude: 39.27876, Longitude: -74.59667] [Latitude: 39.27754, Longitude: -74.59991] [Latitude: 39.27811, Longitude: -74.60046] [Latitude: 39.27929, Longitude: -74.59812]
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	General/ Hazards	Hazards To Navigation	2024- 07-24	2025- 09-01	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Daybeacon 239 (LLNR 35930) and New Jersey Intracoastal Waterway Daybeacon 243 (LLNR 35945) based on ACOE Survey August 24, 2023. From: 2024-07- 24 To: 2025-09-01 Location: 39.31754° N / 74.55629° W 39.31698° N / 74.55577° W 39.31465° N / 74.55953° W 39.31594° N / 74.56053° W 39.31754° N / 74.55629° W	POLYGON [Latitude: 39.31754, Longitude: -74.55629] [Latitude: 39.31698, Longitude: -74.55577] [Latitude: 39.31465, Longitude: -74.55953] [Latitude: 39.31594, Longitude: -74.56053] [Latitude: 39.31754, Longitude: -74.55629]
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	General/ Hazards	Hazards To Navigation	2024- 07-24	2025- 07-23	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Light 233 (LLNR 35905) and New Jersey Intracoastal Waterway Daybeacon 234 (LLNR 35910) based on ACOE Survey August 24, 2023. From: 2024-07- 24 To: 2025-07-23 Location: 39.32904° N / 74.53788° W 39.32851° N / 74.53747° W 39.32615° N / 74.54147° W 39.32653° N / 74.54185° W 39.32904° N / 74.53788° W	POLYGON [Latitude: 39.32904, Longitude: -74.53788] [Latitude: 39.32851, Longitude: -74.53747] [Latitude: 39.32615, Longitude: -74.54147] [Latitude: 39.32653, Longitude: -74.54185] [Latitude: 39.32904, Longitude: -74.53788]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	General/ Hazards	Hazards To Navigation	2024- 07-24	2025- 07-30	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Daybeacon 385 (LLNR 36427) and New Jersey Intracoastal Waterway Daybeacon 399 (LLNR 36470) based on ACOE Survey August 23, 2023. From: 2024-07- 24 To: 2025-07-30 Location: 39.09715° N / 74.76586° W 39.09655° N / 74.76436° W 39.0803° N / 74.77152° W 39.07813° N / 74.77157° W 39.0745° N / 74.76629° W 39.07367° N / 74.76676° W 39.07817° N / 74.77539° W 39.08659° N / 74.77118° W 39.09715° N / 74.76586° W	POLYGON [Latitude: 39.09715, Longitude: -74.76586] [Latitude: 39.09655, Longitude: -74.76436] [Latitude: 39.0803, Longitude: -74.77152] [Latitude: 39.07813, Longitude: -74.77157] [Latitude: 39.0745, Longitude: -74.76629] [Latitude: 39.07367, Longitude: -74.76676] [Latitude: 39.07817, Longitude: -74.77539] [Latitude: 39.08659, Longitude: -74.77118] [Latitude: 39.09715, Longitude: -74.76586]
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	General/ Hazards	Hazards To Navigation	2024- 07-24	2025- 03-01	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Light 141 (LLNR 35575) and New Jersey Intracoastal Waterway Daybeacon 144 (LLNR 35585) based on ACOE Survey May 14, 2024. From: 2024-07-24 To: 2025-03-01 Location: 39.4904° N / 74.38131° W 39.48482° N / 74.37515° W 39.48441° N / 74.37577° W 39.49002° N / 74.38197° W 39.4904° N / 74.38131° W	POLYGON [Latitude: 39.4904, Longitude: -74.38131] [Latitude: 39.48482, Longitude: -74.37515] [Latitude: 39.48441, Longitude: -74.37577] [Latitude: 39.49002, Longitude: -74.38197] [Latitude: 39.4904, Longitude: -74.38131]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-07-29	2025-11-04	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of Oyster Creek Channel Buoy 38 (LLNR 1090) and Oyster Creek Channel Buoy 40 (LLNR 1095) New Jersey Intracoastal Waterway Buoy 263 (LLNR 36007) and New Jersey Intracoastal Waterway Buoy 263A (LLNR 36009) based on ACOE Survey May 7, 2024.* From: 2024-07-29 To: 2025-11-04 Location: 39.79244° N / 74.1518° W 39.79158° N / 74.15169° W 39.79071° N / 74.15897° W 39.79157° N / 74.15918° W 39.79244° N / 74.1518° W	POLYGON [Latitude: 39.79244, Longitude: -74.1518] [Latitude: 39.79158, Longitude: -74.15169] [Latitude: 39.79071, Longitude: -74.15897] [Latitude: 39.79157, Longitude: -74.15918] [Latitude: 39.79244, Longitude: -74.1518]
Cape May Inlet - New Jersey Intracoastal Waterway/General Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-21	2025-01-01	Borel Docks Marine Construction will dredge Liberty Harbor, Grand Bay Harbor in Waretown, NJ starting November 11, 2024 to December 31, 2024. Barges with Excavators will be utilized as well as a push boat. For more information, call 609-693-7887.	POLYGON [Latitude: 39.78504, Longitude: -74.18655] [Latitude: 39.78462, Longitude: -74.18443] [Latitude: 39.78405, Longitude: -74.18459] [Latitude: 39.78449, Longitude: -74.18676] [Latitude: 39.78504, Longitude: -74.18655]
Cape May Inlet - New Jersey Intracoastal Waterway/General To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-07-29	2025-10-01	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Daybeacon 49 (LLNR 36180) based on ACOE Survey December 21, 2022. From: 2024-07-29 To: 2025-10-01 Location: No coordinates available	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 07-24	2025- 10-01	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Daybeacon 245 (LLNR 35945) and New Jersey Intracoastal Waterway Buoy 246 (LLNR 35955) based on ACOE Survey August 24, 2023. From: 2024-07-24 To: 2025-10-01 Location:	POLYGON [Latitude: 39.30956, Longitude: -74.56104] [Latitude: 39.30956, Longitude: -74.56018] [Latitude: 39.30461, Longitude: -74.55855] [Latitude: 39.30433, Longitude: -74.55926] [Latitude: 39.30956, Longitude: -74.56104] 39.30956° N / 74.56104° W 39.30956° N / 74.56018° W 39.30461° N / 74.55855° W 39.30433° N / 74.55926° W 39.30956° N / 74.56104° W
Cape May Inlet - New Jersey Intracoastal Waterway/General/ To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 07-24	2025- 08-01	General/Hazards To Navigation/Shoaling Reported Shoaling report in the vicinity of New Jersey Intracoastal Waterway Daybeacon 221 (LLNR 35867) based on ACOE Survey May 20, 2024. From: 2024-07- 24 To: 2025-08-01 Location: 39.34499° N / 74.50288° W	POLYGON [Latitude: 39.34499, Longitude: -74.50288] [Latitude: 39.34473, Longitude: -74.50285] [Latitude: 39.34466, Longitude: -74.50512] [Latitude: 39.34491, Longitude: -74.50513] [Latitude: 39.34499, Longitude: -74.50288] 39.34473° N / 74.50285° W 39.34466° N / 74.50512° W 39.34491° N / 74.50513° W 39.34499° N / 74.50288° W
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024- 10-31	2025- 10-31	ATON/Federal Discrepancies From: 2024-10-31 To: 2025- 10-31 Location: 39.27839° N / 74.59146° W Aid Name: New Jersey Intracoastal Waterway Light 260 LLNR: 36000 Discrepancy Information: Initial Report DTG: 311550Z OCT 2024 Summary: STRUCT DEST/HAZ NAV/TRLB Temporary Response DTG: 311550Z OCT 2024 Temporary Response: TLB	POINT [Latitude: 39.27839, Longitude: -74.59146]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024- 10-30	2024- 12-15	<p>Caldwell Marine International, LLC will be conducting an outfall repair in Barnegat Bay, NJ, for the Ocean County Utilities Authority (OCUA), beginning on 11/02/2024. The work/operational barge will operate on spuds for mooring, at Lat N39 degrees, 54.494 minutes, Long W74 degrees, 06.967 minutes. The equipment will mobilize from Lat N39 degrees, 44.751 minutes, Long W74 degrees, 11.754 minutes. Equipment on site will be a work/operational barge (60ft length x 36 ft beam), and a support tug 'Angel' (26 ft length x 11 ft beam); crew work boat: 'Patty C' (26' ft length x 10 ft beam); crew work boat: 'Carolina Skiff' (24 ft length x 10 ft beam) monitoring Hailing Channel VHF CH13 and CH16, Working Channel VHF CH73. Wide berth is requested as divers will be in the water for the duration of the repair. The barge platform will be illuminated from dusk to dawn with fixed white lights with a visible range of 2 nautical miles. Project is expected to be completed by December 15, 2024.</p>	<p>POLYGON [Latitude: 39.90911, Longitude: -74.11845] [Latitude: 39.90911, Longitude: -74.11443] [Latitude: 39.90551, Longitude: -74.11432] [Latitude: 39.90551, Longitude: -74.11856] [Latitude: 39.90911, Longitude: -74.11845]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024- 11-05	2025- 03-31	<p>Scarborough Marine Group Inc., will be performing mechanical dredging operations in multiple harbors in Ocean City, NJ, beginning on November 25, 2024, and continue until March 31, 2025. The harbors where dredging will be conducted are as follows: Sunny Harbor (latitude 39° 16.60' N, longitude 074° 35.91' W), Snug Harbor (latitude 39° 16.97' N, longitude 074° 34.78' W), Brittany Street Outfall (latitude 39° 17.77' N, longitude 074° 33.64' W), 9th Street Outfall (latitude 39° 16.96' N, longitude 074° 34.88' W). Dredging operations will be conducted Monday through Friday, from sunrise to sunset. Equipment on site for the dredging operations will include push boats, hopper barges, and work skiffs. The Push Boat "Ed" and Push Boat "Yeoman" can be contacted via VHF radio channel 16 or 72. Mariners are reminded to transit the above locations with caution.</p>	<p>POLYGON [Latitude: 39.28284, Longitude: -74.58092] [Latitude: 39.28256, Longitude: -74.58061] [Latitude: 39.28232, Longitude: -74.58107] [Latitude: 39.28258, Longitude: -74.5813] [Latitude: 39.28284, Longitude: -74.58092]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024- 11-05	2025- 03-31	<p>Scarborough Marine Group Inc., will be performing mechanical dredging operations in multiple harbors in Ocean City, NJ, beginning on November 25, 2024, and continue until March 31, 2025. The harbors where dredging will be conducted are as follows: Sunny Harbor (latitude 39° 16.60' N, longitude 074° 35.91' W), Snug Harbor (latitude 39° 16.97' N, longitude 074° 34.78' W), Brittany Street Outfall (latitude 39° 17.77' N, longitude 074° 33.64' W), 9th Street Outfall (latitude 39° 16.96' N, longitude 074° 34.88' W). Dredging operations will be conducted Monday through Friday, from sunrise to sunset. Equipment on site for the dredging operations will include push boats, hopper barges, and work skiffs. The Push Boat "Ed" and Push Boat "Yeoman" can be contacted via VHF radio channel 16 or 72. Mariners are reminded to transit the above locations with caution.</p>	<p>POLYGON [Latitude: 39.27724, Longitude: -74.59885] [Latitude: 39.2766, Longitude: -74.59797] [Latitude: 39.27475, Longitude: -74.59861] [Latitude: 39.27108, Longitude: -74.59445] [Latitude: 39.27078, Longitude: -74.59475] [Latitude: 39.27473, Longitude: -74.59917] [Latitude: 39.27633, Longitude: -74.5988] [Latitude: 39.27676, Longitude: -74.59963] [Latitude: 39.27724, Longitude: -74.59885]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024- 11-05	2025- 03-31	<p>Scarborough Marine Group Inc., will be performing mechanical dredging operations in multiple harbors in Ocean City, NJ, beginning on November 25, 2024, and continue until March 31, 2025. The harbors where dredging will be conducted are as follows: Sunny Harbor (latitude 39° 16.60' N, longitude 074° 35.91' W), Snug Harbor (latitude 39° 16.97' N, longitude 074° 34.78' W), Brittany Street Outfall (latitude 39° 17.77' N, longitude 074° 33.64' W), 9th Street Outfall (latitude 39° 16.96' N, longitude 074° 34.88' W). Dredging operations will be conducted Monday through Friday, from sunrise to sunset. Equipment on site for the dredging operations will include push boats, hopper barges, and work skiffs. The Push Boat "Ed" and Push Boat "Yeoman" can be contacted via VHF radio channel 16 or 72. Mariners are reminded to transit the above locations with caution.</p>	<p>POLYGON [Latitude: 39.28339, Longitude: -74.57997] [Latitude: 39.28218, Longitude: -74.57837] [Latitude: 39.28189, Longitude: -74.57884] [Latitude: 39.2831, Longitude: -74.58046] [Latitude: 39.28339, Longitude: -74.57997]</p>
Cape May Inlet - New Jersey Intracoastal Waterway/ATON/ Federal Discrepancies	ATON	Federal Discrepancies	2024- 10-30	2025- 04-28	<p>ATON/Federal Discrepancies From: 2024-10-30 To: 2025- 04-28 Location: 39.39195° N / 74.42888° W Aid Name: New Jersey Intracoastal Waterway Lighted Buoy 181 LLNR: 35740 Discrepancy Information: Initial Report DTG: 301907Z OCT 2024 Summary: LT EXT/BUOY DMGD</p>	<p>POINT [Latitude: 39.39195, Longitude: -74.42888]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024- 11-05	2025- 03-31	<p>Scarborough Marine Group Inc., will be performing mechanical dredging operations in multiple harbors in Ocean City, NJ, beginning on November 25, 2024, and continue until March 31, 2025. The harbors where dredging will be conducted are as follows: Sunny Harbor (latitude 39° 16.60' N, longitude 074° 35.91' W), Snug Harbor (latitude 39° 16.97' N, longitude 074° 34.78' W), Brittany Street Outfall (latitude 39° 17.77' N, longitude 074° 33.64' W), 9th Street Outfall (latitude 39° 16.96' N, longitude 074° 34.88' W). Dredging operations will be conducted Monday through Friday, from sunrise to sunset. Equipment on site for the dredging operations will include push boats, hopper barges, and work skiffs. The Push Boat "Ed" and Push Boat "Yeoman" can be contacted via VHF radio channel 16 or 72. Mariners are reminded to transit the above locations with caution.</p>	<p>POLYGON [Latitude: 39.29656, Longitude: -74.56078] [Latitude: 39.29628, Longitude: -74.56043] [Latitude: 39.29585, Longitude: -74.56105] [Latitude: 39.2962, Longitude: -74.56143] [Latitude: 39.29656, Longitude: -74.56078]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May Inlet - New Jersey Intracoastal Waterway/General Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024- 10-15	2025- 01-30	Dredge Pipeline: The dredge D-15, of Mobile Dredging and Video Pipe, Inc., will be performing dredging operations in Traders Cove Marina, in Mantoloking, NJ, beginning on October 23, 2024, and continue until January 30, 2025. All dredging operations will take place within Traders Cove Marina, but 9,000 feet of pipeline will run north of the marina along Gunners Ditch to the discharge location in Edwin B. Forsythe National Wildlife Refuge marsh. The pipeline will be marked with buoys and lights. The dredge D-15 can be contacted via VHF radio channels 13 and 72. Mariners are urged to transit the area with caution. Permit numbers for the above project: US Army Corps of Engineers: CENAP-OP-R-2017-00755-86 NJ DEP Watershed: 1506-21-0030.1 NJ DEP Watershed: LUP210001	LINE [Latitude: 40.04345, Longitude: -74.05751] [Latitude: 40.04614, Longitude: -74.05758] [Latitude: 40.04943, Longitude: -74.05717] [Latitude: 40.05084, Longitude: -74.05741] [Latitude: 40.05063, Longitude: -74.06324] [Latitude: 40.05056, Longitude: -74.06706]

New River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
New River Channel Wreck Light WR12	29735	STRUCT DEST/TRLB	FD
New River Channel Light 13	29740	STRUCT DEST/TRLB	FD
New River Channel Daybeacon 15	29745	STRUCT DEST/TRUB	FD
New River Channel Daybeacon 21	29800	STRUCT DEST/TRUB	FD
New River Channel Buoy 29	29830	MISSING	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
New River Inlet - New River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 09-25	2025- 09-29	Shoaling exists in the vicinity of the channel to Jacksonville spanning the entire width of the channel between New River Channel Daybeacon 16 (LLNR 29750) and New River Channel Light 17 (LLNR 29760). Depths reported of 4ft MLW	POLYGON [Latitude: 34.56775, Longitude: -77.36728] [Latitude: 34.56646, Longitude: -77.36438] [Latitude: 34.56137, Longitude: -77.35885] [Latitude: 34.561, Longitude: -77.35962] [Latitude: 34.56585, Longitude: -77.36503] [Latitude: 34.56709, Longitude: -77.36786] [Latitude: 34.56775, Longitude: -77.36728]
						New River Inlet - New River/ATON/Federal Discrepancies

New River Cape Fear River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
New River - Cape Fear River Daybeacon 59	39445	STRUCT MISSING/TRUB	FD
New River - Cape Fear River Light 122	39600	STRUCT DEST/TRLB	FD
New River - Cape Fear River Daybeacon 123	39605	STRUCT DEST/TRUB	FD
New River - Cape Fear River Daybeacon 124	39610	STRUCT DEST/TRUB	FD
New River - Cape Fear River Light 129A	39635	STRUCT DEST/TRLB	FD
New River - Cape Fear River Daybeacon 135	39650	STRUCT DEST/TRUB	FD
New River - Cape Fear River Light 137	39655	STRUCT DEST/TRLB	FD
New River - Cape Fear River Daybeacon 138	39660	STRUCT DEST/TRUB	FD
New River - Cape Fear River Daybeacon 149	39700	STRUCT DEST/TRUB	FD
New River - Cape Fear River Daybeacon 150	39705	STRUCT DEST/TRUB	FD
New River - Cape Fear River Light 153	39720	STRUCT DEST/TRUB	FD
New River - Cape Fear River Daybeacon 159	39750	STRUCT DEST/TRUB	FD
New River - Cape Fear River Daybeacon 164	39836	STRUCT DEST/TRLB	FD
New River - Cape Fear River Daybeacon 165	39850	STRUCT DEST/TRUB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
New River - New River Cape Fear River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-09-23	2025-03-22	The shoal that is adjacent to the red side of the channel between New River - Cape Fear River Daybeacon 170 (LLNR 39860) and New River - Cape Fear River Light 168 (LLNR 39857) has encroached to the edge of the channel. Depths of 4-5ft at MLW have been observed.	POLYGON [Latitude: 34.04948, Longitude: -77.92602] [Latitude: 34.04894, Longitude: -77.92528] [Latitude: 34.04308, Longitude: -77.9286] [Latitude: 34.04345, Longitude: -77.92956] [Latitude: 34.04948, Longitude: -77.92602]
New River - New River Cape Fear River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-21	2025-10-21	ATON/Federal Discrepancies From: 2024-10-21 To: 2025-10-21 Location: 34.45231° N / 77.52589° W Aid Name: New River - Cape Fear River Daybeacon 59 LLNR: 39445 Discrepancy Information: Initial Report DTG: 211803Z OCT 2024 Summary: STRUCT MISSING/TRUB Temporary Response DTG: 251048Z OCT 2024 Temporary Response: TUB	POINT [Latitude: 34.45231, Longitude: -77.52589]
New River - New River Cape Fear River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-25	2025-04-23	ATON/Federal Discrepancies From: 2024-10-25 To: 2025-04-23 Location: 34.33843° N / 77.65797° W Aid Name: New Topsail Inlet Buoy 4 LLNR: 30000 Discrepancy Information: Initial Report DTG: 251105Z OCT 2024 Summary: MISSING	POINT [Latitude: 34.33843, Longitude: -77.65797]
New River - New River Cape Fear River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-25	2025-04-23	ATON/Federal Discrepancies From: 2024-10-25 To: 2025-04-23 Location: 34.34252° N / 77.66509° W Aid Name: New Topsail Inlet Buoy 7 LLNR: 30020 Discrepancy Information: Initial Report DTG: 251113Z OCT 2024 Summary: OFF STATION	POINT [Latitude: 34.34252, Longitude: -77.66509]

New River Inlet

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
New River Inlet Lighted Buoy 1	29655	DISCONTINUED	FD
New River Inlet Lighted Buoy 2	29660	DISCONTINUED	FD
New River Inlet Buoy 3	29665	DISCONTINUED	FD
New River Inlet Buoy 4	29670	DISCONTINUED	FD
New River Inlet Buoy 4A	29672	DISCONTINUED	FD
New River Inlet Buoy 6	29680	DISCONTINUED	FD
New River Inlet Buoy 8	29700	DISCONTINUED	FD
New River Inlet Buoy 9	29710	DISCONTINUED	FD
New River Inlet Buoy 9A	29712	DISCONTINUED	FD
New River Inlet Buoy 10	29720	DISCONTINUED	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape Hatteras To Little River Inlet - New River Inlet/General Hazard To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-09-25	2025-04-13	<p>Significant shoaling has occurred in New River Inlet between New River Inlet Lighted Buoy 1 (LLNR 29655) and New River Inlet Buoy 10 (LLNR 29720) with depths of 3' - 4' MLW present. Due to the shoaling, Buoys 1 through 10 have been temporarily discontinued. Once shoaling has been removed by ACOE dredging, waterway will be re-evaluated and aid will be re-established if sufficient depths are present. See SEC NC Marine Information Bulletin 017-24.</p>	<p>POLYGON [Latitude: 34.52788, Longitude: -77.34034] [Latitude: 34.52597, Longitude: -77.33432] [Latitude: 34.52202, Longitude: -77.33214] [Latitude: 34.52157, Longitude: -77.33426] [Latitude: 34.52496, Longitude: -77.33603] [Latitude: 34.5265, Longitude: -77.34131] [Latitude: 34.52788, Longitude: -77.34034]</p>

Newport News

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Golf 2 Anchorage Lighted Mooring Buoy A	10843	OFF STA	FD

Northeast Cape Fear River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Northeast Cape Fear River Light 2	30980	STRUCT DEST/TRUB	FD
Northeast Cape Fear River Light 4	30985	STRUCT DEST/TRLB	FD
Northeast Cape Fear River Light 6	30990	STRUCT DEST/TRLB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape Fear River - Northeast Cape Fear River/General/Hazards To Navigation/Obstructions	General	Hazards To Navigation	2024-09-26	2025-03-25	There is an underwater obstruction in the Cape Fear River in Wilmington, NC. The object is on the east side of the navigable channel, north of the battleship, in approximate position 34°14'31.3"N 077°57'12.3"W. Mariners are advised to use caution while navigating in this area.	POINT [Latitude: 34.24203, Longitude: -77.95342]
Cape Fear River - Northeast Cape Fear River/General/Bridges/Closure (Scheduled Or Emergency)	General	Bridges	2024-11-06	2024-11-17	Mariners are advised that the highway drawbridge - Isabel S. Holmes (US 74/SR 133) Bridge across Northeast Cape Fear River, mile 1.0, at Wilmington, NC and the highway drawbridge - Cape Fear Memorial (US 17/US 421/US 76) Bridge across Cape Fear River, mile 26.8, at Wilmington, NC, will be closed-to-vessels requiring an opening from 6 a.m. to 9 a.m., on Sunday, November 17, 2024, to accommodate the Battleship Half Marathon. The bridges will be able to open for emergencies, if at least a fifteen-minute prior notice is given. Vessels able to pass through the bridges in the closed position may do so at any time. At all other times, the drawbridges will operate in accordance with the operating regulations set out in Title 33 Code of Federal Regulations Part 117.829(a) and Title 33 Code of Federal Regulations Part 117.822, respectively. To avoid delays, mariners should adjust their transits accordingly.	POINT [Latitude: 34.25198, Longitude: -77.95081]

Northeast River

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Susquehanna River - Northeast River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-08	2025-07-14	General/Hazards To Navigation/Shoaling Reported There has been a report of shoaling in the Northeast River within the channel between Northeast River Buoy 7 (LLNR 27855) and Northeast River Buoy 8 (LLNR 27860). Depths as low as 4.2 feet were observed.	POLYGON [Latitude: 39.5635, Longitude: -75.9733] [Latitude: 39.56333, Longitude: -75.97137] [Latitude: 39.55165, Longitude: -75.97257] [Latitude: 39.55192, Longitude: -75.97501] [Latitude: 39.5635, Longitude: -75.9733]

Northwest Harbor

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Ferry Bar Channel - Northwest Harbor/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024-08-14	2024-11-15	<p>General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes Mclean Contracting Company will be conducting pier demolition and replacement of existing pier in Baltimore Harbor's, Northwest Harbor at the Domino Sugar Refinery Plant. Project center point: 39.2754899278648, -76.59398 Work will be conducted from July 15, 2024 to November 15, 2024, 24 hours, 7 days per week. Some of the following equipment will be on scene during the project: 1) - 50' x 18' x 8' Tugboat 'Megalodon' (1) - 49.5' x 19' x 7' Tugboat 'Captain Kenn (1) - 140' x 70' x 12.5' Permanently-Mounted Floating Crane 'Baltimore' (1) - 120' x 40' x 8' Spudded Floating Barge 'SC1 Marine equipment will be spud in location and marking in accordance with CG regulations. Marine equipment will monitor VHF- CH 74. From: 2024-08-14 To: 2024-11-15 Location: 39.27639° N / 76.59218° W 39.27525° N / 76.59203° W 39.27523° N / 76.59469° W 39.27629° N / 76.5947° W 39.27639° N / 76.59218° W</p>	<p>POLYGON [Latitude: 39.27639, Longitude: -76.59218]</p> <p>[Latitude: 39.27525, Longitude: -76.59203]</p> <p>[Latitude: 39.27523, Longitude: -76.59469]</p> <p>[Latitude: 39.27629, Longitude: -76.5947]</p> <p>[Latitude: 39.27639, Longitude: -76.59218]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Ferry Bar Channel - Northwest Harbor/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024-09-09	2024-11-15	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-09-09 To: 2024-11-15 Location: 39.27698° N / 76.59312° W 39.27647° N / 76.59229° W 39.27469° N / 76.59659° W 39.27518° N / 76.59705° W 39.27698° N / 76.59312° W Mclean Contracting Company will be conducting pier demolition and replacement of existing pier in Baltimore Harbor's, Northwest Harbor at the Domino Sugar Refinery Plant. Project center point: 39.2754899278648, -76.59398 Work will be conducted from July 15, 2024 to November 15, 2024, 24 hours, 7 days per week. Some of the following equipment will be on scene during the project: 1) - 50' x 18' x 8' Tugboat 'Megalodon' (1) - 49.5' x 19' x 7' Tugboat 'Captain Kenn (1) - 140' x 70' x 12.5' Permanently-Mounted Floating Crane 'Baltimore' (1) - 120' x 40' x 8' Spudded Floating Barge 'SC1 Marine equipment will be spud in location and marking in accordance with CG regulations. Marine equipment will monitor VHF- CH 74	POLYGON [Latitude: 39.27698, Longitude: -76.59312] [Latitude: 39.27647, Longitude: -76.59229] [Latitude: 39.27469, Longitude: -76.59659] [Latitude: 39.27518, Longitude: -76.59705] [Latitude: 39.27698, Longitude: -76.59312]

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Northwest Harbor Lighted Buoy 2NH	CHANGE	On or about November 11, 2024 the Coast Guard will remove the seasonal ice condition "Replace with an unlighted buoy if endangered by ice."
Northwest Harbor Lighted Buoy 3	CHANGE	On or about November 11, 2024 the Coast Guard will remove the seasonal ice condition "Replace with an unlighted buoy if endangered by ice."

Oak Island Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Oak Island Channel Light 2	30420	STRUCT DEST/TRLB	FD
Oak Island Channel Daybeacon 5	30430	STRUCT DEST/TRUB	FD

--

Ocracoke Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ocracoke Inlet Lighted Buoy 1	28900	MISSING / Temp V-AIS: MMSI 993672514	FD
Ocracoke Inlet Lighted Buoy 2	28905	MISSING/ Temp V-AIS: MMSI 993672471	FD
Ocracoke Inlet Lighted Buoy 3	28910	MISSING	FD
Ocracoke Inlet Lighted Buoy 4	28915	MISSING	FD
Ocracoke Inlet Buoy 8	28927	MISSING	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape Hatteras To Little River Inlet - Ocracoke Inlet/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 09-23	2025- 04-11	Shoaling exists in the vicinity of Ocracoke Inlet. Aids to Navigation may be unreliable in various locations between Ocracoke Inlet Buoy 8 (LLNR 28927) and Teaches Hole Lighted Buoy 11 (LLNR 28945). Mariners are advised to use caution while navigating this area.	POLYGON [Latitude: 35.0764, Longitude: -76.00931] [Latitude: 35.07434, Longitude: -76.00586] [Latitude: 35.06667, Longitude: -76.01501] [Latitude: 35.06981, Longitude: -76.01866] [Latitude: 35.0764, Longitude: -76.00931]

Old House Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Old House Channel Daybeacon 7	28255	STRUCT DEST/TRUB	FD
Old House Channel Daybeacon 10	28270	STRUCT DEST/TRUB	FD
Old House Channel Light 15	28295	STRUCT DEST/TRLB	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Old House Channel Lighted Buoy 1H	28233	RELOCATED FOR DREDGING	FD

Oregon Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Oregon Inlet Jetty Light	615	LT IMCH/DBD DEST	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape May To Cape Hatteras - Oregon Inlet/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 09-25	2025- 03-24	Shoaling exists within Walter Slough Channel. Shoaling to 3-4 feet MLW was observed between Walter Slough Buoy 8 (LLNR 28335) and Walter Slough Lighted Buoy 9 (LLNR 28340).	POLYGON [Latitude: 35.7933, Longitude: -75.55489] [Latitude: 35.79305, Longitude: -75.55465] [Latitude: 35.79214, Longitude: -75.55684] [Latitude: 35.79254, Longitude: -75.55719] [Latitude: 35.7933, Longitude: -75.55489]
Cape May To Cape Hatteras - Oregon Inlet/General/Hazards To Navigation/Obstructions	General	Hazards To Navigation	2024- 09-26	2024- 12-31	Mariners are advised that the North Carolina Department of Transportation (NCDOT) has identified three partially submerged bents of concrete piles from the old Bonner Bridge. These piles are on the northeastern side of the bridge in 8 ft to 12 ft of water near Bodie Island. The piles have become uncovered due to ongoing erosion and changes in shoreline conditions. The tops of the piles are 2 ft to 4 ft below the water at Mean High Water (MHW). Mariners are urged to exercise caution when in vicinity of these piles. NCDOT has marked these piles with temporary inflatable buoys. Piles are in approximate positions: 35-46.75N, 075-32.66W, 35- 46.75N, 075-32.65W, and 35-46.74N, 075- 32.65W.	POLYGON [Latitude: 35.77722, Longitude: -75.53917] [Latitude: 35.77576, Longitude: -75.53836] [Latitude: 35.77508, Longitude: -75.53981] [Latitude: 35.77675, Longitude: -75.54113] [Latitude: 35.77722, Longitude: -75.53917]
Sector North Carolina, Submerged Lands Act (SLA) - Oregon Inlet/ATON/Federal Discrepancies Corrected	ATON	Federal Discrepancies Corrected	2024- 10-31	2024- 11-14	ATON/Federal Discrepancies Corrected From: 2024-10-31 To: 2024- 11-14 Location: 35.77598° N / 75.52876° W Aid Name: Oregon Inlet Buoy 9 LLNR: 28025 Aid was not discrepant, entered in error. Discrepancy Information: Initial Report DTG: 121002Z SEP 2024 Correction DTG: 311429Z OCT 2024 Cause: FALSE REPORT Cause Comments: FALSE REPORT Correction Status: WATCHING PROPERLY	POINT [Latitude: 35.77598, Longitude: -75.52876]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector North Carolina, Submerged Lands Act (SLA) - Oregon Inlet/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024- 10-31	2025- 10-31	ATON/Federal Discrepancies From: 2024-10-31 To: 2025- 10-31 Location: 35.77387° N / 75.52501° W Aid Name: Oregon Inlet Jetty Light LLNR: 615 Unsafe to climb. Discrepancy Information: Initial Report DTG: 311617Z OCT 2024 Summary: LT IMCH/DBD DEST	POINT [Latitude: 35.77387, Longitude: -75.52501]

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Oregon Inlet Buoy 9	28025	WATCHING PROPERLY	FD	2024-10-31

Oregon Inlet Cut

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Oregon Inlet Cut Buoy 6	28084.4	MISSING	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Oregon Inlet - Oregon Inlet Cut/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-25	2025-04-23	<p>ATON/Federal Discrepancies From: 2024-10-25 To: 2025-04-23 Location: 35.78946° N / 75.55495° W Aid Name: Oregon Inlet Cut Buoy 6 LLNR: 28084.4 Discrepancy Information: Initial Report DTG: 251855Z OCT 2024 Summary: MISSING</p>	<p>POINT [Latitude: 35.78946, Longitude: -75.55495]</p>
Oregon Inlet - Oregon Inlet Cut/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-10-21	2024-12-31	<p>NC - OREGON INLET - DREDGING OPERATIONS The "MISS KATIE" dredge vessel has routine dredging operations scheduled at the Oregon Inlet, the Walter Slough Channel, Oregon Inlet Cut, the Old House Channel, and Roanoke Sound Channel from Light 1 (LLNR 28365) to Light 17 (LLNR 28470) periodically throughout the year, dependent upon weather conditions, maintenance, and/or other emergency dredging projects out of the area. Dredging operations will be performed on a schedule of 12 hours and/or 24 hours a day, seven (7) days a week. Material that is hopper dredged will be transported to a disposal site located in deep scour holes near the Basnight Bridge on the south side of Oregon Inlet and/or a nearshore site located off Pea Island. All mariners are requested to use caution in the area. MISS KATIE can be reached on VHF-FM CH 16 and 13. For more information, contact Jordan Hennessy at jhennessy@ejedredgng.com or (252) 597-5752. *</p>	<p>POLYGON [Latitude: 35.85035, Longitude: -75.60639] [Latitude: 35.79693, Longitude: -75.57957] [Latitude: 35.78989, Longitude: -75.5698] [Latitude: 35.7938, Longitude: -75.55682] [Latitude: 35.78136, Longitude: -75.54974] [Latitude: 35.78002, Longitude: -75.55457] [Latitude: 35.7916, Longitude: -75.55768] [Latitude: 35.78699, Longitude: -75.57249] [Latitude: 35.79691, Longitude: -75.58333] [Latitude: 35.84948, Longitude: -75.60993] [Latitude: 35.85035, Longitude: -75.60639]</p>

Oyster Creek Channel

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Oyster Creek Channel Daybeacon 5	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Oyster Creek Channel Light 6	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Oyster Creek Channel Daybeacon 8	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Oyster Creek Channel Light 10	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.

Pagan River

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Pagan River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-15	2025-06-30	General/Hazards To Navigation/Shoaling Reported Significant shoaling has been identified in the Pagan River Channel between Pagan River Channel Daybeacon 15 (LLNR 11435) and Daybeacon 17 (LLNR 11445). Least depth of 3.3 FT. From: 2024-08-15 To: 2025-06-30 Location: 36.99965° N / 76.60871° W	POLYGON [Latitude: 36.99965, Longitude: -76.60871] [Latitude: 36.99908, Longitude: -76.60043] [Latitude: 36.99786, Longitude: -76.60064] [Latitude: 36.99854, Longitude: -76.60681] [Latitude: 36.99848, Longitude: -76.60936] [Latitude: 36.99751, Longitude: -76.61274] [Latitude: 36.99843, Longitude: -76.61351] [Latitude: 36.99965, Longitude: -76.60871]
James River - Pagan River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-15	2025-06-01	General/Hazards To Navigation/Shoaling Reported Shoaling has been located on the approach to Jones Creek outside of the Pagan River Channel between Pagan River Channel Light 13 (LLNR 11415) and Jones Creek Daybeacon 2 (LLNR 11420). Depths observed 4ft at approximately 3 hours before MLW From: 2024-08-15 To: 2025-06-01 Location: 37.00364° N / 76.5731° W	POLYGON [Latitude: 37.00364, Longitude: -76.5731] [Latitude: 37.00148, Longitude: -76.57167] [Latitude: 37.00098, Longitude: -76.57263] [Latitude: 37.00186, Longitude: -76.57362] [Latitude: 37.00364, Longitude: -76.5731] [Latitude: 37.00148, Longitude: -76.57167] [Latitude: 37.00098, Longitude: -76.57263] [Latitude: 37.00186, Longitude: -76.57362] [Latitude: 37.00364, Longitude: -76.5731]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Pagan River/General/Bridges/Maintenance	General	Bridges	2024- 09-26	2025- 06-25	Route 10 Bypass Bridge - Bridge maintenance will not restrict the height or width of the main navigational channel. The equipment will be present at night, have nighttime navigational lights, and spudded down. Maintenance will be from December 11, 2023, through June 25, 2025. The project foreman can be contacted on VHF- FM channel 13 and 16. All mariners should use caution when transiting the area. (JW)	POINT [Latitude: 36.988718, Longitude: -76.630696]

Pamlico River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Long Point Ferry Terminal Channel Light 1	33235	LT EXT	FD
Long Point Ferry Terminal Channel Daybeacon 2	33240	STRUCT DEST/TRUB	FD
Gaylord Bay Ferry Terminal Channel Light 1	33245	LT EXT	FD
Pamlico River Channel Light 17	33360	STRUCT DMGD	FD

ATON Changes

NAME	ACTION TYPE	DESCRIPTION
Pamlico Point Warning Light	DISCONTINUE	ATON/ATON Changes From: 2024-11-05 To: 2024-11-19 Location: 35.31339° N / 76.45568° W Aid Name: Pamlico Point Warning Light LLNR: 32813 Demolished and removed. Action: DISCONTINUE

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Western Part Of Pamlico Sound - Pamlico River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-11-12	2025-05-11	ATON/Federal Discrepancies From: 2024-11-12 To: 2025-05-11 Location: 35.42184° N / 76.73315° W Aid Name: Gaylord Bay Ferry Terminal Channel Light 1 LLNR: 33245 Discrepancy Information: Initial Report DTG: 121757Z NOV 2024 Summary: LT EXT	POINT [Latitude: 35.42184, Longitude: -76.73315]
Western Part Of Pamlico Sound - Pamlico River/ATON/ATON Changes	ATON	ATON Changes	2024-11-05	2024-11-19	ATON/ATON Changes From: 2024-11-05 To: 2024-11-19 Location: 35.31339° N / 76.45568° W Aid Name: Pamlico Point Warning Light LLNR: 32813 Demolished and removed. Action: DISCONTINUE	POINT [Latitude: 35.31339, Longitude: -76.45568]

Pamlico River Approach

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Juniper Bay Light 2	32445	STRUCT DEST/TRLB	FD

Pamlico Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Stumpy Point Target Warning Light W	32085	LT EXT	FD
Gull Shoal Light GS	32145	STRUCT DEST/TRLB	FD

ATON Changes

NAME	ACTION TYPE	DESCRIPTION
Big Foot Slough Channel Lighted Buoy 10A	RELOCATE	ATON/ATON Changes From: 2024-11-06 To: 2024-11-20 Location: 35.15003° N / 76.01024° W Aid Name: Big Foot Slough Channel Lighted Buoy 10A LLNR: 29070.1 Action: RELOCATE To approx posit 35-09-01.067N, 076- 00-38.571W

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Oregon Inlet - Pamlico Sound/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-21	2025-04-19	ATON/Federal Discrepancies From: 2024-10-21 To: 2025-04-19 Location: 35.23222° N / 75.78683° W Aid Name: Barney Slough Channel Lighted Buoy 6A LLNR: 28722.3 Discrepancy Information: Initial Report DTG: 211742Z OCT 2024 Summary: MISSING	POINT [Latitude: 35.23222, Longitude: -75.78683]

Patuxent River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Solomons Island Fishing Pier Light	19062	LT EXT	PA
Battle Creek Channel Daybeacon 4	19223	OFF STA/STRUCT DEST/HAZ NAV/TRLB	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024-09-23	2025-05-31	Starting on October 7, 2024 with a scheduled completion date of May 31, 2025, Coastal Design & Construction will begin a shoreline projection project in the Patuxent River adjacent to Hog Point at NAS Patuxent River. Seven temporary mooring will be installed for storage of various size barges and equipment. All mooring and barges will be lighted in accordance with Coast Guard Regulations. Tug Kat II & Nancy G will monitor VHF CH 13 & 16. For more information, contact, J. Richard Mattingly - Superintendent (Marine), Cell: 301-643-4323.	POLYGON [Latitude: 38.30972, Longitude: -76.40033] [Latitude: 38.30869, Longitude: -76.39623] [Latitude: 38.30798, Longitude: -76.39668] [Latitude: 38.30903, Longitude: -76.40013] [Latitude: 38.30536, Longitude: -76.40245] [Latitude: 38.30495, Longitude: -76.40702] [Latitude: 38.30421, Longitude: -76.40831] [Latitude: 38.30456, Longitude: -76.40867] [Latitude: 38.30549, Longitude: -76.40722] [Latitude: 38.30598, Longitude: -76.40279] [Latitude: 38.30778, Longitude: -76.40155] [Latitude: 38.30904, Longitude: -76.40125] [Latitude: 38.30972, Longitude: -76.40033]
Chesapeake Channel - Patuxent River/General/Other/Dredging	General	Miscellaneous	2024-09-30	2025-05-31	Temporary barge mooring for Shoreline Protection Project. For more information contact Coastal Design & Construction, J. Richard Mattingly - Superintendent (Marine), Cell: 301-643-4323.	
Chesapeake Channel - Patuxent River/General/Other	General	Miscellaneous	2024-09-30	2025-05-31	Temporary barge mooring for Shoreline Protection Project. For more information contact Coastal Design & Construction, J. Richard Mattingly - Superintendent (Marine), Cell: 301-643-4323.	POINT [Latitude: 38.30959, Longitude: -76.41124]
Chesapeake Channel - Patuxent River/General/Other	General	Miscellaneous	2024-09-30	2025-05-31	Temporary barge mooring for Shoreline Protection Project. For more information contact Coastal Design & Construction, J. Richard Mattingly - Superintendent (Marine), Cell: 301-643-4323.	POINT [Latitude: 38.30919, Longitude: -76.40572]
Chesapeake Channel - Patuxent River/General/Other	General	Miscellaneous	2024-09-30	2025-05-31	Temporary barge mooring for Shoreline Protection Project. For more information contact Coastal Design & Construction, J. Richard Mattingly - Superintendent (Marine), Cell: 301-643-4323.	POINT [Latitude: 38.30775, Longitude: -76.40945]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Patuxent River/General/Other	General	Miscellaneous	2024-09-30	2025-05-31	Temporary barge mooring for Shoreline Protection Project. For more information contact Coastal Design & Construction, J. Richard Mattingly - Superintendent (Marine), Cell: 301-643-4323.	POINT [Latitude: 38.31089, Longitude: -76.40491]
Chesapeake Channel - Patuxent River/General/Other	General	Miscellaneous	2024-09-30	2025-05-31	Temporary barge mooring for Shoreline Protection Project. For more information contact Coastal Design & Construction, J. Richard Mattingly - Superintendent (Marine), Cell: 301-643-4323.	POINT [Latitude: 38.30923, Longitude: -76.40803]
Chesapeake Channel - Patuxent River/General/Other	General	Miscellaneous	2024-09-30	2025-05-31	Temporary barge mooring for Shoreline Protection Project. For more information contact Coastal Design & Construction, J. Richard Mattingly - Superintendent (Marine), Cell: 301-643-4323.	POINT [Latitude: 38.31165, Longitude: -76.40857]

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Patuxent River Lighted Buoy 8	CHANGE	Starting immediately the Coast Guard will begin removing the existing ice conditions "Replace lighted buoy with an unlighted buoy when endangered by ice" and replace; the aid, with a new year-round (ice) buoy for the below listed aids to navigation. The new buoys daytime visibility will be 1.4nm and have a radar range of 1.0nm. The flash characteristic and nominal range will remain unchanged.

Phoebus Channel

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Phoebus Channel/General/Bridges/Construction	General	Bridges	2024-10-07	2026-08-01	<p>Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be constructing new approach bridges to replace the I-64/US 60 (Hampton Roads Beltway) North and South Approach Bridges, across Hampton Roads, at mile 0.0, between Norfolk, VA and Hampton, VA, commonly referred to as the Hampton Roads Bridge-Tunnel (HRBT). Construction activities will begin March 15, 2021, and are expected to continue through November, 2025. Marine construction activity will take place 24-hours per day, seven days a week. The replacement north approach bridge will be a fixed bridge with a horizontal clearance of 80 feet and a vertical clearance of 16 feet above mean high water at position 37° 00' 24.12" N, 76° 19' 18.84" W for the west span and at position 37° 00' 24.48" N, 76° 19' 15.60" W for the east span. The replacement south approach bridge will be a fixed bridge with a horizontal clearance of 100 feet and a vertical clearance of 16 feet above mean high water at position 36° 58' 15.24" N, 76° 18' 03.96" W. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be</p>	<p>POINT [Latitude: 37.00743, Longitude: -76.32106]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>operating or stationed in the vicinity of the existing and new approach bridge spans or located within specific Mooring Areas or Safe Harbor locations.</p> <p>Bridge Structures/Work Trestles & Islands - Mariners are advised to maintain a safe distance of 300 feet from all HRBT bridge structures/work trestles, HRBT North Island, and HRBT South Island. Construction managers may establish safe transit corridors through bridge structures/work trestles as construction activity permits. Work trestles will be constructed extending out from the North and South shorelines next to the existing trestles for the duration of the bridge construction to facilitate construction activity. Each pile will be lit by a flashing white light. Hampton Flats Mooring Area - As charted. Changes pending. This area will contain six mooring buoys, lighted with flashing white lights, for the exclusive use of vessels involved in the HRBT Expansion project. The corners of the mooring area are marked with yellow buoys with flashing yellow lights. Mariners should use caution when transiting the area. Phoebus Safe Harbor Area - As charted. Changes pending. This area will only be used by HRBT Expansion project vessels in advance of a severe weather event that requires the vessels to be securely anchored or spudded down in that location. The corners of the safe harbor area are marked with yellow buoys with flashing yellow lights. When utilized, mariners should keep clear of the area.</p> <p>Willoughby Bay</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>Mooring and Safe Harbor Area – As charted. This area contains a straight row of mooring pilings for the exclusive use of vessels involved in the HRBT Expansion project. The two end pilings are marked with a solid red light and each interior piling is marked with a solid yellow light. The perimeter of the mooring and safe harbor area is marked with yellow buoys with flashing yellow lights. Mariners are advised to keep clear of the mooring/safe harbor area.</p> <p>Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the project area. To reach an on-scene manager, contact Shannon Gresham 757-685-3392 or Kareem Myers 757-256-9715. You may also contact Hampton Roads Connector Partners at 757-373- 4799 and/or email MarineOps@hrcpjv.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtexpansion.org.</p>	
James River - Phoebus Channel/General/Bridges/Construction	General	Bridges	2024-10-07	2026-08-01	<p>Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be constructing new approach bridges to replace the I-64/US 60 (Hampton Roads Beltway) North and South Approach Bridges, across Hampton Roads, at mile 0.0, between Norfolk, VA and Hampton, VA, commonly referred to as the Hampton Roads Bridge-Tunnel (HRBT). Construction activities will begin March 15, 2021, and are expected to continue</p>	POINT [Latitude: 37.00732, Longitude: -76.32101]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>through November, 2025. Marine construction activity will take place 24-hours per day, seven days a week. The replacement north approach bridge will be a fixed bridge with a horizontal clearance of 80 feet and a vertical clearance of 16 feet above mean high water at position 37° 00' 24.12" N, 76° 19' 18.84" W for the west span and at position 37° 00' 24.48" N, 76° 19' 15.60" W for the east span. The replacement south approach bridge will be a fixed bridge with a horizontal clearance of 100 feet and a vertical clearance of 16 feet above mean high water at position 36° 58' 15.24" N, 76° 18' 03.96" W.</p> <p>Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new approach bridge spans or located within specific Mooring Areas or Safe Harbor locations.</p> <p>Bridge Structures/Work Trestles & Islands - Mariners are advised to maintain a safe distance of 300 feet from all HRBT bridge structures/work trestles, HRBT North Island, and HRBT South Island.</p> <p>Construction managers may establish safe transit corridors through bridge structures/work trestles as construction activity permits. Work trestles will be constructed extending out from</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>the North and South shorelines next to the existing trestles for the duration of the bridge construction to facilitate construction activity. Each pile will be lit by a flashing white light. Hampton Flats Mooring Area - As charted. Changes pending. This area will contain six mooring buoys, lighted with flashing white lights, for the exclusive use of vessels involved in the HRBT Expansion project. The corners of the mooring area are marked with yellow buoys with flashing yellow lights. Mariners should use caution when transiting the area. Phoebus Safe Harbor Area - As charted. Changes pending. This area will only be used by HRBT Expansion project vessels in advance of a severe weather event that requires the vessels to be securely anchored or spudded down in that location. The corners of the safe harbor area are marked with yellow buoys with flashing yellow lights. When utilized, mariners should keep clear of the area. Willoughby Bay Mooring and Safe Harbor Area - As charted. This area contains a straight row of mooring pilings for the exclusive use of vessels involved in the HRBT Expansion project. The two end pilings are marked with a solid red light and each interior piling is marked with a solid yellow light. The perimeter of the mooring and safe harbor area is marked with yellow buoys with flashing yellow lights. Mariners are advised to keep clear of the mooring/safe harbor area.</p> <p>Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>progress or vessels are operating in the project area. To reach an on-scene manager, contact Shannon Gresham 757-685-3392 or Kareem Myers 757-256-9715. You may also contact Hampton Roads Connector Partners at 757-373- 4799 and/or email MarineOps@hrcpjb.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtexpansion.org.</p>	

Piscataway Creek

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Piscataway Creek Daybeacon 7	18530	DAYMK MISSING	PA
Piscataway Creek Daybeacon 8	18535	DAYMK MISSING	PA
Piscataway Creek Warning Daybeacon A	18540	STRUCT DEST	PA
Piscataway Creek Warning Daybeacon B	18545	STRUCT DEST	PA

Pocomoke River

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Pocomoke Sound - Pocomoke River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-07	2025-06-28	General/Hazards To Navigation/Shoaling Reported Shoaling has been reported in the Pocomoke River between Pocomoke River Channel Buoy 7 (LLNR 22540) and Pocomoke River Channel Buoy 8 (LLNR 22555), to reported depths less than 4.5 feet at MLW centerline, 2.3 feet on the red side of the channel, and 3.2 feet on the green side. MD-NCR BNM 299-21.	POLYGON [Latitude: 37.96781, Longitude: -75.6772] [Latitude: 37.96658, Longitude: -75.6769] [Latitude: 37.96519, Longitude: -75.69222] [Latitude: 37.96629, Longitude: -75.69239] [Latitude: 37.96781, Longitude: -75.6772]

Pooles Island Flats Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pooles Island Light	8693	LT EXT	FD

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Pooles Island Flats Channel Lighted Buoy 1	CHANGE	On or about December 2, 2024 the Coast Guard will establish new year-round (ice) buoy for Pooles Island Flats Lighted Buoy 1. The new buoy will have a daytime visibility of 1.5nm and a radar range of 1.5nm. The flash characteristic and nominal range will remain unchanged.
Pooles Island Flats Channel Lighted Buoy 2	CHANGE	On or about December 2, 2024 the Coast Guard will establish new year-round (ice) buoy for Pooles Island Flats Lighted Buoy 2. The new buoy will have a daytime visibility of 1.5nm and a radar range of 1.5nm. The flash characteristic and nominal range will remain unchanged.
Pooles Island Flats Channel Lighted Buoy 3	CHANGE	On or about December 2, 2024 the Coast Guard will establish new year-round (ice) buoy for Pooles Island Flats Lighted Buoy 3. The new buoy will have a daytime visibility of 1.5nm and a radar range of 1.5nm. The flash characteristic and nominal range will remain unchanged.
Pooles Island Flats Channel Lighted Buoy 4	CHANGE	On or about December 2, 2024 the Coast Guard will establish new year-round (ice) buoy for Pooles Island Flats Lighted Buoy 4. The new buoy will have a daytime visibility of 1.5nm and a radar range of 1.5nm. The flash characteristic and nominal range will remain unchanged.

NAME	ACTION TYPE	DESCRIPTION
Pooles Island Flats Channel Lighted Buoy 5	CHANGE	On or about December 2, 2024 the Coast Guard will establish new year-round (ice) buoy for Pooles Island Flats Lighted Buoy 5. The new buoy will have a daytime visibility of 1.5nm and a radar range of 1.5nm. The flash characteristic and nominal range will remain unchanged.
Pooles Island Flats Channel Lighted Buoy 6	CHANGE	On or about December 2, 2024 the Coast Guard will establish new year-round (ice) buoy for Pooles Island Flats Lighted Buoy 6. The new buoy will have a daytime visibility of 1.5nm and a radar range of 1.5nm. The flash characteristic and nominal range will remain unchanged.
Pooles Island Flats Channel Lighted Buoy 7	CHANGE	On or about December 2, 2024 the Coast Guard will establish new year-round (ice) buoy for Pooles Island Flats Lighted Buoy 7. The new buoy will have a daytime visibility of 1.5nm and a radar range of 1.5nm. The flash characteristic and nominal range will remain unchanged.
Pooles Island Flats Channel Lighted Buoy 8	CHANGE	On or about December 2, 2024 the Coast Guard will establish new year-round (ice) buoy for Pooles Island Flats Lighted Buoy 8. The new buoy will have a daytime visibility of 1.5nm and a radar range of 1.5nm. The flash characteristic and nominal range will remain unchanged.
Pooles Island Flats Channel Lighted Buoy 9	CHANGE	On or about December 2, 2024 the Coast Guard will establish new year-round (ice) buoy for Pooles Island Flats Lighted Buoy 9. The new buoy will have a daytime visibility of 1.5nm and a radar range of 1.5nm. The flash characteristic and nominal range will remain unchanged.

Poplar Island Narrows

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Poplar Island Narrows Buoy 8	CHANGE	On or about December 16, 2024 the Coast Guard will change Poplar Island Narrows Buoy 8 (LLNR 25985) to Poplar Island Daybeacon 8 and relocate to approximate position: 38 47 00.012N—76 20 48.529W with TR dayboards on pile.

Poquoson River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Poquoson River Entrance Buoy 4	13170	OFF STATION/TRUB	FD
Poquoson River Entrance Buoy 4	13170	OFF STA	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Poquoson River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-04	2025-10-04	ATON/Federal Discrepancies From: 2024-10-04 To: 2025-04-02 Location: 37.21071° N / 76.33967° W Aid Name: Poquoson River Entrance Buoy 4 LLNR: 13170 Discrepancy Information: Initial Report DTG: 041226Z OCT 2024 Summary: OFF STATION/TRUB Temporary Response DTG: 041227Z OCT 2024 Temporary Response: TUB	POINT [Latitude: 37.21071, Longitude: -76.33967]

Potomac River

--

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Potomac River Mid-Channel Lighted Whistle Buoy A	DISCONTINUE	On or about November 25, 2024 the Coast Guard will discontinue Potomac River Mid-Channel Lighted Whistle Buoy A (LLNR 16505).
Potomac River Mid-Channel Lighted Whistle Buoy B	DISCONTINUE	On or about November 25, 2024 the Coast Guard will discontinue Potomac River Mid-Channel Lighted Whistle Buoy B (LLNR 16855).
Potomac River Mid-Channel Lighted Whistle Buoy C	DISCONTINUE	On or about November 25, 2024 the Coast Guard will discontinue Potomac River Mid-Channel Lighted Whistle Buoy C (LLNR 17355).
Potomac River Mid-Channel Lighted Whistle Buoy D	CHANGE	On or about November 25, 2024 the Coast Guard will remove the sound signal (whistle) from Potomac River Mid-Channel Lighted Whistle Buoy D (LLNR 17615) and rename to Potomac River Mid-Channel Lighted Buoy A.

Pungo River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pungo River Junction Light PR	32855	STRUCT DEST/TRLB	FD
Pungo River Wreck Light WR2	32860	STRUCT DEST/TRLB	FD
Pungo River Light 3	32895	STRUCT DEST/TRLB	FD
Pungo River Channel Daybeacon 16	33015	STRUCT DEST/TRLB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Pamlico River - Pungo River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-09-25	2025-10-10	Mariners are advised of shoaling in vicinity of Wright Creek Daybeacon 4 (LLNR 32870) off the Pungo River	POLYGON [Latitude: 35.41632, Longitude: -76.58714] [Latitude: 35.41576, Longitude: -76.58647] [Latitude: 35.41463, Longitude: -76.58766] [Latitude: 35.4151, Longitude: -76.58845] [Latitude: 35.41632, Longitude: -76.58714]

Queen Creek

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Upper York River - Queen Creek/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 08-19	2025- 02-15	General/Hazards To Navigation/Shoaling Reported Shoaling to less the 4 feet has been reported in Queen Creek from Queen Creek Entrance Light 2QC (LLNR 13785) to Queen Creek Daybeacon 10 (LLNR 13820). From: 2024-08-19 To: 2025- 02-15 Location: 37.30241° N / 76.61384° W 37.30044° N / 76.60793° W 37.30011° N / 76.60823° W 37.30158° N / 76.6139° W 37.30036° N / 76.61904° W 37.29955° N / 76.62271° W 37.29981° N / 76.62299° W 37.30241° N / 76.61384° W	POLYGON [Latitude: 37.30241, Longitude: -76.61384] [Latitude: 37.30044, Longitude: -76.60793] [Latitude: 37.30011, Longitude: -76.60823] [Latitude: 37.30158, Longitude: -76.6139] [Latitude: 37.30036, Longitude: -76.61904] [Latitude: 37.29955, Longitude: -76.62271] [Latitude: 37.29981, Longitude: -76.62299] [Latitude: 37.30241, Longitude: -76.61384]

Queenstown Creek

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Queenstown Creek Buoy 3	DISCONTINUE	Due to increased shoaling in this waterway on/or about December 15, 2024 Buoy 3 will be removed as scheduled but not replaced.
Queenstown Creek Buoy 5	DISCONTINUE	Due to increased shoaling in this waterway on/or about December 15, 2024 Buoy 5 will be removed as scheduled but not replaced.

Queenstown Harbor

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Queenstown Creek - Queenstown Harbor/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-08	2025-07-24	General/Hazards To Navigation/Shoaling Reported A USACE survey conducted on July 12, 2021 has identified shoaling northwest of Queenstown Creek Buoy 3 (LLNR 26593) to south of Queenstown Creek Buoy 5 (LLNR 26595). Reported depths of less than four feet centerline and less than three feet closer to the channel boundaries. Least depths are located closer to the red side of the channel near Queenstown Creek Buoy 5 (LLNR 26595) to depths of less than two feet at mean low water.	<p>POLYGON</p> <p>[Latitude: 39.00162, Longitude: -76.16781]</p> <p>[Latitude: 38.99438, Longitude: -76.16026]</p> <p>[Latitude: 38.99104, Longitude: -76.16159]</p> <p>[Latitude: 38.98904, Longitude: -76.16181]</p> <p>[Latitude: 38.98968, Longitude: -76.16339]</p> <p>[Latitude: 38.99224, Longitude: -76.16344]</p> <p>[Latitude: 38.99441, Longitude: -76.16254]</p> <p>[Latitude: 39.00052, Longitude: -76.16919]</p> <p>[Latitude: 39.00162, Longitude: -76.16781]</p>

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Queenstown Harbor Channel Daybeacon 2	CHANGE	Due to increased shoaling in this waterway the Coast Guard on/or about December 15, 2024 will change Daybeacon 2 (LLNR 26600) to Warning Daybeacon B with NW dayboards worded "Danger Shoal" and rename to Queenstown Creek Warning Daybeacon B until removed.
Queenstown Harbor Channel Daybeacon 3	CHANGE	Due to increased shoaling in this waterway the Coast Guard on/or about December 15, 2024 will change Daybeacon 3 (LLNR 26605) to Warning Daybeacon C with NW dayboards worded "Danger Shoal" and rename to Queenstown Creek Warning Daybeacon B until removed.
Queenstown Harbor Channel Daybeacon 3A	CHANGE	Due to increased shoaling in this waterway the Coast Guard on/or about December 15, 2024 will change Daybeacon 3A (LLNR 26610) to Warning Daybeacon D with NW dayboards worded "Danger Shoal" and rename to Queenstown Creek Warning Daybeacon B until removed.
Queenstown Harbor Channel Daybeacon 4	CHANGE	Due to increased shoaling in this waterway the Coast Guard on/or about December 15, 2024 will change Daybeacon 4 (LLNR 26615) to Warning Daybeacon E with NW dayboards worded "Danger Shoal" and rename to Queenstown Creek Warning Daybeacon B until removed.
Queenstown Harbor Channel Daybeacon 6	CHANGE	Due to increased shoaling in this waterway the Coast Guard on/or about December 15, 2024 will change Daybeacon 6 (LLNR 26620) to Warning Daybeacon F with NW dayboards worded "Danger Shoal" and rename to Queenstown Creek Warning Daybeacon B until removed.

Rappahannock River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Rappahannock River Daybeacon 47	15675	STRUCT DEST/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
VA Power Cable Crossing West Tower Light C	15565	LT EXT	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Rappahannock River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-19	2025-02-15	General/Hazards To Navigation/Shoaling Reported An ACOE Survey of Greenvale Creek Channel indicates shoaling, to a least depth of 1.7 feet MLLW, across the channel from approximately 250 feet North-Northeast of Greenvale Channel Warning Daybeacon A (LLNR 15305) continuing inbound for approximately 880 feet. From: 2024-08-19 To: 2025-02-15 Location: 37.70994° N / 76.54459° W 37.70977° N / 76.54421° W 37.7079° N / 76.54598° W 37.70808° N / 76.54632° W 37.70994° N / 76.54459° W	POLYGON [Latitude: 37.70994, Longitude: -76.54459] [Latitude: 37.70977, Longitude: -76.54421] [Latitude: 37.7079, Longitude: -76.54598] [Latitude: 37.70808, Longitude: -76.54632] [Latitude: 37.70994, Longitude: -76.54459]
Chesapeake Channel - Rappahannock River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-10-31	2025-10-31	ATON/PATON Discrepancies From: 2024-10-31 To: 2025-10-31 Location: 37.87339° N / 76.77654° W Aid Name: VA Power Cable Crossing West Tower Light C LLNR: 15565 Discrepancy Information: Initial Report DTG: 311400Z OCT 2024 Summary: LT EXT	POINT [Latitude: 37.87339, Longitude: -76.77654]

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Rappahannock River Buoy 18	CHANGE	Due to increased shoaling around the area from Totuskey Creek to Hoskins Creek the Coast Guard; on or about November 12, 204, will change: Buoy 18 (LLNR 15440) to Daybeacon 18 in approximate position:37 49 23.450N-76 43 39.073W with TR dayboards on pile. A temporary unlighted buoy (TRUB) maybe established prior to the new daybeacon being established.
Rappahannock River Buoy 21	CHANGE	Due to increased shoaling around the area from Totuskey Creek to Hoskins Creek the Coast Guard; on or about November 12, 204, will change Buoy 21 (LLNR 15450) to Daybeacon 21 in approximate position:37 51 18.722N-76 45 25.169W with SG dayboards on pile. A temporary unlighted buoy (TRUB) maybe established prior to the new daybeacon being established.
Rappahannock River Buoy 22	CHANGE	Due to increased shoaling around the area from Totuskey Creek to Hoskins Creek the Coast Guard; on or about November 12, 204, will change Buoy 22 (LLNR 15550) to Daybeacon 22 in approximate position:37 52 05.331N-76 45 56.190W with TR dayboards on pile. A temporary unlighted buoy (TRUB) maybe established prior to the new daybeacon being established.
Rappahannock River Buoy 23	CHANGE	Due to increased shoaling around the area from Totuskey Creek to Hoskins Creek the Coast Guard; on or about November 12, 204, will change Buoy 23 (LLNR 15570) to Daybeacon 23 in approximate position:37 53 38.331N-76 47 03.372W with SG dayboards on pile. A temporary unlighted buoy (TRUB) maybe established prior to the new daybeacon being established.
Rappahannock River Lighted Buoy 24	CHANGE	Due to increased shoaling around the area from Totuskey Creek to Hoskins Creek the Coast Guard; on or about November 12, 204, will change Lighted Buoy 24 (LLNR 15575) to Light 24 in approximate position:37 54 03.779N-76 47 30.314W with TR dayboards on pile. The 4 second; Red, flash characteristic will remain, but the nominal range will be reduced from 5nm to 4nm. A temporary lighted buoy (TRLB) maybe established prior to the new daybeacon being established.
Rappahannock River Buoy 26	CHANGE	Due to increased shoaling around the area from Totuskey Creek to Hoskins Creek the Coast Guard; on or about November 12, 204, will change Buoy 26 (LLNR 15580) to Light 26 in approximate position:37 54 41.123N-76 48 25.156W with TR dayboards on pile, with a 2.5 second; Red, flash characteristic and a nominal range of 4nm. A temporary lighted buoy (TRLB) maybe established prior to the new light being established.
Rappahannock River Buoy 28	CHANGE	Due to increased shoaling around the area from Totuskey Creek to Hoskins Creek the Coast Guard; on or about November 12, 204, will Discontinue Buoy 28 (LLNR 15585).
Rappahannock River Buoy 30	CHANGE	Due to increased shoaling around the area from Totuskey Creek to Hoskins Creek the Coast Guard; on or about November 12, 204, will change Buoy 30 (LLNR 15595) to Daybeacon 30 in approximate position:37 52 29.431N-76 50 03.215W with TR dayboards on pile. A temporary unlighted buoy (TRUB) maybe established prior to the new daybeacon being established.

Rehoboth Bay

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Indian River Inlet - Rehoboth Bay/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-01	2025-08-19	General/Hazards To Navigation/Shoaling Reported Delaware Department of Natural Resources and Environmental Control (DNREC) reports shoaling in Baker's Channel between Baker's Channel Lighted Buoy 1A (LLNR 2136) and Baker's Channel Lighted Buoy 1B (LLNR 2137) as well as Baker's Channel Lighted Buoy 5 (LLNR 2137.04) and Baker's Channel Lighted Buoy 6 (LLNR 2137.05). DNREC has established two warning buoys worded "DANGER SHOAL" to mark the shoaling From: 2024-08-01 To: 2025-08-19 Location: 38.6342° N / 75.09881° W 38.63159° N / 75.09347° W 38.631° N / 75.09394° W 38.63376° N / 75.09922° W 38.6342° N / 75.09881° W	POLYGON [Latitude: 38.6342, Longitude: -75.09881] [Latitude: 38.63159, Longitude: -75.09347] [Latitude: 38.631, Longitude: -75.09394] [Latitude: 38.63376, Longitude: -75.09922] [Latitude: 38.6342, Longitude: -75.09881]
Indian River Inlet - Rehoboth Bay/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-01	2025-09-19	General/Hazards To Navigation/Shoaling Reported Shoaling observed from entrance to Rehoboth-Lewis canal south to Rehoboth Bay Channel Buoy 3 (LLNR 2100), depths 2-4 feet at mean low water. From: 2024-08-01 To: 2025-09-19 Location: 38.68791° N / 75.09955° W 38.68724° N / 75.09646° W 38.67678° N / 75.10015° W 38.67752° N / 75.1029° W 38.68791° N / 75.09955° W	POLYGON [Latitude: 38.68791, Longitude: -75.09955] [Latitude: 38.68724, Longitude: -75.09646] [Latitude: 38.67678, Longitude: -75.10015] [Latitude: 38.67752, Longitude: -75.1029] [Latitude: 38.68791, Longitude: -75.09955]

Roanoke Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Roanoke Sound Channel Daybeacon 25	28505	STRUCT DEST/TRUB	FD
Roanoke Sound Channel Daybeacon 37	28600	STRUCT DEST/TRUB	FD

Rockhold Creek

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Rockhold Creek Lighted Junction Buoy RC	19425	MISSING	PA

Rollinson Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Rollinson Channel Daybeacon 33A	28827	STRUCT DEST/TRUB	FD
Rollinson Channel Daybeacon 33A	28827	STRUCT DEST/TRUB	FD
Rollinson Channel Light 34	28830	STRUCT DEST/TRLB	FD
Oliver Reef Warning Daybeacon	28855	STRUCT DEST	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Rollinson Channel/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-29	2025-10-29	ATON/Federal Discrepancies From: 2024-10-29 To: 2025-10-29 Location: 35.24955° N / 75.71969° W Aid Name: Oliver Reef Warning Daybeacon LLNR: 28855 Discrepancy Information: Initial Report DTG: 291409Z OCT 2024 Summary: STRUCT DEST	POINT [Latitude: 35.24955, Longitude: -75.71969]
Rollinson Channel/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-30	2025-10-30	ATON/Federal Discrepancies From: 2024-10-30 To: 2025-10-30 Location: 35.24254° N / 75.71189° W Aid Name: Rollinson Channel Daybeacon 33A LLNR: 28827 Discrepancy Information: Initial Report DTG: 301852Z OCT 2024 Summary: STRUCT DEST	POINT [Latitude: 35.24254, Longitude: -75.71189]
Rollinson Channel/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-30	2025-10-30	ATON/Federal Discrepancies From: 2024-10-30 To: 2025-10-30 Location: 35.24254° N / 75.71189° W Aid Name: Rollinson Channel Daybeacon 33A LLNR: 28827 Discrepancy Information: Initial Report DTG: 301852Z OCT 2024 Summary: STRUCT DEST/TRUB Temporary Response DTG: 052059Z NOV 2024 Temporary Response: TUB	POINT [Latitude: 35.24254, Longitude: -75.71189]

Rose Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Deep Cove Light 2	32740	STRUCT DEST/TRLB	FD

Sand Shoal Channel

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Sand Shoal Daybeacon 1	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Sand Shoal Lighted Wreck Buoy WR3	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing the wreckage this aid is marking in the Virginia Inside Passage.
Sand Shoal Channel Daybeacon 7	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Sand Shoal Channel Daybeacon 9	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Sand Shoal Channel Light 10	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.

Sassafras River

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Elk River Channel - Sassafras River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-08	2025-10-05	General/Hazards To Navigation/Shoaling Reported Shoaling has been reported in Sassafras River extending from Daybeacon 8 (LLNR 27495) to the southeast approximately 520 yards towards Sassafras River Light 10 (LLNR 27500) and into the channel approximately 50 yards to reported depths of seven feet at mean low water.	POLYGON [Latitude: 39.37071, Longitude: -75.92845] [Latitude: 39.36676, Longitude: -75.91914] [Latitude: 39.36597, Longitude: -75.91983] [Latitude: 39.36995, Longitude: -75.92905] [Latitude: 39.37071, Longitude: -75.92845]

Schuylkill River

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Eagle Point - Schuylkill River/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-09-09	2025-04-30	General/Marine Construction (Excluding Bridges)/Dredging From: 2024-09-09 To: 2025-04-30	POLYGON [Latitude: 39.96606, Longitude: -75.18327] [Latitude: 39.96133, Longitude: -75.17821] [Latitude: 39.95633, Longitude: -75.17894] [Latitude: 39.94975, Longitude: -75.18224] [Latitude: 39.94149, Longitude: -75.19331] [Latitude: 39.94142, Longitude: -75.19426] [Latitude: 39.94297, Longitude: -75.19417] [Latitude: 39.94965, Longitude: -75.18533] [Latitude: 39.95758, Longitude: -75.18083] [Latitude: 39.96472, Longitude: -75.18529] [Latitude: 39.96606, Longitude: -75.18327]
<p>Mariners are advised that a construction firm, on behalf of the City of Philadelphia, will be constructing an extension of the Schuylkill River Park Trail along the eastern bank of the Schuylkill River, between mile 6.3 and 6.4, at Philadelphia, PA. Construction activities commenced in mid-February 2022 and are scheduled to conclude at the end of April 2025. Work will be performed from 6 a.m. to 6 p.m., Monday through Friday, with potential night and weekend work. A 70-foot by 120-foot crane barge, 30-foot by 100-foot material barges, work floats, and 24-foot work boats will be utilized during operations and stationed in the vicinity of construction. Vessels may be contacted via VHF-FM on channel 13 or 16. Construction firm representatives may be contacted at (215) 669-7883 and (484) 680-8550, 24-</p>						

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>hours/day. Detailed project information and information concerning the waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Mariners should navigate the vicinity of construction with due caution at minimum safe speed.</p>	
<p>Eagle Point - Schuylkill River/General/Bridges/Temp Deviation</p>	<p>General</p>	<p>Bridges</p>	<p>2024-09-26</p>	<p>2025-06-01</p>	<p>CSX (Tasker Avenue/BAK-2) Railroad Bridge - Bridge causality. Until further notice, the eastern navigation span will be restricted; the western navigation span of the bridge will be available for vessels to safely transit through the bridge. Mariners should navigate the waterway with extreme caution and due regard for prevailing conditions on the waterway. The drawbridge will continue to operate in accordance with the operating regulations set out in Title 33 Code of Federal Regulations Part 117.905 (a). (MT)</p>	<p>POINT [Latitude: 39.93549, Longitude: -75.2059]</p>

Scott Creek Channel

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Elizabeth River - Scott Creek Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024-09-13	2024-12-31	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-09-13 To: 2024-12-31 Crofton Construction Services, Incorporated (CCSI) will be performing repair of Crofton Bulkhead in Scott Creek. Specifically, there will be installed approximately 276 linear feet of replacement steel sheet pile bulkhead, an average 3 feet channel ward of an existing, deteriorating bulkhead withing Scotts Creek, adjacent to property situated at 16 Harper Avenue in the City of Portsmouth. The limits of construction are approximately .20 acres in size and the area is bound by the land on the NW and Scott Creek on the other three sides of the bulkhead at in the following location:36°50'54.20"N, 76°18'56.41"W. Beginning June 16, 2023, and continuing until December 31, 2024, approximately 198 days or until complete from 7:00 AM - 5:00 PM, five days a week. Operations will include crane barge operations, material barges, tugboats, work floats, and smaller crafts consistent with general marine construction. Barge(s) & vessel(s) will be moored, on site with employees working over the side on small floats or crew boats. The construction equipment will be confined to the barges with crew boats working in the vicinity. The entire channel will not be	POLYGON [Latitude: 36.85014, Longitude: -76.31558] [Latitude: 36.84924, Longitude: -76.31458] [Latitude: 36.84745, Longitude: -76.31607] [Latitude: 36.84791, Longitude: -76.31703] [Latitude: 36.85014, Longitude: -76.31558]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					closed, during any stage of construction, or will not restrict marine traffic. Vessels are requested to proceed in this area with caution and no wake within 500' of the above coordinates. Crews will be monitoring the following radio frequencies: VHF channels 13 & 16.	

Seagirt Marine Terminal West Channel

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Seagirt Marine Terminal West Lighted Buoy 3SW	CHANGE	On or about November 11, 2024 the Coast Guard will remove the seasonal ice condition "Replace with an unlighted buoy if endangered by ice."
Seagirt Marine Terminal West Lighted Buoy 8	CHANGE	On or about November 11, 2024 the Coast Guard will remove the seasonal ice condition "Replace with an unlighted buoy if endangered by ice."

Shallow Creek

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Shallow Creek Daybeacon 4	26965	STRUCT DMGD	PA

Silver Lake

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Silver Lake Entrance Daybeacon 4	28995	STRUCT DEST/TRUB	FD
Silver Lake Entrance Light 9	29020	STRUCT DEST	FD

Sinepuxent Bay

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sinepuxent Bay/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-05	2025-04-17	General/Hazards To Navigation/Shoaling Reported Shoaling has also been reported between Sinepuxent Bay Channel Buoy 33 (LLNR 5130) and Sinepuxent Bay Channel Buoy 35 (LLNR 5135). From: 2024-08-05 To: 2025-04-17 Location: 38.19686° N / 75.20122° W 38.19558° N / 75.19933° W 38.18027° N / 75.21958° W 38.18195° N / 75.22156° W 38.19686° N / 75.20122° W	POLYGON [Latitude: 38.19686, Longitude: -75.20122] [Latitude: 38.19558, Longitude: -75.19933] [Latitude: 38.18027, Longitude: -75.21958] [Latitude: 38.18195, Longitude: -75.22156] [Latitude: 38.19686, Longitude: -75.20122]
Chincoteague Bay - Sinepuxent Bay/General/Hazard To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-05	2025-06-18	General/Hazards To Navigation/Shoaling Reported There has been a report of shoaling in Sinepuxent Bay within the channel boundaries between Sinepuxent Bay Channel Buoy 6 (LLNR 5015) and Sinepuxent Bay Channel Buoy 7 (LLNR 5017). From: 2024-08-05 To: 2025-06-18 Location: 38.31177° N / 75.11192° W 38.31168° N / 75.11119° W 38.30818° N / 75.11249° W 38.30831° N / 75.11322° W 38.31177° N / 75.11192° W	POLYGON [Latitude: 38.31177, Longitude: -75.11192] [Latitude: 38.31168, Longitude: -75.11119] [Latitude: 38.30818, Longitude: -75.11249] [Latitude: 38.30831, Longitude: -75.11322] [Latitude: 38.31177, Longitude: -75.11192]

Slaughter Creek

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Little Choptank River - Slaughter Creek/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 08-07	2025- 07-25	General/Hazards To Navigation/Shoaling Reported Shoaling in the western portion of Slaughter Creek IVO of Holland Point has encroached easterly in most of the channel. The shoal adjacent to Slaughter Creek Light 25C (LLNR 24645) has encroached approximately 50-100 yds easterly with observed depths of 3- 4' in between tide cycles. Shoaling to 2' MLW has been observed on the red side of the channel between Slaughter Creek Buoy 6 (LLNR 24670) and Slaughter Creek Buoy 8 (LLNR 24683).	POLYGON [Latitude: 38.50643, Longitude: -76.27042] [Latitude: 38.50068, Longitude: -76.26772] [Latitude: 38.49366, Longitude: -76.27866] [Latitude: 38.49501, Longitude: -76.28029] [Latitude: 38.50136, Longitude: -76.27085] [Latitude: 38.50586, Longitude: -76.27261] [Latitude: 38.50643, Longitude: -76.27042]

Smith Creek Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Smith Creek Channel Daybeacon 5	33765	STRUCT DEST/TRUB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Neuse River - Smith Creek Channel/General/ To Navigation/Shoaling Reported	Hazards General	Hazards To Navigation	2024- 09-25	2025- 03-24	Shoaling has been reported from Whittaker Creek Daybeacon 3 (LLNR 33723) to Whittaker Creek Daybeacon 5 (LLNR 33730). Shoaling is encroaching from western side of channel, expanding roughly 70% of channel width between Whittaker Creek Daybeacon 3 (LLNR 33723) and Whittaker Creek Daybeacon 4 (LLNR 33725). Depths of 3.5' MLLW has been reported	POLYGON [Latitude: 35.01992, Longitude: -76.69862] [Latitude: 35.0178, Longitude: -76.69511] [Latitude: 35.01706, Longitude: -76.69583] [Latitude: 35.01913, Longitude: -76.69973] [Latitude: 35.01992, Longitude: -76.69862]

South Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
South Creek Channel Daybeacon 9	33145	DAYMK MISSING	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Jacobs Creek Canal Daybeacon 1	33200	DAYMK MISSING	PA
Jacobs Creek Canal Daybeacon 2	33205	DAYMK MISSING	PA

South River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
South River Daybeacon 5	19575	DBD DMGD	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Glebe Bay Light	19630	LT EXT	PA

ATON Changes

NAME	ACTION TYPE	DESCRIPTION
Glebe Bay Light	RELOCATE	ATON/ATON Changes From: 2024-11-04 To: 2024-11-18 Location: 38.93547° N / 76.53869° W Aid Name: Glebe Bay Light LLNR: 19630 Action: RELOCATE Relocate: To 38-56-07.677N, 076-32-19.287W

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - South River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-11-04	2025-05-03	ATON/Federal Discrepancies From: 2024-11-04 To: 2025-05-03 Location: 38.90996° N / 76.48861° W Aid Name: South River Daybeacon 5 LLNR: 19575 Discrepancy Information: Initial Report DTG: 041239Z NOV 2024 Summary: DBD DMGD	POINT [Latitude: 38.90996, Longitude: -76.48861]
Chesapeake Channel - South River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-11-04	2025-11-04	ATON/PATON Discrepancies From: 2024-11-04 To: 2025-11-04 Location: 38.95378° N / 76.53278° W Aid Name: Crab Creek Buoy 1 LLNR: Not Provided Discrepancy Information: Initial Report DTG: 041712Z NOV 2024 Summary: OFF STATION	POINT [Latitude: 38.95378, Longitude: -76.53278]
Chesapeake Channel - South River/ATON/ATON Changes	ATON	ATON Changes	2024-11-04	2024-11-18	ATON/ATON Changes From: 2024-11-04 To: 2024-11-18 Location: 38.93547° N / 76.53869° W Aid Name: Glebe Bay Light LLNR: 19630 Action: RELOCATE Relocate: To 38-56-07.677N, 076-32-19.287W	POINT [Latitude: 38.93547, Longitude: -76.53869]
Chesapeake Channel - South River/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-11-04	2025-05-03	ATON/PATON Discrepancies From: 2024-11-04 To: 2025-05-03 Location: 38.93567° N / 76.53829° W Aid Name: Glebe Bay Light LLNR: 19630 Discrepancy Information: Initial Report DTG: 041338Z NOV 2024 Summary: LT EXT	POINT [Latitude: 38.93567, Longitude: -76.53829]

Sparrows Point Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sparrows Point Buoy 4	20570	TRUB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Patapsco River - Sparrows Point Channel/General Construction (Excluding Bridges)/Boring and Core Samples	General	Marine Construction (Excluding Bridges)	2024-10-29	2024-11-22	<p>Drill soil boring operations are scheduled to occur in the vicinity of Sparrows Point Basin at Trade Point Atlantic, Baltimore MD. from October 30 to November 22, 2024. Work will be conducted Monday—Friday, from 7 a.m. to 5:00 p.m., and may include weekends to make up for weather-related delays, if needed. The spud barge will stay onsite each night, and the tug will be dispatched from Smith's yard in Curtis Bay or McCluskey's marina on North Point Creek each day. If there is a major weather event all equipment will return to Smith's yard. The barge "502" will have spuds approx. 60' long and will have proper lighting at night. A Tug w/ crew will always be onsite while drill crews are working, and will monitor VHF channels 13, 16, & 78. All equipment will be clearly marked and lighted as required by U.S. Coast Guard regulations. To prevent damage to the gear, mariners operating vessels nearby are requested to proceed at a reduced safe speed that minimizes wake at the work site.</p>	<p>POLYGON [Latitude: 39.21298, Longitude: -76.47618] [Latitude: 39.20433, Longitude: -76.47554] [Latitude: 39.20267, Longitude: -76.48669] [Latitude: 39.21198, Longitude: -76.48648] [Latitude: 39.21298, Longitude: -76.47618]</p>

St Catherine Sound Upper Entrance

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cobb Island Daybeacon 4	17305	STRUCT DEST/TRUB	FD

St Patrick Creek

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
St Clements Bay - St Patrick Creek/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 08-07	2025- 10-21	General/Hazards To Navigation/Shoaling Reported Shoaling has been reported in St. Patrick Creek to depths of 2-4 feet at MLW near St. Patrick Creek Channel Buoy 3 (LLNR 17123) and extending to Buoy 7 (LLNR 17145). Shoaling of 1 foot at MLW has been observed within the channel limits in the vicinity of St. Patrick Creek Channel Buoy 4 (LLNR 17130).	POLYGON [Latitude: 38.23401, Longitude: -76.74511] [Latitude: 38.23242, Longitude: -76.74015] [Latitude: 38.23197, Longitude: -76.74047] [Latitude: 38.23352, Longitude: -76.74555] [Latitude: 38.23401, Longitude: -76.74511]

— —

Susquehanna River

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Upper Chesapeake Channel - Susquehanna River/General/Bridges/Maintenance	General	Bridges	2024-09-26	2025-11-07	<p>U.S. Route 40 (Thomas J. Hatem Memorial) Bridge - To facilitate replacement of the coating systems on the structural steel members of the bridge, a containment system will be located on and around the vicinity of the bridge from January 27, 2024, through November 7, 2025. The containment system will reduce the vertical clearance of the bridge by approximately 3 feet to approximately 84 feet above mean high water. A barge will be in and around the vicinity of the bridge which will reduce the horizontal clearance by approximately 53 feet to approximately 267 feet. The work vessel can be reached on VHF-FM channel 13. The project superintendent can be reach at (443) 250-8791. Mariners should use extreme caution while navigating in the vicinity of the bridge.</p> <p>(JW)</p>	POINT [Latitude: 39.561992, Longitude: -76.087138]
Upper Chesapeake Channel - Susquehanna River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024-10-21	2025-04-01	<p>Kiewit Infrastructure Co. will begin bulkhead upgrades at the Vulcan Havre de Grace Quarry on the Susquehanna River stating November 11, 2024 to March 2025. All construction Equipment will be staged on land for the duration of the project floating stages will be used for waterside access to the bulkhead. For more information, contact William.bodnarii@kiewit.com.</p>	<p>POLYGON [Latitude: 39.57265, Longitude: -76.10309] [Latitude: 39.57122, Longitude: -76.10073] [Latitude: 39.57074, Longitude: -76.10134] [Latitude: 39.57209, Longitude: -76.10357] [Latitude: 39.57265, Longitude: -76.10309]</p>

Swan Creek

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Swan Creek Buoy 13	26874.1	OFF STA	PA
Swan Creek Buoy 14	26875	SINKING	PA

Swanquarter Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Swanquarter Bay Light 10	32715	STRUCT DEST/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Swanquarter PPA Warning Daybeacon W	32725.22	DAYMK MISSING	PA

Tangier Island East Channel

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Tangier Sound - Tangier Island East Channel/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 09-10	2025- 12-31	General/Hazards To Navigation/Shoaling Reported From: 2024- 09-10 To: 2025-12-31 Location: 37.83398° N / 75.98183° W 37.83385° N / 75.98171° W 37.83279° N / 75.98347° W 37.83293° N / 75.98365° W 37.83398° N / 75.98183° W There has been a report of shoaling in the Tangier Island East Channel within the channel boundaries between Tangier Island East Daybeacon 6 (LLNR 22765) and Tangier Island East Channel Light 7 (LLNR 22770) to a depth of three feet.	POLYGON [Latitude: 37.83398, Longitude: -75.98183] [Latitude: 37.83385, Longitude: -75.98171] [Latitude: 37.83279, Longitude: -75.98347] [Latitude: 37.83293, Longitude: -75.98365] [Latitude: 37.83398, Longitude: -75.98183]

Tanker Anchorage

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Tanker Anchorage Buoy D	2195	OFF STA	FD

--

Tar Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Tar Bay Warning Daybeacon F	24601	STRUCT DEST	FD

Taylor Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Taylor Creek Channel Daybeacon 9	34800	STRUCT DEST/TRUB	FD

Teaches Hole Channel

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Cape Hatteras To Little River Inlet/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 09-25	2025- 03-24	Shoaling exists in various locations throughout Hatteras Inlet Channel to a depth of 2 feet at mean low water.	POLYGON [Latitude: 35.21313, Longitude: -75.73104]
					Shoaling continues to encroach the channel near Hatteras Inlet	[Latitude: 35.20655, Longitude: -75.72995]
					Channel Lighted Buoy 12A (LLNR28732.1), and Hatteras Inlet Channel Buoy 15	[Latitude: 35.20329, Longitude: -75.72872]
					(LLNR 28736). Depths of less than 4 feet MLW have been reported between	[Latitude: 35.20486, Longitude: -75.72145]
					Hatteras Inlet Channel Buoy 18 (LLNR 28760) and Hatteras Channel Lighted Buoy 19 (LLNR 28760).	[Latitude: 35.20255, Longitude: -75.72003]
					Some aids to navigation in the inlet may be unreliable.	[Latitude: 35.20134, Longitude: -75.72924]
						[Latitude: 35.20302, Longitude: -75.73201]
						[Latitude: 35.20865, Longitude: -75.73246]
						[Latitude: 35.21224, Longitude: -75.73339]
						[Latitude: 35.21313, Longitude: -75.73104]

Thimble Shoal Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Norfolk Entrance Reach Range Front Warning Light	9370	LT EXT	FD
Norfolk Entrance Reach Range Rear Warning Light	9375	LT EXT	FD

Thorofare Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Thorofare Channel Buoy 3	4875	OFF STA	PA

Townsend Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Townsend Inlet Lighted Buoy 3	1407	OFF STA	FD
Townsend Inlet Buoy 8	1420	MISSING	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Avalon Jetty Light A	1412	LT EXT	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector Delaware Bay, Submerged Land Act (SLA) - Townsends Inlet/ATON/PATON Discrepancies	ATON	PATON Discrepancies	2024-10-21	2025-04-19	ATON/PATON Discrepancies From: 2024-10-21 To: 2025-04-19 Location: 39.10674° N / 74.70346° W Aid Name: Avalon Jetty Light A LLNR: 1412 Discrepancy Information: Initial Report DTG: 211757Z OCT 2024 Summary: LT EXT	POINT [Latitude: 39.10674, Longitude: -74.70346]
Sector Delaware Bay, Terrorial Sea - Sector Delaware Bay, Submerged Land Act (SLA)/General/Hazards To Navigation/Wrecks	General	Hazards To Navigation	2024-11-12	2025-05-11	General/Hazards To Navigation/Wrecks All mariners be advised a 27-foot sailing vessel sank in Townsends Inlet, in approximate position 39°06.8'N, 074°42.6'W. The vessel is marked with a tethered dingy floating above the vessels position. All mariners transiting Townsends Inlet are requested to keep a safe distance and transit the area with caution.	POINT [Latitude: 39.11333, Longitude: -74.71]

Tred Avon River

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Tred Avon River Lighted Buoy 2	CHANGE	Starting immediately the Coast Guard will begin removing the existing ice conditions "Replace lighted buoy with an unlighted buoy when endangered by ice" and replace; the aid, with a new year-round (ice) buoy for the below listed aids to navigation. The new buoys daytime visibility will be 1.4nm and have a radar range of 1.0nm. The flash characteristic and nominal range will remain unchanged.

Trent River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Trent River Daybeacon 6	34270	STRUCT DEST/TRUB	FD
Trent River Daybeacon 12	34290	STRUCT DEST/TRUB	FD

Upper Delaware River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Kinkora Upper Range Rear Light	4150	LT EXT	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
------	------	--------	----------

NAME	LLNR	STATUS	AID TYPE
Upper Delaware River Channel Lighted Buoy 58	4070	RELOCATED FOR DREDGING	FD
Upper Delaware River Lighted Buoy 60	4075	RELOCATED FOR DREDGING	FD
Upper Delaware River Lighted Buoy 65	4095	RELOCATED FOR DREDGING	FD
Upper Delaware River Lighted Buoy 72	4160	RELOCATED FOR DREDGING	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Delaware River - Upper Delaware River/ATON/Temporary Changes	ATON	Temporary Changes	2024-10-10	2025-04-08	ATON/Temporary Changes From: 2024-10-10 To: 2025-04-08 Location: 40.12634° N / 74.82281° W Aid Name: Upper Delaware River Channel Lighted Buoy 58 LLNR: 4070 Temporary Aid Change Information: Status: RELOCATED FOR DREDGING	POINT [Latitude: 40.12634, Longitude: -74.82281]
Delaware River - Upper Delaware River/ATON/Temporary Changes	ATON	Temporary Changes	2024-10-10	2025-04-08	ATON/Temporary Changes From: 2024-10-10 To: 2025-04-08 Location: 40.12679° N / 74.77211° W Aid Name: Upper Delaware River Lighted Buoy 72 LLNR: 4160 Temporary Aid Change Information: Status: RELOCATED FOR DREDGING	POINT [Latitude: 40.12679, Longitude: -74.77211]
Delaware River - Upper Delaware River/ATON/Temporary Changes	ATON	Temporary Changes	2024-10-10	2025-04-08	ATON/Temporary Changes From: 2024-10-10 To: 2025-04-08 Location: 40.1213° N / 74.79135° W Aid Name: Upper Delaware River Lighted Buoy 65 LLNR: 4095 Temporary Aid Change Information: Status: RELOCATED FOR DREDGING	POINT [Latitude: 40.1213, Longitude: -74.79135]
Delaware River - Upper Delaware River/ATON/Temporary Changes	ATON	Temporary Changes	2024-10-10	2025-04-08	ATON/Temporary Changes From: 2024-10-10 To: 2025-04-08 Location: 40.12715° N / 74.81574° W Aid Name: Upper Delaware River Lighted Buoy 60 LLNR: 4075 Temporary Aid Change Information: Status: RELOCATED FOR DREDGING	POINT [Latitude: 40.12715, Longitude: -74.81574]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
						POLYGON
						[Latitude: 40.12915, Longitude: -74.81593]
						[Latitude: 40.12117, Longitude: -74.78924]
						[Latitude: 40.11934, Longitude: -74.78905]
						[Latitude: 40.1271, Longitude: -74.81614]
					General/Marine Construction	[Latitude: 40.12687, Longitude: -74.82019]
					(Excluding Bridges)/Dredging	[Latitude: 40.12422, Longitude: -74.82534]
					Seaward Marine Corp. will be conducting dredging operations	[Latitude: 40.11908, Longitude: -74.82834]
					in the Upper Delaware River between	[Latitude: 40.10384, Longitude: -74.83525]
					Edgewater Range and Florence Range	[Latitude: 40.09756, Longitude: -74.84327]
					starting July 1, 2024 to January 1, 2025.	[Latitude: 40.09173, Longitude: -74.85575]
					Mariners are requested to notify the Dredge Carolyn Skaves 30 minutes	[Latitude: 40.0834, Longitude: -74.86113]
					prior to transiting the area that the dredge is working in, to make	[Latitude: 40.08157, Longitude: -74.86467]
					passing arrangements. The Dredge Carolyn Skaves can be	[Latitude: 40.08094, Longitude: -74.86716]
					contacted via VHF radio channel 13, or	[Latitude: 40.0778, Longitude: -74.88467]
					by phone at 757-837-7620. Scows will be	[Latitude: 40.07008, Longitude: -74.91123]
					moored outside the channel in the vicinity	[Latitude: 40.0717, Longitude: -74.91268]
					of Upper Delaware River Channel Lighted Buoy 36 (LLNR 3920).	[Latitude: 40.07948, Longitude: -74.88532]
					Mariners are reminded to transit the area with caution.	[Latitude: 40.08243, Longitude: -74.86662]
						[Latitude: 40.08418, Longitude: -74.86332]
						[Latitude: 40.09263, Longitude: -74.85731]
						[Latitude: 40.09893, Longitude: -74.84473]
						[Latitude: 40.10418, Longitude: -74.8376]
						[Latitude: 40.12445, Longitude: -74.82843]
						[Latitude: 40.12749, Longitude: -74.82529]
						[Latitude: 40.12892, Longitude: -74.82009]
						[Latitude: 40.12915, Longitude: -74.81593]

Delaware River -
Upper Delaware
River/General/Marine
Construction
(Excluding
Bridges)/Dredging

General

Marine
Construction
(Excluding
Bridges)

2024-07-01

2025-01-01

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Upper Delaware River/General/Bridges/Maintenance	General	Bridges	2024-09-05	2024-11-23	<p>General/Bridges/Maintenance From: 2024-09-05 To: 2024-11-23 Location: 40.0117° N / 75.04269° W Bridge Name: 73 State Route Bridge Mariners are advised that Burlington County Bridge Commission will be performing repairs on the SR 73 (Tacony-Palmyra) Bridge, at mile 107.2 over the Delaware River, between Tacony PA, and Palmyra, NJ, from May 20, 2024, through November 22, 2024. To facilitate repairs to the bottom of the lower chord (steel members) on the bascule leaves, a platform will be located on and around the vicinity of the bridge for the entirety of the maintenance period. The platform will reduce the vertical clearance of the bridge by approximately 2 feet to approximately 48 feet above mean high water. Vessels able to pass through the bridge in closed position may do so at any time. The drawbridge will operate in accordance with the operating regulations set out in Title 33 Code of Federal Regulations Part 117.716. All mariners should use caution when transiting the area. The drawbridge tender may be reached VHF-FM channel 13 and (609) 922-2843. Mariners should use caution while navigating in the vicinity of the bridge.</p>	POINT [Latitude: 40.0117, Longitude: -75.04269]

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Upper Delaware River Channel Lighted Buoy 33	CHANGE	<p>ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.07151° N / 74.913° W Aid Name: Upper Delaware River Channel Lighted Buoy 33 LLNR: 3875 Action: CHANGE Starting September 23, 2024 to the end of November 2024, the Coast Guard will make the following changes to the buoys on the Upper Delaware River. Seasonal status "Replaced by can/nun when endangered by ice." will be removed. Aid will be lighted year-round regardless of potential ice: Upper Delaware River Channel Lighted Buoy 33 (LLNR 3875) All aids will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range would be reduced from 2.7nm to 1.0nm. All light nominal ranges will be set to 4nm.</p>
Upper Delaware River Lighted Buoy 36	CHANGE	<p>ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.07429° N / 74.89753° W Aid Name: Upper Delaware River Channel Lighted Buoy 36 LLNR: 3920 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make the following changes to the buoys on the Upper Delaware River. Seasonal status "Replaced by can/nun when endangered by ice." will be removed. Aid will be lighted year-round regardless of potential ice: Upper Delaware River Channel Lighted Buoy 36 (LLNR 3920) All aids will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range would be reduced from 2.7nm to 1.0nm. All light nominal ranges will be set to 4nm.</p>
Upper Delaware River Lighted Buoy 40	CHANGE	<p>ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.07776° N / 74.88495° W Aid Name: Upper Delaware River Channel Lighted Buoy 40 LLNR: 3930 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make the following changes to the buoys on the Upper Delaware River. Seasonal status "Replaced by can/nun when endangered by ice." will be removed. Aid will be lighted year-round regardless of potential ice: Upper Delaware River Channel Lighted Buoy 40 (LLNR 3930) All aids will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range would be reduced from 2.7nm to 1.0nm. All light nominal ranges will be set to 4nm.</p>
Upper Delaware River Channel Lighted Buoy 48	CHANGE	<p>ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.09393° N / 74.85195° W Aid Name: Upper Delaware River Channel Lighted Buoy 48 LLNR: 3990 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make the following changes to the buoys on the Upper Delaware River. Seasonal status "Replaced by can/nun when endangered by ice." will be removed. Aid will be lighted year-round regardless of potential ice: Upper Delaware River Channel Lighted Buoy 48(LLNR 3990) All aids will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range would be reduced from 2.7nm to 1.0nm. All light nominal ranges will be set to 4nm.</p>

NAME	ACTION TYPE	DESCRIPTION
Upper Delaware River Channel Lighted Buoy 51	CHANGE	ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.09945° N / 74.84267° W Aid Name: Upper Delaware River Channel Lighted Buoy 51 LLNR: 4010 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make the following changes to the buoys on the Upper Delaware River. Seasonal status "Replaced by can/nun when endangered by ice." will be removed. Aid will be lighted year-round regardless of potential ice: Upper Delaware River Channel Lighted Buoy 51 (LLNR 4010) All aids will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range would be reduced from 2.7nm to 1.0nm. All light nominal ranges will be set to 4nm.
Upper Delaware River Channel Lighted Buoy 52	CHANGE	ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.09856° N / 74.841° W Aid Name: Upper Delaware River Channel Lighted Buoy 52 LLNR: 4015 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make changes to Upper Delaware River Channel Lighted Buoy 52 (LLNR 4015). Seasonal status "Replaced by LIB of reduced intensity from Dec. 15 to Mar. 1" will be removed. Buoy size/type and light nominal range will remain the same all year round. Aid will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range will be reduced from 2.7nm to 1.0nm. Light nominal range will be set to 4nm.
Upper Delaware River Channel Lighted Buoy 53	CHANGE	ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.10534° N / 74.83681° W Aid Name: Upper Delaware River Channel Lighted Buoy 53 LLNR: 4035 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make the following changes to the buoys on the Upper Delaware River. Seasonal status "Replaced by can/nun when endangered by ice." will be removed. Aid will be lighted year-round regardless of potential ice: Upper Delaware River Channel Lighted Buoy 53 (LLNR 4035) All aids will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range would be reduced from 2.7nm to 1.0nm. All light nominal ranges will be set to 4nm.
Upper Delaware River Channel Lighted Buoy 54	CHANGE	ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.10401° N / 74.83517° W Aid Name: Upper Delaware River Channel Lighted Buoy 54 LLNR: 4040 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make changes to Upper Delaware River Channel Lighted Buoy 54 (LLNR 4040). Seasonal status "Replaced by LIB of reduced intensity from Dec. 15 to Mar. 1" will be removed. Buoy size/type and light nominal range will remain the same all year round. Aid will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range will be reduced from 2.7nm to 1.0nm. Light nominal range will be set to 4nm.
Upper Delaware River Lighted Buoy 60	CHANGE	ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.12715° N / 74.81574° W Aid Name: Upper Delaware River Channel Lighted Buoy 60 LLNR: 4075 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make changes to Upper Delaware River Channel Lighted Buoy 60 (LLNR 4075). Seasonal status "Replaced by LIB of reduced intensity from Dec. 15 to Mar. 1" will be removed. Buoy size/type and light nominal range will remain the same all year round. Aid will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range will be reduced from 2.7nm to 1.0nm. Light nominal range will be set to 4nm.

NAME	ACTION TYPE	DESCRIPTION
Upper Delaware River Lighted Buoy 65	CHANGE	ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.1213° N / 74.79135° W Aid Name: Upper Delaware River Channel Lighted Buoy 65 LLNR: 4095 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make changes to Upper Delaware River Channel Lighted Buoy 65 (LLNR 4095). Seasonal status "Replaced by LIB of reduced intensity from Dec. 15 to Mar. 1" will be removed. Buoy size/type and light nominal range will remain the same all year round. Aid will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range will be reduced from 2.7nm to 1.0nm. Light nominal range will be set to 4nm.
Upper Delaware River Lighted Buoy 69	CHANGE	ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.12139° N / 74.78543° W Aid Name: Upper Delaware River Channel Lighted Buoy 69 LLNR: 4135 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make the following changes to the buoys on the Upper Delaware River. Seasonal status "Replaced by can/nun when endangered by ice." will be removed. Aid will be lighted year-round regardless of potential ice: Upper Delaware River Channel Lighted Buoy 69 (LLNR 4135) All aids will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range would be reduced from 2.7nm to 1.0nm. All light nominal ranges will be set to 4nm.
Upper Delaware River Channel Lighted Buoy 71	CHANGE	ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.12259° N / 74.78124° W Aid Name: Upper Delaware River Channel Lighted Buoy 71 LLNR: 4155 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make changes to Upper Delaware River Channel Lighted Buoy 71 (LLNR 4155). Seasonal status "Replaced by LIB of reduced intensity from Dec. 15 to Mar. 1" will be removed. Buoy size/type and light nominal range will remain the same all year round. Aid will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range will be reduced from 2.7nm to 1.0nm. Light nominal range will be set to 4nm.
Upper Delaware River Lighted Buoy 72	CHANGE	ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.12679° N / 74.77211° W Aid Name: Upper Delaware River Channel Lighted Buoy 72 LLNR: 4160 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make the following changes to the buoys on the Upper Delaware River. Seasonal status "Replaced by can/nun when endangered by ice." will be removed. Aid will be lighted year-round regardless of potential ice: Upper Delaware River Channel Lighted Buoy 72 (LLNR 4160) All aids will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range would be reduced from 2.7nm to 1.0nm. All light nominal ranges will be set to 4nm.
Upper Delaware River Channel Lighted Buoy 76	CHANGE	ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.13373° N / 74.75878° W Aid Name: Upper Delaware River Channel Lighted Buoy 76 LLNR: 4170 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make the following changes to the buoys on the Upper Delaware River. Seasonal status "Replaced by can/nun when endangered by ice." will be removed. Aid will be lighted year-round regardless of potential ice: Upper Delaware River Channel Lighted Buoy 76 (LLNR 4170) All aids will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range would be reduced from 2.7nm to 1.0nm. All light nominal ranges will be set to 4nm.

NAME	ACTION TYPE	DESCRIPTION
Upper Delaware River Channel Lighted Buoy 78	CHANGE	<p>ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.1344° N / 74.75133° W Aid Name: Upper Delaware River Channel Lighted Buoy 78 LLNR: 4175 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make changes to Upper Delaware River Channel Lighted Buoy 78 (LLNR 4175). Seasonal status "Replaced by LIB of reduced intensity from Dec. 15 to Mar. 1" will be removed. Buoy size/type and light nominal range will remain the same all year round. Aid will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range will be reduced from 2.7nm to 1.0nm. Light nominal range will be set to 4nm.</p>
Upper Delaware River Channel Lighted Buoy 89	CHANGE	<p>ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.1504° N / 74.72239° W Aid Name: Upper Delaware River Channel Lighted Buoy 89 LLNR: 4250 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make changes to Upper Delaware River Channel Lighted Buoy 89 (LLNR 4250). Seasonal status "Replaced by LIB of reduced intensity from Dec. 15 to Mar. 1" will be removed. Buoy size/type and light nominal range will remain the same all year round. Aid will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range will be reduced from 2.7nm to 1.0nm. Light nominal range will be set to 4nm.</p>
Upper Delaware River Channel Lighted Buoy 91	CHANGE	<p>ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-12-01 Location: 40.16056° N / 74.72286° W Aid Name: Upper Delaware River Channel Lighted Buoy 91 LLNR: 4270 Action: CHANGE Action Type Change Aid Subtype Starting September 23, 2024 to the end of November 2024, the Coast Guard will make changes to Upper Delaware River Channel Lighted Buoy 91 (LLNR 4270). Seasonal status "Replaced by LIB of reduced intensity from Dec. 15 to Mar. 1" will be removed. Buoy size/type and light nominal range will remain the same all year round. Aid will change buoy type to year-round ice resistant buoys. Day time nominal range will be reduced from 2.3nm to 1.4nm and radar range will be reduced from 2.7nm to 1.0nm. Light nominal range will be set to 4nm.</p>

Upper Machodoc Creek Dahlgren Channel

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Chesapeake Channel - Potomac River/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-13	2025-12-06	General/Hazards To Navigation/Shoaling Reported U. S. Army Corps of Engineers Survey of Bonum Creek indicates shoaling, to less than 2 feet MLLW, in the channel. From: 2024-08-13 To: 2025-12-06 Location: 38.09909° N / 76.57955° W 38.09874° N / 76.57894° W 38.09597° N / 76.58116° W 38.09622° N / 76.58178° W 38.09909° N / 76.57955° W	POLYGON [Latitude: 38.09909, Longitude: -76.57955] [Latitude: 38.09874, Longitude: -76.57894] [Latitude: 38.09597, Longitude: -76.58116] [Latitude: 38.09622, Longitude: -76.58178] [Latitude: 38.09909, Longitude: -76.57955]
Potomac River - Upper Machodoc Creek Dahlgren Channel/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-05	2025-08-19	General/Hazards To Navigation/Shoaling Reported The ACOE Survey of St. George Creek Channel dated April 2021, indicates shoaling across the entire channel. The shoaling is from 850 feet up the channel of St. George Creek West Channel Warning Light A (LL 16760) to 500 feet up the channel of St. George Creek West Channel Warning Daybeacon B (LL 16765), with a least depth of 3.1 feet MLLW. From: 2024-08-05 To: 2025-08-19 Location: 38.13635° N / 76.50126° W 38.13549° N / 76.50038° W 38.13191° N / 76.50667° W 38.1329° N / 76.50783° W 38.13635° N / 76.50126° W	POLYGON [Latitude: 38.13635, Longitude: -76.50126] [Latitude: 38.13549, Longitude: -76.50038] [Latitude: 38.13191, Longitude: -76.50667] [Latitude: 38.1329, Longitude: -76.50783] [Latitude: 38.13635, Longitude: -76.50126]
Chesapeake Channel - Potomac River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	General	Marine Construction (Excluding Bridges)	2024-09-09	2027-02-01	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-09-09 To: 2027-02-01 Location: 38.88825° N / 77.0525° W 38.88012° N / 77.04183° W 38.88018° N / 77.04055° W 38.8799° N / 77.04009° W	POLYGON [Latitude: 38.88825, Longitude: -77.0525] [Latitude: 38.88012, Longitude: -77.04183] [Latitude: 38.88018, Longitude: -77.04055] [Latitude: 38.8799, Longitude: -77.04009] [Latitude: 38.88018, Longitude: -77.05278] [Latitude: 38.88825, Longitude: -77.0525]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>38.87968° N / 77.04177° W 38.8854° N / 77.04958° W 38.88812° N / 77.05278° W 38.88825° N / 77.0525° W Starting on April 15th, 2024 Cianbro Corporation will be mobilizing to begin the Tidal Basin and West Potomac Park Seawall Rehabilitation Project for The National Park Service. This project is scheduled from April 15th, 2024 to February 1st, 2027; with waterside activities being completed by the end of 2026. Starting in mid-June of 2024, one (1) temporary trestle will be installed between 38.8805754591474N, -77.04249015204742W and will extend approximately 94 feet into the river. In July 2024, one additional (1) temporary trestle in the Tidal Basin will be installed at 38.88154282457337N, -77.04085444069864W and will extend approximately 55 feet into the basin. The work area in the Potomac River will span from Arlington Memorial Bridge to The Inlet Bridge following the shoreline of West Potomac Park in stages starting in March of 2025. Directly surrounding the work areas we will have turbidity curtain deployed to contain the work impact zone, two (2) Turbidity Monitoring Bouy's Twenty-Five (25) LF upstream and downstream from the immediate work area. Additional equipment such as boats, crane barges, and material barges in the Potomac River to facilitate the completion of the work. While work is in proximity to a navigable channel, mariners are asked to refrain from entering the work area and maintain a respectful distance with</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					minimize wake to prevent any hazardous conditions from arising for the safety of our Team Members and the traveling public.	

Upper Potomac River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Potomac River Light 44	18095	LT EXT	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Potomac River - Upper Potomac River/General/Safety Zones/Temporary Regulated Navigation Zones	General	Safety Zones	2024-08-14	2025-01-01	<p>General/Safety Zones/Temporary Regulated Navigation Zones Bridge replacement operations are scheduled to continue adjacent to the Federal Navigation Channel at the New Harry W. Nice / Thomas "Mac" Middleton (US 301) Bridge on the Potomac River in Newburg, MD through November 2024. A new 6-knot speed limit is now being enforced for 0.5 nautical miles north and south of the bridge. Wakes from speeding boats can create major hazards for construction operations and workers. Mariners are reminded to heed the speed limit markers established by the State of Maryland when transiting the area, so that wake does not affect the platforms and barges at the work site. For more information, visit www.nicemiddletonbridge.com or call 888-994-1415. From: 2024-08-14 To: 2025-01-01 Location:</p> <p>38.36551° N / 76.98314° W 38.36189° N / 76.98217° W 38.35743° N / 77.01415° W 38.36139° N / 77.01425° W 38.36551° N / 76.98314° W</p>	<p>POLYGON [Latitude: 38.36551, Longitude: -76.98314] [Latitude: 38.36189, Longitude: -76.98217] [Latitude: 38.35743, Longitude: -77.01415] [Latitude: 38.36139, Longitude: -77.01425] [Latitude: 38.36551, Longitude: -76.98314]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Potomac River - Upper Potomac River/General/Bridges/Removal	General	Bridges	2024-08-14	2025-01-01	<p>General/Bridges/Removal Demolition of the old Harry W. Nice / Thomas "Mac" Middleton (US 301) Bridge on the Potomac River between Newburg, MD and Dahlgren VA, just south of the new bridge, is scheduled to continue into late 2024. Project vessels and barges will be working under and adjacent to the old bridge potentially 24 hours per day, 7 days per week. Construction vessels may be crossing or positioned adjacent to the federal navigation channel. Barges and/or floating boom may delineate active demolition areas outside of the Federal Channel that should be avoided by mariners due to active sensitive work including heavy equipment and divers. Interested mariners can contact Mr. Mike Baker at (443) 286-1780 or Mr. Daniel Francis at (757) 375-3960, or the vessels SEAWARD 23, MISS STACY M, or MISS ILA via marine band radio VHF-FM channels 13 and 16 when actively working on the river for information/coordination. When transiting this area at any time, mariners are reminded to heed the 6-knot speed limit established by the State of Maryland so wake does not affect the crane barges and endanger workers at the work site. From: 2024-08-14 To: 2025-01-01 Location:</p>	<p>POLYGON [Latitude: 38.36529, Longitude: -76.98327] [Latitude: 38.36159, Longitude: -76.98155] [Latitude: 38.35772, Longitude: -77.01374] [Latitude: 38.36142, Longitude: -77.01352] [Latitude: 38.36529, Longitude: -76.98327]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Potomac River - Upper Potomac River/General/Bridges/Maintenance	General	Bridges	2024- 09-26	2024- 12-07	Mariners are advised that an engineering firm, on behalf of CSX Transportation, will be performing bridge maintenance on the rail bridge - Washington, DC Long Bridge Railway across the Potomac River, mile 109.8, at Arlington, VA. To facilitate bridge work from 7 a.m. to 5 p.m. from October 11, 2024, through December 7, 2024, a 30' x 80' barge with a manlift will be utilized in and around the bridge pilings to conduct inspection work and to install monitoring equipment to the bridge structure in various places. The bridge maintenance team and barge will not be in the navigation channel. The main navigation channel will remain open throughout the project. The maintenance personnel may be reached at (301)343-5476. Mariners are urged to use caution when operating in this area.	POINT [Latitude: 38.87462, Longitude: -77.0386]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Potomac River - Upper Potomac River/General/Bridges/Inspection	General	Bridges	2024- 11-04	2024- 12-05	<p>Mariners are advised that an engineering firm, on behalf of District Department of Transportation, will be performing inspections on the I-395 (Arland D. Williams Jr.) Bridge across the Potomac River, mile 109.9, at Washington D.C. The inspections will be conducted from 8 a.m. to 5 p.m.; Monday-Friday; from November 12, 2024, through November 15, 2024, from November 18, 2024, through November 22, 2024, from November 25, 2024, through November 26, 2024, and from December 3, 2024, through December 5, 2024. A 30-foot inspection vessel, work boats, and a team of divers will be located in and around the vicinity of the bridge. Inspection personnel, equipment and vessels will relocate from the navigable channel, upon request. Vessels that cannot safely transit through the bridge during work hours, may safely transit through the bridge if at least a 15-minute prior notice is given to the project foreman. Work vessels may be reached on VHF-FM channel 13 and 16. The project foreman can be reached at (775) 313-8727. Mariners should use extreme caution navigating through the area.</p>	POINT [Latitude: 38.87543, Longitude: -77.03995]

Upper York River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Croaker Landing Daybeacon 1	13960	STRUCT DEST	PA
Croaker Landing Daybeacon 2	13965	STRUCT DEST	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
York River - Upper York River/ATON/Federal Discrepancies	ATON	Federal Discrepancie	2024- 09-18	2025- 03-17	ATON/Federal Discrepancies From: 2024-09-18 To: 2025- 03-17 Location: 37.49906° N / 76.783° W Aid Name: Upper York River Channel Light 30 LLNR: 14015 Discrepancy Information: Initial Report DTG: 180823Z SEP 2024 Summary: STRUCT DMGD Wreckage remain 1ft above waterline.	POINT [Latitude: 37.49906, Longitude: -76.783]

Urbanna Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Robinson Creek Daybeacon 3	15280	STRUCT DEST/TRLB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Rappahannock River - Urbanna Creek/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-11-05	2025-11-05	ATON/Federal Discrepancies From: 2024-11-05 To: 2025-11-05 Location: 37.65229° N / 76.57764° W Aid Name: Robinson Creek Daybeacon 3 LLNR: 15280 Discrepancy Information: Initial Report DTG: 051226Z NOV 2024 Summary: STRUCT DEST/HAZ NAV	POINT [Latitude: 37.65229, Longitude: -76.57764]

Virginia Inside Passage

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Virginia Inside Passage Light 265	6580	STRUCT DMGD	FD
Virginia Inside Passage Daybeacon 266	6585	STRUCT DEST/HAZ NAV/TRLB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
North Channel - Virginia Inside Passage/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 08-13	2025- 03-26	General/Hazards To Navigation/Shoaling Reported Norfolk District Army Corp of Engineers Survey of Quinby Creek; dated 11 Feb 2020, indicated significant shoaling with least depth of 6.0'MLLW to 1.2'MLLW at Quinby Creek Warning Daybeacon J (LLNR 6785). From: 2024- 08-13 To: 2025-03-26 Location: 37.54828° N / 75.72977° W 37.53148° N / 75.72156° W 37.53084° N / 75.72312° W 37.54739° N / 75.7317° W 37.54828° N / 75.72977° W	POLYGON [Latitude: 37.54828, Longitude: -75.72977] [Latitude: 37.53148, Longitude: -75.72156] [Latitude: 37.53084, Longitude: -75.72312] [Latitude: 37.54739, Longitude: -75.7317] [Latitude: 37.54828, Longitude: -75.72977]

NAME	ACTION TYPE	DESCRIPTION
Virginia Inside Passage Lighted Wreck Buoy WR244	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing the wreckage this aid marks in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 245	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 246	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 247	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 248	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 249	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 250	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 252	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 254	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 255	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 255A	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 259	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 261	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 262	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Light 265	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 266	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.
Virginia Inside Passage Daybeacon 267	DISCONTINUE	On or about November 12, 2024; a contractor, will begin removing this aid in the Virginia Inside Passage.

Wachapreague Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Wachapreague Inlet Buoy 1	6605	MISSING	FD
Wachapreague Inlet Buoy 2	6610	OFF STA	FD
Wachapreague Inlet Buoy 3	6615	OFF STA	FD
Wachapreague Inlet Lighted Buoy 5	6625	OFF STATION	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Sector Virginia, Submerged Land Act (SLA) - Wachapreague Inlet/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024-10-29	2025-04-27	ATON/Federal Discrepancies From: 2024-10-29 To: 2025-04-27 Location: 37.57856° N / 75.59672° W Aid Name: Wachapreague Inlet Lighted Buoy 5 LLNR: 6625 PFIP Discrepancy Information: Initial Report DTG: 291821Z OCT 2024 Summary: OFF STATION	POINT [Latitude: 37.57856, Longitude: -75.59672]

Walter Slough

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Walter Slough Daybeacon 2	28305	STRUCT DEST/TRUB	FD
Walter Slough Light 3	28310	STRUCT DEST/TRLB	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Walter Slough Lighted Buoy 5	28320	DISCONTINUED FOR DREDGING	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Oregon Inlet - Walter Slough/ATON/Temporary Changes	ATON	Temporary Changes	2024- 10-23	2025- 04-21	ATON/Temporary Changes From: 2024- 10-23 To: 2025-04-21 Location: 35.79201° N / 75.5643° W Aid Name: Walter Slough Lighted Buoy 5 LLNR: 28320 Temporary Aid Change Information: Status: DISCONTINUED FOR DREDGING	POINT [Latitude: 35.79201, Longitude: -75.5643]

Wanchese Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Wanchese Channel Daybeacon 5	28460	STRUCT DEST/TRUB	FD

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Wanchese Channel/General/Marine Construction (Excluding Bridges)/Dredging	General	Marine Construction (Excluding Bridges)	2024-09-10	2024-12-31	<p>General/Marine Construction (Excluding Bridges)/Dredging From: 2024-09-10 To: 2024-12-31 Location: 35.85066° N / 75.61034° W 35.79811° N / 75.58204° W 35.79311° N / 75.57611° W 35.79289° N / 75.57638° W 35.79785° N / 75.58229° W 35.85055° N / 75.61089° W 35.85066° N / 75.61034° W</p> <p>The "MISS KATIE" dredge vessel has routine dredging operations scheduled at the Oregon Inlet, the Walter Slough Channel, Oregon Inlet Cut, the Old House Channel, and Roanoke Sound Channel from Light 1 (LLNR 28365) to Light 17 (LLNR 28470) periodically throughout the year, dependent upon weather conditions, maintenance, and/or other emergency dredging projects out of the area. Dredging operations will be performed on a schedule of 12 hours and/or 24 hours a day, seven (7) days a week. Material that is hopper dredged will be transported to a disposal site located in deep scour holes near the Basnight Bridge on the south side of Oregon Inlet and/or a nearshore site located off Pea Island. All mariners are requested to use caution in the area. MISS KATIE can be reached on VHF-FM CH 16 and 13. For more information, contact Jordan Hennessy at jhennessy@ejedredgng.com or (252) 597-5752.</p>	<p>POLYGON [Latitude: 35.85066, Longitude: -75.61034] [Latitude: 35.79811, Longitude: -75.58204] [Latitude: 35.79311, Longitude: -75.57611] [Latitude: 35.79289, Longitude: -75.57638] [Latitude: 35.79785, Longitude: -75.58229] [Latitude: 35.85055, Longitude: -75.61089] [Latitude: 35.85066, Longitude: -75.61034]</p>

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Wanchese Channel/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024- 09-25	2025- 04-13	Encroaching shoaling is present between Wanchese Channel Buoy 2 (LLNR 28445) and Wanchese Channel Daybeacon 4 (LLNR 28455) extending into channel.	POLYGON [Latitude: 35.84332, Longitude: -75.60772] [Latitude: 35.84318, Longitude: -75.60764] [Latitude: 35.8417, Longitude: -75.61198] [Latitude: 35.84181, Longitude: -75.61201] [Latitude: 35.84332, Longitude: -75.60772]

Webster Cove

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Webster Cove Channel Daybeacon 3	23800	STRUCT DEST/TRLB	FD

Western Part Of Pamlico Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Royal Shoal Light 3	32370	DAYMK MISSING	FD

White Creek

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Indian River Inlet - White Creek/General/Hazards To Navigation/Shoaling Reported	General	Hazards To Navigation	2024-08-05	2025-10-14	General/Hazards To Navigation/Shoaling Reported Shoaling was observed in White Creek to 2 - 5 feet at MLW. Floating Aids to Navigation have been discontinued while fixed aids to navigation have been converted to Warning Daybeacons with "Danger Shoal" on them. From: 2024-08-05 To: 2025-10-14	POLYGON [Latitude: 38.57784, Longitude: -75.0989] [Latitude: 38.57683, Longitude: -75.09469] [Latitude: 38.55851, Longitude: -75.08757] [Latitude: 38.55959, Longitude: -75.09074] [Latitude: 38.56871, Longitude: -75.09701] [Latitude: 38.57784, Longitude: -75.0989]

Willoughby Bay

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
James River - Willoughby Bay/General/Bridges/Modification	General	Bridges	2024-10-07	2026-08-01	Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be modifying the existing bridge I-64/US 60 (Hampton Roads Beltway/Willoughby Bay) Bridge across Willoughby Bay, mile 1.5, at Norfolk, VA, commonly called the Willoughby Bay Bridge. Construction activities will begin on June 7, 2021, and are expected to continue through December, 2025. Marine construction activity will take place 24-hours per day, seven days a week. The project will involve widening the existing two-lane eastbound and westbound structures into two four-lane structures. This will be done by constructing an additional vehicular lane on each side of the existing eastbound structure and constructing an additional vehicular lane on each side of the existing westbound structure. The modified bridge will be a fixed bridge with a horizontal clearance of 50 feet and a vertical clearance of 25 feet above mean high water. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new bridge spans or located within the	POINT [Latitude: 36.96379, Longitude: -76.2791]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>specific Mooring/Safe Harbor area. Bridge Structures/Work Trestles: Mariners are advised to maintain a safe distance of 300 feet to the south and 50 feet to the north from the Willoughby Bay Bridge. Construction managers may establish safe transit corridors through bridge trestles as construction activity permits. Work trestles will be constructed extending on out from the North and South shorelines. Willoughby Mooring and Safe Harbor Area - As charted. Mariners are advised to keep clear of the mooring/safe harbor area and are not permitted entry or mooring within the exclusion zone throughout the duration of the project.</p> <p>Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels and channels 67 & 71 while operating in the project area. To reach an on-scene manager, call Hampton Roads Connector Partners at 757-703-6060 and the call will be forwarded to an On-Call Hampton Roads Connector Partners Marine contact. You may also contact Hampton Roads Connector Partners via email at MarineOps@hrcpjv.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtexpansion.org.</p>	
James River - Willoughby Bay/General/Bridges/Modification	General	Bridges	2024-10-07	2026-08-01	Mariners are advised that a construction firm, on behalf of Virginia Department of Transportation, will be modifying the existing bridge I-64/US 60 (Hampton Roads	POINT [Latitude: 36.96355, Longitude: -76.2791]

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>Beltway/Willoughby Bay) Bridge across Willoughby Bay, mile 1.5, at Norfolk, VA, commonly called the Willoughby Bay Bridge. Construction activities will begin on June 7, 2021, and are expected to continue through December, 2025. Marine construction activity will take place 24-hours per day, seven days a week. The project will involve widening the existing two-lane eastbound and westbound structures into two four-lane structures. This will be done by constructing an additional vehicular lane on each side of the existing eastbound structure and constructing an additional vehicular lane on each side of the existing westbound structure. The modified bridge will be a fixed bridge with a horizontal clearance of 50 feet and a vertical clearance of 25 feet above mean high water. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new bridge spans or located within the specific Mooring/Safe Harbor area. Bridge Structures/Work Trestles: Mariners are advised to maintain a safe distance of 300 feet to the south and 50 feet to the north from the Willoughby Bay Bridge. Construction managers may establish safe transit corridors through bridge trestles as construction activity</p>	

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
					<p>permits. Work trestles will be constructed extending on out from the North and South shorelines. Willoughby Mooring and Safe Harbor Area - As charted. Mariners are advised to keep clear of the mooring/safe harbor area and are not permitted entry or mooring within the exclusion zone throughout the duration of the project.</p> <p>Communications: Hampton Roads Connector Partners tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels and channels 67 & 71 while operating in the project area. To reach an on-scene manager, call Hampton Roads Connector Partners at 757-703-6060 and the call will be forwarded to an On-Call Hampton Roads Connector Partners Marine contact. You may also contact Hampton Roads Connector Partners via email at MarineOps@hrcpjb.com. In case of emergency, please contact USCG Sector Virginia Command Center on VHF-FM Channel 16 or 757-483-8567. Project information may be found at https://hrbtexpansion.org.</p>	

Wrightsville Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Wrightsville Channel Daybeacon 13	30215	STRUCT DEST/TRUB	FD
Wrightsville Channel Daybeacon 25	30255	STRUCT DEST/HAZ NAV/TRLB	FD

Wye River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Wye River Entrance Daybeacon 3	26115	STRUCT DMGD/TRUB/HAZ NAV	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Wye River Daybeacon 5	26135	STRUCT DEST/TRUB	PA
Wye East River Daybeacon 3	26160	STRUCT DEST/TRUB	PA

Additional MSIs

TITLE	CATEGORY	SUB CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Eastern Bay - Wye River/ATON/Federal Discrepancies	ATON	Federal Discrepancies	2024- 10-14	2025- 10-14	ATON/Federal Discrepancies From: 2024-10-14 To: 2024- 10-28 Location: 38.84265° N / 76.20784° W Aid Name: Wye River Entrance Daybeacon 3 LLNR: 26115 Discrepancy Information: Initial Report DTG: 142231Z OCT 2024 Summary: STRUCT DMGD/TRUB/HAZ NAV Temporary Response DTG: 142231Z OCT 2024 Temporary Response: TUB	POINT [Latitude: 38.84265, Longitude: -76.20784]

Wysocking Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Wysocking Bay Entrance Light 3	32155	LT EXT	FD
Wysocking Bay Light 6	32170	LT EXT	FD

Yeocomico River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
West Yeocomico River Daybeacon 6	16825	HAZ NAV/STRUCT DMGD	PA

York Spit Swash Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
York Spit Swash Channel Light 3	14110	STRUCT DEST/HAZ NAV/TRLB	FD